


MEDICAL LIBRARY

(MINISTRY OF HEALTH.)

2079

gistrar-General
Marriages 1868.
Sent: Reminder Ret-d

EDUCATIONAL LIBRARY



22500993360

No.....

MINISTRY OF HEALTH.

MEDICAL LIBRARY.

This book may be retained for 14 days. It should be returned to the Medical Library (Room 30/IV) on or before the latest date given below.

The volume may be reborrowed for a further period upon written request provided it is not required by another officer.

24

1694

TENTH

DETAILED ANNUAL REPORT


OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES
IN SCOTLAND.

Presented to both Houses of Parliament by Command of Her Majesty.



EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.

1867.



TENTH

DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN SCOTLAND.

WELLCOME INSTITUTE LIBRARY	
Coll.	welMOmec
Call	8W
No.	WA

REPORT.

TO THE

RIGHT HON^{BLE}. GATHORNE HARDY, M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,

EDINBURGH, *June 27, 1867.*

SIR,

IN conformity with the seventh section of the Scottish Registration Act, 17 and 18 Vict. cap. 80, I submitted, on the close of the year 1864, a general abstract of the births, deaths, and marriages registered in Scotland during that year. I have now the honour to forward to you my Detailed Report for the same year, with relative Tables.

During 1864 trade was prosperous, money plentiful, provisions cheap, abundant, and good, and all manufactures, the cotton included, were in full operation. The natural consequence was, that marriages rose high above their average, and the births were more numerous than during any previous year.

To counterbalance this favourable state of matters, the deaths were high above the mean of former years, and an epidemic of Fever prevailed generally over the country.

In my last Report I directed your attention to the investigations made regarding the influence of marriage on the mortality of the male in Scotland. The facts ascertained for 1863 were so startling and unexpected, that I directed the investigation to be continued for the year 1864; and I have now the pleasure of laying before you the results of the two years' investigations,

which corroborate each other on every important point. They prove that at every period of life the mortality of the married men is much less than that of the unmarried.

As the year 1864 completes the first decennial period since the Registration Act came into operation, I directed that this Report should contain a summary of the registrations for these ten years. A decennial period gives a good general idea of the vital statistics of a population, especially when all the facts are so carefully collected as they are in Scotland. The ten years' summary shows the mean birth, death, and marriage-rates, and will serve as a valuable standard of reference for future years. Tables are also prepared to show the death-rates of each disease during the above period, not only for Scotland, but for its three great groups of districts—the Insular, the Mainland-Rural, and Town Districts.

The state of elementary education, as exhibited in the proportions of men and of women who were able to sign their names at marriage, continues to be satisfactory, though the number able to write was slightly lower than during the previous year. This might have been expected, seeing that the increase in the number of marriages was confined to the lower classes. As it was, only 11·4 per cent. of the men, and 23·8 per cent. of the women who married were obliged to sign by mark, from being unable to write.

I have the honour to be,

SIR,

Your obedient Servant,

W. PITT DUNDAS,

Registrar-General.

CONTENTS.

	Page
Report of Registrar-General to the Secretary of State,	iii
Report by Dr Stark to the Registrar-General,	ix
Table of Estimated Population, with the number of Births, Deaths, and Marriages registered in Scotland during each of the ten years 1855 to 1864 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths,	ix
Table showing the number of Births, Deaths, and Marriages in the Insular, Mainland-Rural, and Town Districts of Scotland, during each of the ten years 1855 to 1864,	x
Table showing the Proportion of Births, Deaths, and Marriages to the Population in the Insular, Mainland-Rural, and Town Districts, during each of the ten years 1855 to 1864,	xi
Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1864,	xii

BIRTHS.

Births in 1864, and their Proportion to the Population, with relative Tables,	xi
Table showing particulars relative to the Births during each of the ten years 1855 to 1864,	xi
Proportion of Illegitimate Births in each of the ten years 1855-64, with relative Tables,	xiii
Proportion of the Sexes at Birth in 1864, and during each of the ten years 1855-64,	xv

MARRIAGES.

Number of Marriages in 1864, and the Proportion to the Population, and the Number and Proportion during each of the ten years 1855 to 1864,	xvi
Relative fertility of Scotch and English Females,	xvii
Number and Proportion of Marriages celebrated according to the Rites of the several Religious Denominations in 1864, and from 1855 to 1864, with Tables,	xix
Number and Proportion of Persons marrying under 21 and under 25 years of age,	xx
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables,	xxii
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark,	xxiv

DEATHS.

Number of Deaths in 1864, and their Proportion to the Population,	xxv
Death-rates in Scotland, in its Insular, Mainland-Rural, and Town Districts, also in each of its Eight Principal Towns, during each of the ten years 1855 to 1864,	xxvi

	Page
Male Death-rate higher at all ages than Female during the ten years,	xxvii
Death-rate in Towns a third higher than in the Country,	xxix
Influence of Marriage on the Male Death-rate,	xxxi
Tables of Deaths at different ages in Scotland, its Three Great Groups of Districts, and in each of its Eight Principal Towns,	xxvii-xxxvii
Causes of Death in 1864, with relative Tables,	xxxix
Typhus Fever Epidemic in 1864—its varieties, etc.,	xlii
Causes of Death during the ten years 1855 to 1864, with relative Tables,	xliv
Practical conclusions from the facts ascertained during these ten years,	li

INFLUENCE OF EXTERNAL AGENCIES IN 1864.

Influence of Season on the Births,	li
Favourite periods for Marriage in Scotland,	li
Influence of Weather, particularly mean temperature, on the Death-rate, and on the mortality of different classes of Disease,	liii
Table showing the Meteorology of Scotland during each month of the year 1864, with the number of the Monthly and Daily Births, Deaths, and Marriages,	lii
Table showing the connection between certain Atmospheric Phenomena, especially mean Temperature, and the monthly Deaths from certain Diseases in the Eight Principal Towns of Scotland,	liii
Table showing the value of the Imports, Exports, quantity of Grains, and other leading articles of Food or Commerce imported into Great Britain in 1862, 1863, and 1864; the average Price of Grain and of the 4lb. Loaf; the Amount of Deposits in Savings Banks; the number of Paupers, Emigrants, etc.,	liv

APPENDIX TO REPORT.

Reference Table of Population of Scotland estimated to the middle of each year, including the Army, Navy, and merchant seamen in Scotland, or in Scottish waters, from 1801 to 1861,	lvi
--	-----

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Divisions and Counties of Scotland in 1864, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1851 and 1861, the Excess of Births over Deaths, and the Number of Statute Acres in each County,	1
Tables of the Population in 1851 and 1861, and of the Births, Deaths, and Marriages during the year 1864, also of the Illegitimate Births, in every Registration District,	2-23
Summary Table of Population in 1851 and 1861; and of the Births, Deaths, and Marriages in 1864, in the Insular, the Mainland-Rural, and Town Districts of Scotland,	23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1864; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks,	24
Table of the Civil Condition of the Parties who married in 1864; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex,	25

	Page
Table of the Ages of all Males who married in Scotland and its Counties in 1864,	26
Table of the Ages of all Females who married in Scotland and its Counties in 1864,	28

DEATHS.

Table of the Ages of all Persons of both Sexes who died in each of the Counties and Larger Towns of Scotland in 1864, together with the Population of these Counties and Towns in 1851 and 1861,	30
Table of the Ages of all Males who died in each of the Counties and Larger Towns of Scotland in 1864, together with the Male Population of these Counties and Towns in 1851 and 1861,	32
Table of the Ages of all Females who died in each of the Counties and Larger Towns of Scotland in 1864, together with the Female Population of these Counties and Towns in 1851 and 1861,	34
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1864,	36-39
Do. Males,	40-43
Do. Females,	44-47
Summary Table of the Causes of Death in both Sexes in each of the Larger Towns of Scotland in 1864, whose respective Populations amounted to 10,000 or upwards in 1861, including important Suburban Districts,	48-51
Do. Males,	52-55
Do. Females,	56-59
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life,	60-63
Do. Males,	64-67
Do. Females,	68-71
Table of the Causes of Death in both Sexes in the Insular Districts of Scotland at different Periods of Life,	72-75
Do. Males,	76-79
Do. Females,	80-83
Table of the Causes of Death in both Sexes in the Mainland Districts of Scotland at different Periods of Life,	84-87
Do. Males,	88-91
Do. Females,	92-95
Table of the Causes of Death in both Sexes in the Town Districts of Scotland at different Periods of Life,	96-99
Do. Males,	100-103
Do. Females,	104-107
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life,	108-111
Do. Males,	112-115
Do. Females,	116-119
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life,	120-123
Do. Males,	124-127
Do. Females,	128-131
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life,	132-135
Do. Males,	136-139
Do. Females,	140-143
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life,	144-147
Do. Males,	148-151
Do. Females,	152-155
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life,	156-159
Do. Males,	160-163
Do. Females,	164-167
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life,	168-171
Do. Males,	172-175
Do. Females,	176-179

	Page
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life,	. 180-183
Do. Males,	. 184-187
Do. Females,	. 188-191
Table of the Causes of Death in both Sexes in Leith at different Periods of Life,	. 192-195
Do. Males,	. 196-199
Do. Females,	. 200-203
Table of the Causes of Death in both Sexes in Perth at different Periods of Life,	. 204-207
Do. Males,	. 208-211
Do. Females,	. 212-215
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1864, in each of the Divisions and Counties of Scotland, together with the estimated Population of each Division and County to the middle of 1864,	216

APPENDIX TABLES.

Table of the Causes of Death in Scotland during each of the ten years 1855 to 1864,	218
Table of the Causes of Death in the Insular Districts of Scotland during each of the ten years 1855 to 1864,	220
Table of the Causes of Death in the Mainland-Rural Districts during each of the ten years 1855 to 1864,	222
Table of the Causes of Death in the Town Districts during each of the ten years 1855 to 1864,	224
<hr/>	
Constitution of the Compound Districts,	226
Index to Districts,	227

REPORT TO THE REGISTRAR-GENERAL,

BY JAMES STARK, M.D., F.R.S.E.

SIR,

THE year 1864, to which this Report refers, was the tenth year since the Registration Act came into operation, and births, deaths, and marriages were both absolutely and relatively more numerous in Scotland during that year than during any of the years of which we have certain records. During that year, trade was active, money was plentiful, the whole of the working classes were in full employment, while provisions were moderate in price and good in quality. Under these favourable conditions marriages rose higher than they had ever previously done; and as this was the second year during which a high marriage-rate prevailed, it naturally accounts for the high birth-rate which followed.

Unfortunately, however, a high death-rate also prevailed, and this not specially attributable to any one disease, but to an increased mortality from

TABLE I.—POPULATION estimated to the middle of each year; with the Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland during each of the ten years 1855 to 1864, and their Proportion to the Population; showing also the excess of Births over Deaths.

YEAR.	Estimated Population.	Births.	Deaths.	Marriages.	Excess of Births over Deaths.	Proportion to every 100 Persons living.		
						Births.	Deaths.	Marriages.
1855	2,978,065	93,349	62,004	19,680	31,345	3·134	2·082	0·660
1856	2,995,771	101,821	58,529	20,740	42,291	3·395	1·953	0·692
1857	3,012,310	103,415	61,906	21,369	41,509	3·433	2·055	0·709
1858	3,027,665	104,018	63,539	19,655	40,479	3·435	2·098	0·649
1859	3,041,812	106,543	61,714	21,201	44,829	3·502	2·028	0·697
1860	3,054,738	105,629	68,170	21,225	37,459	3·457	2·231	0·695
1861	3,066,633	107,009	62,341	20,896	44,668	3·484	2·032	0·681
1862	3,083,989	107,069	67,195	20,597	39,874	3·471	2·178	0·667
1863	3,101,345	109,341	71,481	22,234	37,860	3·525	2·305	0·716
1864	3,118,701	112,333	74,416	22,725	37,917	3·634	2·386	0·728
Mean of Ten Years						3·447	2·134	0·689

all diseases. For the first time, also, for the previous ten years, an epidemic of Fever was widely spread over the country, and contributed to swell the number of deaths.

As a ten years' average gives a good idea of the vital statistics of a population, of the average proportion of births, deaths, and marriages, and of the diseases which prevail, there will be included in this Report a summary of the facts ascertained relative to these events during the ten years 1855 to 1864 inclusive, and such additional tables will be added as will serve to illustrate the subject.

The population of Scotland to the middle of the year 1864 may be estimated at 3,118,701 persons, of whom 1,474,018 were males, and 1,644,683 females. Of these, 158,864 were inhabitants of the Insular, 1,779,786 of the Mainland-Rural, and 1,180,051 of the Town Districts. (Table II.)

TABLE II.—POPULATION of SCOTLAND and its THREE GREAT GROUPS of DISTRICTS in 1851 and 1861; also the Population estimated to the middle of the Year 1864.

DISTRICTS.	CENSUS 1851.			CENSUS 1861.			Estimated to 30th June 1864.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Insular . .	76,760	89,727	166,487	73,409	87,324	160,733	72,320	86,544	158,864
Mainland- Rural . }	829,259	883,293	1,712,552	849,381	913,996	1,763,377	855,849	923,937	1,779,786
Town . .	469,460	540,243	1,009,703	527,058	611,126	1,138,184	545,849	634,202	1,180,051
SCOTLAND .	1,375,479	1,513,263	2,888,742	1,449,848	1,612,446	3,062,294	1,474,018	1,644,683	3,118,701

TABLE III.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in the INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS of SCOTLAND during each of the Ten Years 1855-64.

YEARS.	INSULAR DISTRICTS.				MAINLAND-RURAL DISTRICTS.				TOWN DISTRICTS.			
	Births.		Deaths.	Marriages.	Births.		Deaths.	Marriages.	Births.		Deaths.	Marriages.
	Total.	Illegit.			Total.	Illegit.			Total.	Illegit.		
1855	3733	162	2693	724	53347	4589	30893	10060	36269	2606	28418	8896
1856	4320	240	2166	841	56705	5375	28825	10428	40796	3082	27538	9471
1857	4460	227	2306	954	57568	5542	30390	10960	41387	3090	29210	9445
1858	4582	247	2377	884	57607	5574	31564	10083	41829	3533	29598	8688
1859	4627	269	2633	910	59366	5874	30959	10825	42550	3572	28122	9466
1860	4588	247	2714	811	58883	5875	33358	10747	42158	3614	32098	9667
1861	4499	227	2562	919	58191	5616	30814	10288	44319	4056	28965	9689
1862	4458	219	2975	851	58557	5836	32694	10185	44054	4321	31526	9561
1863	4323	212	2934	784	59235	6277	34722	10820	45783	4459	33825	10630
1864	4340	233	2720	775	60672	6433	35719	10819	47321	4531	35977	11131

BIRTHS.

112,333 births were registered in Scotland during the year 1864, being in the proportion of 363 births in every ten thousand persons of the estimated population. This is the highest proportion of births which has occurred since 1855, the mean of the nine previous years having been only 342 births in every ten thousand persons of the estimated population.

This increased proportion of births is naturally accounted for as being the result of the increased number of marriages which occurred during the years 1863 and 1864. A like increase in the proportion of both births and marriages was noticed in England during the same years; and it can scarcely be doubted that the general prosperity of the country, by inducing the working classes to enter more largely into the married state, was the effective cause of this increase.

TABLE IV.—PER-CENTAGE of BIRTHS, DEATHS, and MARRIAGES to the POPULATION in the INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS of SCOTLAND during the Ten Years 1855–1864; also the Per-centage of Illegitimate to the Total Births.

YEARS.	Per-centage of BIRTHS to the Population.			Per-centage of Illegitimate to the Total Births.			Per-centage of DEATHS to the Population.			Per-centage of MARRIAGES to the Population.		
	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
1855	2.275	3.078	3.403	4.3	8.6	7.1	1.641	1.782	2.668	0.441	0.580	0.834
1856	2.643	3.204	3.783	5.5	9.4	7.5	1.325	1.661	2.554	0.514	0.599	0.869
1857	2.738	3.301	3.794	5.6	9.6	7.4	1.415	1.743	2.667	0.585	0.628	0.866
1858	2.882	3.299	3.790	5.4	9.6	8.4	1.461	1.804	2.682	0.544	0.576	0.787
1859	2.860	3.384	3.812	5.8	9.9	8.4	1.627	1.707	2.519	0.562	0.617	0.848
1860	2.846	3.346	3.735	5.3	9.9	8.5	1.684	1.896	2.843	0.503	0.610	0.856
1861	2.801	3.297	3.883	5.0	9.7	9.1	1.595	1.746	2.537	0.572	0.582	0.848
1862	2.786	3.308	3.814	4.9	9.9	9.8	1.859	1.847	2.730	0.531	0.575	0.827
1863	2.711	3.338	3.921	4.9	10.6	9.7	1.840	1.956	2.897	0.491	0.609	0.910
1864	2.732	3.408	4.010	5.3	10.6	9.6	1.712	2.006	3.048	0.488	0.607	0.943
Mean Ten Years }	2.727	3.296	3.794	5.2	9.7	8.5	1.616	1.814	2.714	0.523	0.598	0.858

TABLE V.—BIRTHS in SCOTLAND, 1855–1864; with the Number and Proportion of Males and Females in the Legitimate, Illegitimate, and Total Births; also the Number of Twin and Triplet Births, and the Proportion of Mothers who have Twins.

YEARS.	TOTAL BIRTHS.		LEGITIMATE BIRTHS.		ILLEGIT. BIRTHS.		TWIN BIRTHS.	TRI- PLET BIRTHS.	Proportion of Males to every 100 Females in the			Proportion of Mothers who bare Twins or Triplets. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44044	41948	3760	3597	104.9	104.9	104.5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105.3	105.2	106.1	77
1857	53158	50257	48632	45924	4526	4333	1300	16	105.7	105.8	104.4	76
1858	53694	50324	48743	45921	4951	4403	1262	17	106.6	106.1	110.2	79
1859	54628	51915	49539	47289	5089	4626	1335	11	105.2	104.7	110.0	77
1860	54409	51220	49370	46323	5039	4697	1247	23	106.2	106.1	107.3	80
1861	54606	52403	49438	47642	5168	4761	1249	18	104.2	103.7	108.5	82
1862	55257	51812	49886	46807	5371	5005	1279	18	106.6	106.5	107.3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	105.8	105.7	107.3	84
1864	57374	54959	51644	49492	5730	5467	1332	12	104.4	104.3	104.8	82
Mean Ten Years,									105.5	105.3	107.0	79

As compared with England, the proportion of births registered, or the birth-rate, was highest in Scotland during 1864, seeing that the latter furnished 363 births to every ten thousand of the estimated population, while the rate of the former was 356. If, however, the estimate of the Registrar-General of England, that 36000 births annually escape registration there, is correct, while there is no reason to suppose that anything

TABLE VI.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in 1864 in Scotland, its Groups of Districts, its Divisions and Counties, and their Proportion to the Population.

DIVISIONS AND COUNTIES.		Population estimated to the middle of the Year 1864.	BIRTHS.		DEATHS.		MARRIAGES.	
			Number.	Per-cent.	Number.	Per-cent.	Number.	Per-cent.
	SCOTLAND . . .	3,118,701	112333	3·634	74416	2·386	22725	0·728
	Insular Districts . .	158,864	4340	2·732	2720	1·712	775	0·488
	Mainland-Rural Dists.	1,779,786	60672	3·408	35719	2·006	10819	0·607
	Town Districts . . .	1,180,051	47321	4·010	35977	3·048	11131	0·943
	DIVISIONS.							
I.	NORTHERN	131,523	3528	2·682	2347	1·784	586	0·445
II.	NORTH-WESTERN . .	164,599	4605	2·797	3160	1·919	862	0·523
III.	NORTH-EASTERN . .	372,766	12852	3·447	7276	1·951	2439	0·654
IV.	EAST-MIDLAND . . .	526,375	17903	3·401	12468	2·368	3735	0·709
V.	WEST-MIDLAND . . .	242,851	8132	3·348	5398	2·223	1408	0·579
VI.	SOUTH-WESTERN . . .	1,049,583	43233	4·119	30074	2·864	9026	0·859
VII.	SOUTH-EASTERN . . .	417,327	15306	3·667	9688	2·321	3374	0·808
VIII.	SOUTHERN	213,677	6774	3·170	4005	1·874	1255	0·587
	COUNTIES.							
1	Shetland	31,862	849	2·664	493	1·550	155	0·486
2	Orkney	32,700	862	2·636	503	1·538	160	0·489
3	Caithness	42,982	1270	2·954	928	2·159	179	0·416
4	Sutherland	23,979	547	2·281	423	1·347	92	0·383
5	Ross and Cromarty . .	81,986	2305	2·811	1465	1·786	386	0·470
6	Inverness	82,613	2300	2·784	1695	2·051	476	0·576
7	Nairn	8,434	229	2·715	188	2·239	47	0·557
8	Elgin	45,414	1429	3·147	834	1·836	258	0·568
9	Banff	57,535	1994	3·465	1015	1·764	336	0·583
10	Aberdeen	226,555	8058	3·556	4589	2·025	1562	0·689
11	Kincardine	34,828	1142	3·279	650	1·866	236	0·677
12	Forfar	211,013	7966	3·775	5507	2·609	1848	0·875
13	Perth	131,843	3833	2·907	3041	2·306	777	0·589
14	Fife	155,420	5151	3·314	3280	2·110	955	0·614
15	Kinross	18,442	220	2·606	157	1·859	41	0·485
16	Clackmannan	19,657	733	3·728	483	2·457	154	0·783
17	Stirling	89,545	3403	3·800	1986	2·217	650	0·725
18	Dumbarton	56,516	2154	3·811	1423	2·517	315	0·557
19	Argyll	80,551	2176	2·701	1602	1·988	345	0·428
20	Bute	16,239	399	2·457	387	2·383	98	0·603
21	Renfrew	172,257	7277	4·224	5480	3·181	1671	0·970
22	Ayr	202,015	7656	3·789	4465	2·210	1446	0·715
23	Lanark	675,311	28300	4·190	20129	2·980	5909	0·875
24	Linlithgow	41,794	1850	4·426	883	2·112	329	0·787
25	Edinburgh	278,838	10163	3·644	7078	2·538	2486	0·891
26	Haddington	38,036	1277	3·280	729	1·916	223	0·585
27	Berwick	36,591	1217	3·325	594	1·623	186	0·508
28	Peebles	11,459	404	3·525	205	1·789	73	0·637
29	Selkirk	10,609	395	3·723	199	1·875	77	0·725
30	Roxburgh	54,531	1758	3·223	974	1·786	341	0·625
31	Dumfries	75,176	2409	3·204	1518	2·019	438	0·582
32	Kirkcudbright	42,293	1371	3·241	766	1·811	245	0·555
33	Wigtown	41,677	1236	2·965	747	1·792	231	0·554

like a similar proportion is left unregistered in Scotland, this goes far to explain the difference.

In the three groups of districts into which Scotland is divided, the proportion of births differed as usual. Thus, of the 112,333 births, 4340 were registered in the Insular, 60672 in the Mainland-Rural, and 47321 in the Town Districts; thus indicating that for every ten thousand persons in each of these districts, 273 births occurred in the Insular, 340 in the Mainland-Rural, and 401 in the Town Districts. (Tables VI., VII., VIII.) This is the usual average annual proportion of births in the Insular Districts, but it is greatly above the average in the Mainland-Rural and Town Districts. (Table IV.)

If we take the average annual birth-rate in these districts during the ten years 1855 to 1864 inclusive, we find that in every ten thousand persons in each of these districts, 272 births occurred in the Insular, 329 in the Mainland-Rural, and 379 in the Town Districts.

Of the 112,333 births, 101,136 were legitimate, and 11197 illegitimate, giving the proportion of 9.9 illegitimate in every 100 births. As usual, this proportion was highest in the Mainland-Rural, and lowest in the Insular Districts. Thus, only 5.3 per cent. of the births were illegitimate in the Insular, and 9.6 per cent. in the Town Districts, but in the Mainland-Rural Districts 10.6 per cent. of the births were illegitimate.

Table IX. shows that the proportion of illegitimate births in the several divisions and counties of Scotland differed greatly. Thus, in the Northern Division 6.1 per cent., and in the North-Western 6.8 per cent. of the births were illegitimate; while 14.4 per cent. were illegitimate in the Southern, and 15.5 per cent. in the North-Eastern Divisions. In the great mining, manufacturing, and industrial South-Western Division, only 8.5 per cent. of the births were illegitimate.

A ten years' average shows that 9.1 per cent. of the children were illegitimate at birth in Scotland. According to the numbers of births registered as illegitimate in England, only 6.4 per cent. were illegitimate in that country during the same period. But as it is acknowledged that the registration of births is defective in England, and the Census Commissioners calculated that "36950 children annually escaped registration" in that country, and the probability is that the greater portion of these belong to the illegitimate class, even allowing that only 20000 of these were illegitimate, would bring up the proportion of illegitimate children in England to 9.5 per

TABLE VII.—BIRTHS, 1864. Total Births; also the Number of the Legitimate and Illegitimate Births in Scotland and in its Three Great Groups of Districts in 1864; together with the Number of Twin and Triplet Births.

1864. DISTRICTS.	TOTAL BIRTHS.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.		
Insular	2,242	2,098	4,340	2,117	1,990	4,107	125	108	233	45	1
Mainland-Rural	30,980	29,692	60,672	27,693	26,546	54,239	3,287	3,146	6,433	729	6
Town	24,152	23,169	47,321	21,834	20,956	42,790	2,318	2,213	4,531	558	5
SCOTLAND . . .	57,374	54,959	112,333	51,644	49,492	101,136	5,730	5,467	11,197	1,332	12

cent. of the births. In so far, therefore, as our knowledge extends, it may be safely assumed that the proportion of illegitimate children at birth is nearly the same in Scotland and in England. This important difference, however, exists in the two countries, that whereas by the law of Scotland the subsequent marriage of the parents legitimizes the children, a contrary rule prevails in England. In the populations of the two countries, therefore, far fewer are illegitimate in Scotland than in England.

On looking over Table IX. it will be seen that illegitimacy has been rather on the increase of late years. It is necessary to mention that no reliance can be placed on the number or proportion of legitimate or illegitimate births for 1855, because registration was new to the people, and the registrations were imperfect for the first six months. For 1856 and subsequent years, however, the figures may be relied on, as giving the true numbers and proportions. During 1856 and 1857 only 8·5 per cent. of the births were illegitimate, but they have since that period steadily increased up to 9·9 or 10 per cent. of the births. The causes of this increase it would be desirable to investigate. In some counties this increase has been very striking, and has, perhaps justly, been attributed to the large extension of manufacturing establishments.

During the ten years 1855 to 1864, it will be seen by Table IV. that 5·2 per cent. of the births were illegitimate in the Insular, 8·5 per cent. in the Town, and 9·7 per cent. in the Mainland-Rural Districts. By Table IX. it appears that, during the ten years, 5·4 per cent. of the births were illegitimate in the Northern Division, 5·7 per cent. in the North-Western, 7·4 per cent. in the West Midland, and 7·5 per cent. in the great mining and manufacturing South-Western Division; while 13·4 per cent. were illegitimate in the Southern, and 14·7 per cent. in the North-Eastern Division. The lowest proportions of illegitimate births were in the counties of Shetland, Ross and Cromarty, Orkney, and Sutherland; the highest proportions during the ten years, in the counties of Wigtown, Dumfries, Aberdeen, and Banff.

Of the 112,333 children born during 1864, 57374 were boys, and 54959 girls; giving the proportion of 104·4 boys at birth for every 100

TABLE VIII.—BIRTHS, 1864. Per-centage of Births to the Population, and of Illegitimate to the Total Births; also the Proportion of the Sexes in the Total Births, and in the Legitimate and Illegitimate Births; together with the Proportion of Mothers who bare Twins and Triplets in Scotland and in its Three Great Groups of Districts in 1864.

1864. DISTRICTS.	Per- centage of Births to Population.	Per- centage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of MOTHERS who bare TWINS. — One in every	Proportion of MOTHERS who bare TRIPLETS. — One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Insular	2·732	5·3	106·8	106·3	115·7	96	4293
Mainland-Rural	3·408	10·6	104·3	104·3	104·4	82	9988
Town	4·010	9·6	104·2	104·1	104·7	81	9350
SCOTLAND . . .	3·634	9·9	104·4	104·3	104·3	83	9248

girls. This is a lower proportion of boys than usual, seeing that a ten years' average shows that the Scottish proportion was 105·5 boys at birth for every 100 girls. (Table V.)

The proportion of the sexes in the legitimate and illegitimate births was closer than usual in 1864, seeing that there were 104·3 boys for every 100 girls in the legitimate births, and 104·8 boys for every 100 girls in the illegitimate. A ten years' average, however, shows the striking fact, that the proportion of boys is much larger in the illegitimate than among the legitimate births, for there were only 105·3 boys for every 100 girls at birth

TABLE IX.—ILLEGITIMATE BIRTHS, 1855-1864. Per-centage of Illegitimate Births in the Divisions and Counties of Scotland during the Ten Years 1855-1864 inclusive.

	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	MEAN OF TEN YEARS.
SCOTLAND . .	7·8	8·5	8·5	8·9	9·1	9·2	9·2	9·7	10·0	9·9	9·1
DIVISIONS.											
NORTHERN . . .	4·6	5·2	5·2	5·1	5·7	5·6	5·4	5·5	5·7	6·1	5·4
NORTH-WESTERN .	4·6	5·3	5·7	6·1	6·0	5·9	5·4	5·6	5·9	6·8	5·7
NORTH-EASTERN .	13·0	14·2	14·5	14·6	15·2	15·7	14·0	15·1	15·8	15·5	14·7
EAST-MIDLAND .	8·2	9·2	9·9	9·7	10·0	9·9	10·4	9·9	10·9	10·6	9·8
WEST-MIDLAND .	6·6	7·3	7·4	7·3	7·4	7·5	7·3	7·7	8·2	8·1	7·4
SOUTH-WESTERN .	6·5	6·9	6·6	7·5	7·2	7·4	7·9	8·5	8·4	8·5	7·5
SOUTH-EASTERN .	7·4	7·9	8·0	8·3	8·7	8·4	8·6	8·4	9·3	9·2	8·4
SOUTHERN . . .	11·9	12·4	12·5	13·0	13·6	13·6	14·0	14·1	14·5	14·4	13·4
COUNTIES.											
Shetland	3·2	4·0	3·3	3·6	4·9	3·9	4·0	3·6	3·9	4·9	3·9
Orkney	4·1	4·8	4·6	3·8	3·7	6·6	4·7	3·5	4·1	4·7	4·4
Caithness	7·0	7·6	7·1	7·8	8·2	6·6	6·8	8·4	8·4	8·5	7·6
Sutherland	2·5	2·5	5·0	3·8	4·1	4·4	5·2	5·0	5·2	4·5	4·2
Ross and Cromarty	3·7	3·7	3·6	3·8	4·0	4·1	3·9	3·5	3·5	5·4	3·9
Inverness	5·6	7·2	7·9	8·6	8·0	7·7	6·9	7·8	8·3	8·3	7·6
Nairn	11·2	6·3	9·3	8·9	10·4	8·3	7·8	10·4	8·0	8·3	8·8
Elgin	10·4	11·4	9·7	11·6	12·3	13·6	12·6	12·4	14·5	13·5	12·2
Banff	13·6	14·1	15·5	16·0	16·4	16·2	14·6	16·0	16·7	16·6	15·5
Aberdeen	13·1	15·2	15·3	15·8	16·0	16·2	14·4	15·5	16·2	16·0	15·3
Kincardine	12·9	12·8	14·5	13·0	12·4	14·7	13·5	15·2	14·2	14·2	13·7
Forfar	8·9	10·5	10·8	10·9	10·9	11·5	12·0	11·7	12·3	12·7	11·2
Perth	9·2	10·6	10·3	10·0	10·7	10·7	10·8	10·2	11·4	10·6	10·4
Pife	6·6	6·8	7·7	7·6	7·8	7·1	8·2	7·5	8·6	7·9	7·6
Kinross	16·8	9·6	12·1	9·3	14·1	10·1	9·7	11·4	14·0	11·8	11·9
Clackmannan . . .	7·2	8·8	12·4	10·8	10·9	9·4	8·4	7·6	10·2	7·0	9·2
Stirling	6·8	7·8	8·5	7·8	7·3	9·3	8·2	8·7	9·2	8·8	8·2
Dumbarton	7·1	7·1	6·9	7·1	7·9	6·0	7·1	7·7	7·9	8·1	7·3
Argyll	5·8	7·0	6·3	7·1	7·0	6·2	6·1	6·5	6·8	7·1	6·6
Bute	6·7	6·1	7·9	6·0	8·0	7·6	7·5	7·5	8·0	8·5	7·4
Renfrew	6·1	6·3	6·3	6·9	6·8	7·7	7·2	7·7	8·1	7·6	7·0
Ayr	7·0	8·8	8·2	9·4	8·4	8·7	8·9	9·3	8·6	9·3	8·6
Lanark	6·5	6·5	6·2	7·2	6·9	7·2	7·8	8·5	8·5	8·5	7·4
Linlithgow	7·6	7·9	7·7	7·4	8·2	6·9	6·3	7·0	8·0	7·9	7·5
Edinburgh	7·0	7·3	8·0	8·4	8·4	8·3	8·6	9·4	9·2	9·4	8·4
Haddington	8·1	9·4	7·2	7·7	10·0	7·9	8·8	9·7	9·2	9·5	8·7
Berwick	8·9	8·9	9·0	9·5	9·1	10·2	11·0	10·5	11·2	9·7	9·8
Peebles	9·7	10·9	10·5	9·8	10·6	11·1	11·1	8·1	11·0	8·8	10·1
Selkirk	5·7	10·3	7·8	12·8	12·6	12·7	6·5	6·8	13·1	9·6	9·8
Roxburgh	9·5	9·7	11·5	10·5	11·0	10·7	12·5	12·2	11·9	10·5	11·0
Dumfries	13·5	13·5	13·8	14·7	13·8	15·2	14·5	14·8	14·4	15·6	14·4
Kirkcudbright . . .	12·0	12·6	10·6	13·8	13·8	13·6	14·7	12·0	15·9	15·3	13·4
Wigtown	12·3	13·5	13·3	12·1	16·0	14·7	14·2	13·8	16·9	16·8	14·3

among the legitimate births, but 107 boys for every 100 girls among the illegitimate. (Table V.)

One in every 83 mothers bare twins during 1864, and one in every 9248 mothers bare triplets.

As the births during the year amounted to 112,333, and the deaths to 74416, the natural increase of the population by excess of births over deaths was 37917, and had no emigration occurred, the population of Scotland would have increased by that amount. The Emigration Commissioners, however, ascertained that there emigrated from the ports of Great Britain and Ireland at which there are emigration officers, 208,900 persons; of whom 115,428 were of Irish origin, 56618 English, 15035 Scotch, and 16942 foreigners, while of 4877 the nativity was not distinguished. If 359 be added to the number of Scotch, as the proportion of persons whose nativity was not distinguished, the ascertained Scottish emigrants would amount to 15394, which number, deducted from the excess of births over deaths, would make the increase of the population during the year to amount to 22523, or about 5000 persons more than the probable increase.

MARRIAGES.

22725 marriages were registered in Scotland during the year 1864, being in the proportion of 728 marriages in every 100,000 persons of the estimated population. This is the highest proportion noticed in Scotland up to that date, since the Registration Act came into operation; and the mean of the nine previous years gave only the proportion of 688 marriages in every 100,000 persons. (Tables I. and XI.)

By looking at the proportion of marriages during the ten years 1855 to 1864 inclusive, it is seen that in 1863 the marriage-rate made a sudden rise over that of previous years, and during 1864 even exceeded that of 1863. This large increase in the marriages in 1863 and 1864, as has already been pointed out, caused the birth-rate of these years to exceed that of former years.

High, however, as was the marriage-rate in Scotland during 1864, it was far below the English marriage-rate of 1864, or even the ten years' average of former years. Thus, the annual marriage-rate in England for the ten years 1855 to 1864 was 831 marriages in every 100,000 persons; that of

TABLE X.—MARRIAGES, 1864. Number of Marriages contracted according to the Rites of the several Religious Denominations, and their Proportions to the Total Marriages.

RELIGIOUS DENOMINATIONS.	Number of Marriages.				Proportion in every 100 Marriages.			
	Insular Districts.	Mainland Rural Districts.	Town Districts.	SCOTLAND	Insular Districts.	Mainland Rural Districts.	Town Districts.	SCOTLAND
Regular Marriages, { Established Church	362	5645	3900	9907	46·71	52·18	35·04	43·60
{ Free Church	281	2571	2655	5507	36·26	23·76	23·85	24·24
{ United Presbyterian Church	56	1467	1675	3198	7·23	13·56	15·05	14·06
{ Roman Catholic Church	31	593	1652	2276	4·00	5·48	14·84	10·02
{ Episcopalian Church	1	111	357	469	0·13	1·03	3·21	2·07
{ Other Denominations	39	390	802	1231	5·03	3·61	7·21	5·41
{ Denomination not stated	5	36	74	115	0·64	0·33	0·66	0·51
{ Irregular Marriages	0	6	16	22	0·00	0·05	0·14	0·09
Total Marriages	775	10819	11131	22725	100·00	100·00	100·00	100·00

Scotland for the same years, 689 marriages in a like population. In England, during 1864, the marriage-rate was 868 marriages in every 100,000 persons; but in Scotland, during the same year, it was only 728 marriages in a like population.

The greater fertility of the Scottish female, however, makes up for the lower marriage-rate. Thus, during 1864, for the 22725 marriages, there were 101,136 children legitimate at their birth, which gives the proportion of 4·45 legitimate children for every marriage. In England, during the same year, for the 180,387 marriages, there were 692,827 legitimate children, which gives only 3·84 children for every marriage.

The same result is brought out by comparing the number of legitimate births with the number of married women in the population who are at ages capable of bearing children. As correcting the numbers of these to the middle of 1864 would make no difference in the comparative result for the two countries, we take the numbers ascertained at the Census of 1861.

TABLE XI.—Number of MARRIAGES according to the Rites of the several Religious Denominations during each of the Ten Years 1855–1864.

YEARS.	Total MARRIAGES.		REGULAR MARRIAGES according to Rites of							IRREGULAR MARRIAGES.
	Number.	Per-centage to Population.	Established Church.	Free Church.	United Presbyterian Church.	Roman Catholic Church.	Episcopalian Church.	Other Denominations.	Denomination not Registered.	
1855	19680	0·660	8879	4665	2952	1826	350	923	76	9
1856	20740	0·692	9863	4645	2875	1953	360	984	24	36
1857	21369	0·709	10194	4789	2926	1919	416	1017	101	7
1858	19655	0·649	9104	4650	2707	1697	379	1034	57	27
1859	21201	0·697	9769	4861	2936	1822	378	1175	243	17
1860	21225	0·695	9705	4870	2837	1857	414	1217	309	16
1861	20896	0·681	9332	4969	2925	1806	386	1290	163	25
1862	20597	0·667	9307	4930	2846	1778	371	990	348	27
1863	22234	0·716	9929	5242	3249	2119	487	1113	76	19
1864	22725	0·728	9907	5507	3198	2276	469	1231	115	22
Mean Ten Years }	21·032	0·689	9599	4912	2945	1905	400	1100	151	22

TABLE XII.—Per-centage of MARRIAGES according to the Rites of the several Religious Denominations during each of the Ten Years 1855–1864.

YEARS.	REGULAR MARRIAGES according to the Rites of							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Roman Catholic Church.	Episcopalian Church.	Other Denominations.	Denomination not Registered.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·04
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·17
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·65	1·85	6·18	0·76	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
Mean Ten Years }	45·66	23·36	14·00	9·04	1·90	5·21	0·61	0·09

In Scotland there were 352,397 married women (wives) between the ages of 15 and 50 years, and to these were born 101,136 legitimate children during the year 1864. This shows that every 3·48 wives at the child-bearing ages were required to give birth to one child during the year; in other words, that every 348 wives gave birth during the year to 100 children.

In England there were 2,674,745 married women (wives) between the ages of 15 and 50 years, and as there were 692,827 legitimate births, it is manifest that every 3·86 wives gave birth during the year to one child; or, in other words, that it required 386 wives in England to produce 100 children during the year. It thus appears that, to produce 100 children, it annually requires 38 more wives in England than in Scotland. The Scottish

TABLE XIII.—MARRIAGES, 1864. Ages of Men and Women at Marriage in Scotland, and in its Three Great Groups of Districts, in 1864.

AGES.	SCOTLAND.		INSULAR DISTRICTS.		MAINLAND RURAL DISTRICTS.		TOWN DISTRICTS.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15 years	—	—	—	—	—	—	—	—
15—16	—	10	—	—	—	7	—	3
16—17	1	73	—	1	1	40	—	32
17—18	17	287	—	3	9	131	8	153
18—19	127	893	1	16	48	420	78	457
19—20	457	1622	5	25	188	780	264	817
20—21	1093	2104	17	41	496	961	580	1102
21—25	7967	8558	146	248	3856	4135	3965	4175
25—30	6716	5366	271	261	3232	2592	3213	2513
30—35	2741	1928	158	97	1295	935	1288	896
35—40	1419	950	70	46	667	415	682	489
40—45	883	491	43	19	427	213	413	259
45—50	564	246	27	7	261	102	276	137
50—55	321	90	15	3	135	35	171	52
55—60	188	46	5	1	94	18	89	27
60—65	118	10	7	—	52	2	59	8
65—70	54	2	2	—	22	1	30	1
70—75	23	3	2	—	13	2	8	1
75—80	4	—	—	—	2	—	2	—
80—85	2	—	—	—	1	—	1	—
85—90	—	—	—	—	—	—	—	—
Age not stated	30	46	6	7	20	30	4	9
ALL AGES	22,725	22,725	775	775	10,819	10,819	11,131	11,131

TABLE XIV.—MARRIAGES, 1864. Per-centage of Men and Women at different Ages, who contracted Marriage in Scotland in 1864.

[illegible]

female must therefore be more prolific to that extent; and as the results of this mode of calculating the comparative fertility of the married women strictly correspond with the ordinary mode of calculating the same, and noticed above, the fact may be regarded as established.

Of the 22725 marriages, 9907 were celebrated according to the rites of the Established Church, 5507 according to those of the Free Church, 3198 according to those of the United Presbyterian Church, 2276 according to those of the Roman Catholic Church, 469 according to those of the Episcopal Church, 1231 according to those of the smaller denominations, while in 115 cases the name of the denomination was omitted to be registered, and in 22 cases the marriage was what is styled "irregular." (Table X.) These numbers yield proportions closely approximating to those of former years, and they show that 43·60 per cent. of the marriages were Established Church, 24·24 per cent. Free Church, 14·06 United Presbyterian Church, 10·02 per cent. Romish Church, 2·07 per cent. Episcopal Church, 5·41 per cent. the smaller religious denominations, while in 0·51 per cent. the name of the denomination was omitted to be mentioned,

TABLE XV.—MARRIAGES, 1855-1864.

YEARS.	Per-centage of Persons who married under 21 years.		Per-centage to the total Men and Women who married, whose Ages were ascertained.				Per-centage of Persons who Signed				Per-centage of Marriages between Persons in different conjugal conditions.					
			Under 25 years		Above 25 years		By Writing.		By Mark.		Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.		
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women						
1855	?	?	39·44	57·99	60·56	42·01	88·6	77·2	11·4	22·8	83·48	3·04	10·20	3·38		
1856	?	?	40·79	58·44	59·21	41·56	88·2	76·1	11·8	23·9	85·62	2·69	8·65	3·04		
1857	7·47	21·43	42·19	58·84	57·81	41·16	87·9	75·2	12·1	24·8	86·01	2·63	8·32	3·04		
1858	7·38	21·23	41·25	58·70	58·75	41·30	88·2	76·0	11·8	24·0	85·95	2·61	8·62	2·82		
1859	7·42	21·60	41·22	58·80	58·78	41·20	89·1	77·8	10·9	22·2	85·25	2·76	9·06	2·93		
1860	7·36	21·77	40·89	58·89	59·11	41·11	89·7	78·3	10·3	21·7	86·62	2·42	8·29	2·67		
1861	7·09	21·13	40·96	58·72	59·04	41·28	89·4	78·7	10·6	21·3	86·48	2·19	8·77	2·56		
1862	7·62	21·86	42·11	59·35	57·89	40·65	90·0	79·7	10·0	20·3	86·51	2·31	8·69	2·49		
1863	7·91	22·05	43·79	59·93	56·21	40·07	89·1	77·9	10·9	22·1	87·29	1·59	8·46	2·66		
1864	7·46	21·99	42·57	59·73	57·42	40·26	88·5	76·1	11·5	23·9	86·41	2·21	8·57	2·81		
Mean of 10 Years	7·46	21·63	41·52	58·94	58·48	41·06	88·8	77·3	11·2	22·7	85·96	2·44	8·76	2·84		

TABLE XVI.—MARRIAGES, 1864. Number and Proportion of Men and Women under 21 years of Age who contracted Marriage in England and in Scotland, and in the Insular, Mainland-Rural, and Town Districts of Scotland, in 1864.

1864.	Number married in 1864 whose Ages were ascertained.		Number under 21 years.		Per-centage under 21 years.	
	Men.	Women.	Men.	Women.	Men.	Women.
ENGLAND . .	117440	117440	10392	28867	8·848	24·639
SCOTLAND . .	22695	22679	1695	4989	7·468	21·998
Insular Districts .	769	768	23	86	2·998	11·198
Mainland-Rural Districts . . }	10799	10789	742	2339	6·871	21·679
Town Districts .	11127	11122	930	2564	8·357	23·053

and in 0·09 per cent. (that is, nine marriages in every ten thousand) the marriage was irregular.

Tables XI. and XII., which show the number and proportion of marriages in Scotland according to the several religious denominations during each of the ten years 1855 to 1864, merit special attention, as they point out the increase or decrease in the proportion of marriages celebrated by each religious denomination. These tables are the more valuable, seeing they indicate, in a rough way it is true, the proportion of the population attached to each religious denomination, in consequence of the Scottish habit of having the clergyman of the bride to perform the marriage ceremony; and as the numbers and proportions are wonderfully alike year by year, they cannot be very far from the truth. As all marriages, however, had greatly increased during 1863 and 1864, when endeavouring to deduce the increase or decrease of any religious denomination during these ten years, attention must be directed to the relative proportions as given in Table XII., and not to the absolute number of marriages as given in Table XI. Comparing the results of the last two years with the mean of the ten years, it would appear that the Free, the United Presbyterian, the Roman Catholic, and the Episcopal Churches, had increased in numbers, while the Established Church had decreased.

Of the 22725 men who married in 1864, the ages of 22695 were ascertained, and of these 1695 were under 21 years of age, or were minors. Of the 22725 women who married that year, the ages of 22679 were ascertained, and of these 4989 were under 21 years of age. It thus appears that 7·46 per cent. of the men, and 21·99 per cent. of the women who married were under 21 years of age. In England, during the same year, of the 180,387 marriages, the ages of both parties were only ascertained in 117,440 instances. Of these 117,440 men who married, 10392 were under 21 years, and of the 117,440 women, 28867 were under 21 years of age. Hence, 8·84 per cent. of the men, and 24·64 per cent. of the women who

TABLE XVII.—MARRIAGES, 1864. Number and Proportion of Men and of Women under and above 25 years of Age who contracted Marriage in Scotland, and in its Insular, Mainland-Rural, and Town Districts, and in its Eight Divisions in 1864; also the Numbers and Proportions for England during the same year.

1864.	Number married in 1864 whose Ages were ascertained.		Number married whose Ages were ascertained.				Per-centage who married.			
			Under 25 years.		Above 25 years.		Under 25 years.		Above 25 years.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
SCOTLAND . . .	22695	22679	9662	13547	13033	9132	42·573	59·733	57·427	40·267
Insular Districts . .	769	768	169	334	600	434	20·936	43·489	79·064	56·511
Mainland-Rural Dists.	10799	10789	4598	6474	6201	4315	42·577	60·005	57·423	39·995
Town Districts . . .	11127	11122	4895	6739	6232	4383	43·992	60·591	56·008	39·409
1. Northern Division	579	580	161	251	418	329	27·806	43·275	72·194	56·725
2. North-Western Do.	860	860	181	419	679	441	21·046	48·720	78·954	51·280
3. North-Eastern Do.	2437	2436	923	1386	1514	1050	30·787	56·896	69·213	43·104
4. East-Midland Do.	3769	3767	1633	2108	2136	1659	43·326	55·959	56·674	44·041
5. West-Midland Do.	1408	1405	561	851	847	554	39·843	60·569	60·157	39·431
6. South-Western Do.	9018	9015	4272	5872	4746	3143	47·372	65·135	52·628	34·865
7. South-Eastern Do.	3371	3363	1420	1942	1951	1421	42·124	57·746	57·876	42·254
8. Southern Do. .	1253	1253	511	718	742	535	40·782	57·302	59·218	42·698
ENGLAND . . .	117,440	117,440	60218	74882	57222	42558	51·275	63·761	48·725	36·239

married were under 21 years of age, being a considerably larger proportion than in Scotland.

In the Insular Districts of Scotland, only 2·99 per cent. of the men who married were under 21 years of age, 6·87 per cent. in the Mainland-Rural, and 8·35 per cent. in the Town Districts. Of the women who married, only 11·19 per cent. were under 21 years of age in the Insular, 21·68 per cent. in the Mainland-Rural, and 23·05 per cent. in the Town Districts. These facts show clearly the comparative facilities of getting a livelihood in the respective districts, and what it is which represses marriage in Scotland.

But such facts are still more strikingly shown by examining the proportions of men and women, under and above 25 years of age, who enter on the married state in the different divisions of Scotland. As the time for the marriage is chiefly dependent on the ability of the man to support a wife, most light is thrown on the subject by looking at the proportions of the men.

The North-Western Division of Scotland is perhaps that one in which there is the greatest difficulty of procuring a livelihood, and in which, consequently, the influences which repress marriage are strongest. In it only 21 per cent. of the men who married were under 25 years of age. (Table XVII.) The South-Western Division is in everything the opposite. There the demand for labour is great, no one need be idle who is willing to work, there is full employment for all; and as a natural consequence, 47 per cent. of the men who married were under 25 years of age. The other divisions show proportions almost exactly corresponding to what we know of the activity of the commercial or manufacturing industry in each; so that we see in this country, nature herself establishing barriers against the over-increase of the population beyond the means of subsistence.

Table XV. throws additional light on the subject of marriage, by showing that during the years 1863 and 1864, when the number and proportion of marriages so very largely increased, a higher proportion of the men and women who married during these years were under 25 years of age.

Of the 22725 marriages in 1864, the conjugal or civil condition of the

TABLE XVIII.—MARRIAGES, 1864. Number of Marriages between Persons in different Conjugal Conditions, and their Proportion in every 100 Marriages.

1864.	Number of Marriages.						Proportion in every 100 Marriages.			
	Total Marriages condition specified.	Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.		Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
SCOTLAND	22433	19383	497	1922	631		86·41	2·21	8·57	2·81
Insular Districts . . .	738	651	9	60	18		88·21	1·22	8·13	2·44
Mainland-Rural Districts .	10580	9384	152	874	170		88·69	1·44	8·26	1·61
Town Districts . . .	11115	9348	336	933	443		84·10	3·02	8·89	3·99
EDINBURGH	1628	1370	55	140	63		84·15	3·38	8·60	3·87
GLASGOW	3997	3345	127	354	171		83·69	3·18	8·85	4·28

parties previous to their entrance into the new engagement was ascertained in 22433 instances. Of these 22433 marriages, 19383 were those of bachelors with spinsters, 497 bachelors with widows, 1922 widowers with

TABLE XIX.—MARRIAGES, 1864. Number of Marriages in which the Conjugal Condition of the parties was specified; also the Number and Proportion of Men and Women who re-married.

	DIVISIONS AND COUNTIES.	Total Marriages, condition specified.	Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.	RE-MARRIAGES.			
							Widowers.	Widows.	Proportion of WIDOWERS in every 100 Men who married.	Proportion of WIDOWS in every 100 Women who married.
	SCOTLAND . . .	22433	19383	497	1922	631	2553	1128	11·38	5·02
	Insular Districts . .	738	651	9	60	18	78	27	10·56	3·65
	Mainland-Rural Dists.	10580	9384	152	874	170	1044	322	9·86	3·04
	Town Districts . . .	11115	9348	336	988	443	1431	779	12·87	7·00
	DIVISIONS.									
I.	NORTHERN	559	506	7	37	9	46	16	8·24	2·86
II.	NORTH-WESTERN . .	829	743	9	67	10	77	19	9·28	2·29
III.	NORTH-EASTERN . .	2425	2142	38	208	37	245	75	10·10	3·06
IV.	EAST-MIDLAND . . .	3737	3233	62	350	92	442	154	11·82	4·12
V.	WEST-MIDLAND . . .	1376	1209	24	111	32	143	56	10·39	4·07
VI.	SOUTH-WESTERN . .	8955	7593	262	767	333	1100	595	12·23	6·64
VII.	SOUTH-EASTERN . .	3314	2874	83	258	99	357	182	10·77	5·49
VIII.	SOUTHERN	1238	1083	12	124	19	143	31	11·55	2·50
	COUNTIES.									
1	Shetland	143	125	2	11	5	16	7	11·18	4·89
2	Orkney	158	144	4	8	2	10	6	6·32	3·79
3	Caithness	175	160	1	13	1	14	2	8·00	1·14
4	Sutherland	83	77	—	5	1	6	1	7·22	1·20
5	Ross and Cromarty .	374	334	2	32	6	38	8	10·16	2·14
6	Inverness	455	409	7	35	4	39	11	8·57	2·41
7	Nairn	47	42	—	5	—	5	—	10·63	0·00
8	Elgin	255	223	2	28	2	30	4	11·76	1·56
9	Banff	334	300	3	28	3	31	6	9·28	1·79
10	Aberdeen	1554	1372	27	124	31	155	58	9·97	3·73
11	Kincardine	235	205	6	23	1	24	7	10·21	2·97
12	Forfar	1848	1565	32	194	57	251	89	13·58	4·81
13	Perth	759	670	17	63	9	72	26	9·48	3·42
14	Fife	937	830	8	79	20	99	28	10·56	2·98
15	Kinross	40	35	1	3	1	4	2	10·00	5·00
16	Clackmannan	153	133	4	11	5	16	9	10·45	5·88
17	Stirling	633	575	8	36	14	50	22	7·89	3·47
18	Dumbarton	313	268	8	28	9	37	17	11·82	5·43
19	Argyll	336	288	5	37	6	43	11	12·80	3·27
20	Bute	94	78	3	10	3	13	6	13·83	6·38
21	Renfrew	1658	1414	46	137	61	198	107	11·94	6·45
22	Ayr	1401	1197	29	130	45	175	74	12·49	5·28
23	Lanark	5896	4982	187	500	227	727	414	12·33	7·02
24	Linlithgow	309	279	6	16	8	24	14	7·76	4·53
25	Edinburgh	2458	2099	68	205	86	291	154	11·84	6·26
26	Haddington	220	198	5	15	2	17	7	7·72	3·18
27	Berwick	181	162	3	13	3	16	6	8·83	3·31
28	Peebles	70	65	1	4	—	4	1	5·71	1·42
29	Selkirk	76	71	—	5	—	5	—	6·57	0·00
30	Roxburgh	339	312	1	22	4	26	5	7·66	1·47
31	Dumfries	435	378	6	42	9	51	15	11·72	3·43
32	Kirkcudbright	235	200	1	32	2	34	3	14·46	1·27
33	Wigtown	229	193	4	28	4	32	8	13·97	3·49
	EDINBURGH	1628	1370	55	140	63	203	118	12·46	7·24
	GLASGOW	3997	3345	127	354	171	525	298	13·13	7·45

spinsters, and 631 widowers with widows. These numbers indicate that, in every 100 marriages, 86·41 were those of bachelors with spinsters, 2·21 were

TABLE XX.—MARRIAGES, 1864. Number and Per-centage of Men and of Women who signed the Marriage Register by Mark, with the proportion of Men and of Women who signed by Mark and who signed in writing, in Scotland, its Divisions and Counties, in 1864.

DIVISIONS AND COUNTIES.		MEN.				WOMEN.			
		Number of Men who Married.	Number who signed by Mark.	Per-centage who signed by Mark.	Per-centage who signed their names in writing.	Number of Women who Married.	Number who signed by Mark.	Per-centage who signed by Mark.	Per-centage who signed their names in writing.
	SCOTLAND . . .	22725	2605	11·46	88·54	22725	5427	23·87	76·13
	Insular Districts . . .	775	189	24·38	75·62	775	318	41·03	58·97
	Mainland-Rural Districts . . .	10819	897	8·28	91·72	10819	1823	16·85	83·15
	Town Districts . . .	11131	1519	13·64	86·36	11131	3286	28·62	71·38
	DIVISIONS.								
I.	NORTHERN	586	47	8·02	91·98	586	111	18·94	81·06
II.	NORTH-WESTERN . . .	862	248	28·77	71·23	862	419	47·44	52·56
III.	NORTH-EASTERN . . .	2439	66	2·70	97·30	2439	250	10·25	89·75
IV.	EAST-MIDLAND	3775	307	8·13	91·87	3775	740	19·60	80·40
V.	WEST-MIDLAND	1408	193	13·70	86·30	1408	346	24·57	75·43
VI.	SOUTH-WESTERN	9026	1419	15·69	84·31	9026	2948	33·76	66·24
VII.	SOUTH-EASTERN	3374	263	7·79	92·21	3374	498	14·76	85·24
VIII.	SOUTHERN	1255	62	4·94	95·06	1255	115	9·16	90·84
	COUNTIES.								
1	Shetland	155	22	14·19	85·81	155	48	30·96	69·04
2	Orkney	160	2	1·25	98·75	160	10	6·25	93·75
3	Caithness	179	10	5·58	94·42	179	21	11·73	88·27
4	Sutherland	92	13	14·13	85·87	92	32	34·78	65·22
5	Ross and Cromarty . .	386	127	32·92	67·08	386	190	49·22	50·78
6	Inverness	476	121	25·42	74·58	476	229	48·11	51·89
7	Nairn	47	1	2·12	97·88	47	8	17·02	82·98
8	Elgin	258	11	4·26	95·74	258	35	13·56	86·44
9	Banff	336	15	4·46	95·54	336	43	12·79	87·21
10	Aberdeen	1562	36	2·30	97·70	1562	145	9·28	90·72
11	Kincardine	236	3	1·27	98·73	236	19	8·05	91·95
12	Forfar	1848	224	12·12	87·88	1848	554	29·97	70·03
13	Perth	777	40	5·14	94·86	777	71	9·01	90·98
14	Fife	955	30	3·14	96·86	955	94	9·84	90·16
15	Kinross	41	2	4·87	95·13	41	1	2·43	97·57
16	Clackmannan	154	11	7·14	92·86	154	20	12·98	87·02
17	Stirling	650	87	13·38	86·62	650	162	24·92	75·08
18	Dumbarton	315	62	19·68	80·32	315	90	28·25	71·75
19	Argyll	345	37	10·72	89·28	345	77	22·31	77·69
20	Bute	98	7	7·14	92·86	98	17	17·34	82·66
21	Renfrew	1671	290	17·35	82·65	1671	575	34·41	65·59
22	Ayr	1446	192	13·27	86·73	1446	391	27·04	72·96
23	Lanark	5909	937	15·86	84·15	5909	1982	33·54	66·46
24	Linlithgow	329	70	21·27	78·73	329	118	35·86	64·14
25	Edinburgh	2486	161	6·47	93·53	2486	322	12·95	87·05
26	Haddington	223	25	11·21	88·79	223	42	18·83	81·17
27	Berwick	186	5	2·68	97·32	186	9	4·83	95·17
28	Peebles	73	2	2·73	97·27	73	2	2·73	97·27
29	Selkirk	77	—	0·00	100·00	77	5	6·49	93·51
30	Roxburgh	341	13	3·81	96·19	341	26	7·62	92·38
31	Dumfries	438	16	3·65	96·35	438	32	7·30	92·70
32	Kirkcudbright	245	14	5·71	94·29	245	19	7·75	92·25
33	Wigtown	231	19	8·22	91·78	231	33	16·45	83·55
	EDINBURGH	1634	83	5·08	94·92	1634	183	11·20	88·80
	GLASGOW	3997	672	16·81	83·19	3997	1448	36·22	63·78

those of bachelors with widows, 8·57 were those of widowers with spinsters, and 2·81 were those of widowers with widows.

Table XVIII. shows that, in the Town Districts, a very much higher proportion, both of widows and of widowers, re-contracted marriage than in the Insular or the Mainland-Rural Districts; and Table XIX. shows that, while in the Insular Districts only 3·6 per cent. of the women who married were widows, and 3 per cent. in the Mainland-Rural Districts, 7 per cent. were widows in the Town Districts.

The last four columns of Table XV. show the per-centage of marriages between persons in different conjugal conditions during each of the ten years 1855 to 1864, and it is astonishing how closely the proportions correspond during each of these years. The mean of the ten years indicates that 85·96 per cent. of the marriages were between bachelors and spinsters, 2·44 per cent. between bachelors and widows, 8·76 per cent. between widowers and spinsters, and 2·84 per cent. between widowers and widows.

The state of elementary education among the people, as indicated by the proportion of persons able to sign their names in writing in the marriage schedules, was lower than during the five previous years. This, taken in connection with the fact that in 1863 also the proportion was lower than in previous years, seems to indicate that the marked increase in the marriages during these years had been to a greater proportional extent among the lower than the better classes.

Thus, during 1864, of the 22725 men who married, 20120 signed their names in writing, and 2605 signed by appending a mark. Of the 22725 women who married, 17298 signed their names in writing, and 5427 signed by mark. These numbers indicate that 88·54 per cent. of the men, and 76·13 per cent. of the women, were able to sign their names in writing; while 11·46 per cent. of the men, and 23·87 per cent. of the women, signed by mark. During the same year, in England, 76·7 per cent. of the men, and 67·6 per cent. of the women, were able to sign their names in writing in the marriage registers; while 23·3 per cent. of the men, and 32·4 per cent. of the women, were obliged to sign by mark.

Taking the mean of the ten years 1855 to 1864, it would appear that in Scotland, 88·8 per cent. of the men, and 77·3 per cent. of the women who married, were able to sign their names in the marriage registers; while 11·2 per cent. of the men, and 22·7 per cent. of the women, not being able to write, appended their mark. (Table XV.) These numbers, though much higher than those for England, are not all that could be wished; and we have only to look at the different proportions in the counties, and in the Town and Rural Districts, to see to what a great extent improvement might be effected. (Table XX.)

The counties of Ross and Cromarty seem to be in the most backward state relative to elementary education, only 67 per cent. of the men, and 50 per cent. of the women being able to write their names. Inverness comes next, only 74 per cent. of the men, and 51 per cent. of the women, being able to write. Then follow the counties in which there is a large proportion of Irish,—viz. Linlithgow, with 78 per cent. of the men, and 64 per cent. of the women, able to write; Dumbarton, Renfrew, Lanark, Ayr, Stirling, and Forfar, together with the insular county of Shetland, and the purely high-land county of Sutherland. It is the large proportion of Irish in Glasgow which causes only 83·19 per cent. of the men, and 63·78 per cent. of the women, to sign their names in writing; while in Edinburgh, where the Irish constitute but a small proportion of the population, 94·92 per cent. of the

men, and 88·80 per cent. of the women, are able to sign their names in writing. As showing the effect of the parochial system of schools in Scotland, it is worthy of notice that, while in the Mainland-Rural Districts, 91·72 per cent. of the men, and 83·15 per cent. of the women, signed their names in writing, in the Towns, which are not so fully under the operation of that system, only 86·36 per cent. of the men, and 71·38 per cent. of the women, were able to sign their names in writing. (Table XX.)

DEATHS.

74416 deaths were registered in Scotland during the year 1864, being at the rate of 23·86 in every thousand persons of the estimated population. (Tables I. and XXI.) This was the highest death-rate which had occurred in Scotland since the Registration Act came into operation in 1855, the mean of the nine previous years having been at the rate of 21·07 deaths annually in every thousand persons. Making allowance for increase of population, the deaths in 1864 exceeded the mean of former years by 8388 deaths; in other words, 8388 more persons were cut off during 1864, than would have died had the average mortality of former years continued.

This high death-rate was not confined to Scotland, for during the same year the deaths in England showed the same excess over former years, and the English and Scottish death-rates were identical for that year, viz. 23·86 deaths in every thousand persons.

The Insular and Mainland-Rural Districts had, as usual, a much lower mortality than the Town Districts. (Tables III. and XXI.) Thus, in the Insular Districts, 2720 deaths occurred, in the Mainland-Rural 35719, and in the Town Districts 35977. This gives the proportion of 17·12 deaths in every thousand persons in the Insular, 20·06 deaths in a like population in the Mainland-Rural, but 30·48 deaths in every thousand persons in the Town Districts. The average annual death-rate of these districts during the nine previous years, in every thousand persons, was 16·05 deaths in the Insular, 17·49 deaths in the Mainland-Rural, and 26·77 deaths in the Town Districts.

These facts show, in a very striking manner, how much more hurtful to human life is a residence in towns than that in the country.

Of the eight principal towns of Scotland (Table XXIII.), the mortality during 1864 was highest in Greenock, and lowest in Leith. Thus, in every thousand persons living in each of these eight towns, 24·9 died during the

TABLE XXI.—DEATHS in SCOTLAND in 1864.

1864.	NUMBER OF DEATHS.			PER-CENTAGE OF DEATHS to the Population.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Insular Districts	1283	1437	2720	1·774	1·660	1·712
Mainland-Rural Districts	17679	18040	35719	2·065	1·952	2·006
Town Districts	18048	17929	35977	3·306	2·669	3·048
SCOTLAND	37010	37406	74416	2·511	2·274	2·386

year in Leith, 26·9 in Edinburgh, 28·7 in Aberdeen, 32·0 in Paisley, 32·5 in Dundee, 32·7 in Glasgow, 32·8 in Perth, but 41·9 in Greenock.

As in former years, males died in a higher proportion than females, for, of every thousand males 25·11 died during the year, but of every thousand females only 22·74.

This greater mortality of the male in Scotland was noticed at almost every age of life (Table XXIV.), for at every quinquennial period of life, excepting from ten to fifteen years of life, the mortality of the male was higher than that of the female. In this respect the results of 1864 closely agreed with those of former years.

As the year 1864 completes the first decennial period during which we have had complete returns of the deaths from all Scotland, a few additional tables have been added to this Report to enable us to take a retrospect of the mortality, and ascertain, from a period of ten years, what is the average death-rate, and what is the average relative and absolute proportion in which the different diseases prove fatal to the inhabitants. (Pp. 217-225.)

TABLE XXII.—DEATHS in SCOTLAND during each of the Ten Years 1855-1864, distinguishing the Sexes.

YEARS.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	30626	31378	62004	1293	1400	2693	15300	15593	30893	14033	14385	28418
1856	29418	29111	58529	1042	1124	2166	14560	14265	28825	13816	13722	27538
1857	30937	30969	61906	1141	1165	2306	15195	15195	30390	14601	14609	29210
1858	31652	31887	63539	1153	1224	2377	15698	15866	31564	14801	14797	29598
1859	30588	31126	61714	1252	1381	2633	15317	15642	30959	14019	14103	28122
1860	33610	34560	68170	1319	1395	2714	16510	16848	33358	15781	16317	32098
1861	30890	31451	62341	1235	1327	2562	15329	15485	30814	14326	14639	28965
1862	33179	34016	67195	1445	1530	2975	16178	16516	32694	15556	15970	31526
1863	35631	35850	71481	1427	1507	2934	17222	17500	34722	16982	16843	33825
1864	37010	37406	74416	1283	1437	2720	17679	18040	35719	18048	17929	35977
Ten Years .	323541	327754	651295	12590	13490	26080	158988	160950	319938	151963	153314	305277
Per-cent. to } Population }	2·245	2·048	2·136	1·705	1·539	1·615	1·886	1·780	1·819	2·916	2·547	2·706

TABLE XXIII.—TOWN DEATHS, 1855-1864. Per-centage of Deaths to the Estimated Population of each of the Eight Principal Towns of Scotland, during the Ten Years 1855-1864, and the Mean Annual Mortality during these Ten Years.

TOWNS.	PER-CENTAGE OF DEATHS TO POPULATION.										
	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Mean Annual Mortality.
Glasgow . .	2·99	2·84	3·08	3·05	2·83	3·19	2·75	2·86	3·24	3·27	3·01
Edinburgh .	2·57	2·49	2·26	2·49	2·19	2·50	2·44	2·77	2·60	2·69	2·50
Dundee . .	2·53	2·84	2·57	2·64	2·53	3·20	2·60	2·79	2·87	3·25	2·78
Aberdeen . .	2·28	2·26	2·34	2·20	2·28	2·97	2·40	2·59	2·35	2·87	2·45
Paisley . .	2·76	2·30	3·02	2·67	2·49	2·90	2·54	2·64	2·56	3·20	2·70
Greenock . .	3·38	3·03	3·06	2·59	3·34	2·90	2·52	3·06	4·13	4·19	3·22
Leith . . .	1·97	2·39	2·17	2·26	1·98	2·76	2·12	2·38	2·47	2·49	2·29
Perth . . .	2·19	2·19	3·10	2·67	2·24	2·64	2·62	2·35	2·46	3·28	2·57

During the ten years 1855 to 1864 inclusive, 651,295 persons died in Scotland, being at the rate of 21·36 deaths annually in every thousand persons of the mean population. The English death-rate during the same period was 22·16 deaths in every thousand persons annually, so that the mean Scottish death-rate was somewhat lower than that of England.

Of these 651,295 deaths in all Scotland during the ten years, 26,080 occurred in the Insular Districts, 319,938 in the Mainland-Rural Districts, and 305,277 in the Town Districts. It thus appears that, in every thousand persons living in each of these districts during these ten years, 16·15 died annually in the Insular, 18·19 annually in the Mainland-Rural, and 27·06 annually in the Town Districts. During that period, therefore, the death-rate in the towns of Scotland has been almost exactly one-third higher than in the Rural Districts. (Table XLIII.)

Of the eight principal towns in Scotland, a ten years' average shows that the death-rate of the inhabitants was lowest in Leith and Aberdeen, and highest in Greenock and Glasgow. Thus, in every thousand persons in each of these towns, there died annually during these ten years, 22·9 in Leith, 24·5 in Aberdeen, 25 in Edinburgh, 25·7 in Perth, 27 in Paisley, 27·8 in Dundee, 30·1 in Glasgow, and 32·2 in Greenock. (Table XXIII.)

Of the 651,295 persons who died in Scotland during these ten years, 323,541 were males, and 327,754 females. Comparing these numbers with the mean population, it appears that males were cut off at a higher rate than females, seeing that, in every thousand persons of the mean population of each sex, there died annually 22·45 males, but only 20·48 females.

TABLE XXIV.—DEATHS, 1864. Population of Scotland at different Ages in 1864, the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	SCOTLAND, 1864.					
	POPULATION.*		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	46,866	45,314	7786	6394	16·613	14·110
— 2	42,816	41,586	3355	3176	7·835	7·637
— 3	43,155	41,926	1761	1705	4·080	4·066
— 4	41,710	40,883	1283	1195	3·076	2·923
— 5	41,034	39,622	898	822	2·188	2·074
Total under 5 Years	215,581	209,331	15083	13292	6·996	6·349
5—10	187,292	182,316	2130	1988	1·136	1·090
10—15	167,747	160,618	978	979	0·582	0·609
15—20	152,918	160,184	1218	1211	0·796	0·756
20—30	233,651	290,573	2744	2742	1·174	0·943
30—40	172,761	211,462	2222	2503	1·286	1·188
40—50	139,010	164,965	2422	2361	1·742	1·431
50—60	101,272	121,572	2519	2476	2·487	2·036
60—70	66,321	87,877	2981	3214	4·495	3·657
70—80	28,952	41,715	2852	3653	9·850	8·757
80—90	7,873	12,812	1603	2472	20·360	19·294
90—100	610	1,201	210	443	34·426	36·885
100 and above	30	57	10	22	33·333	38·596
Not stated	—	—	38	50	—	—
ALL AGES	1,474,018	1,644,683	37010	37406	2·511	2·274
BOTH SEXES	3,118,701		74416		2·386	

* The Populations of this and of the three consecutive Tables are calculated to the middle of the year, so as to give the true proportion of deaths.

This higher mortality of the male was equally pronounced at almost every age of life (Table XXIX.), the sole exceptions being during the third and fourth years, and from 10 to 15 years of age, when the female death-rate very slightly preponderated. At every other period of life the female death-rate was lower, and notably so during the first year of life, when it may be assumed that the food, clothing, and general treatment of the sexes are alike in everything. Thus, during the first year of existence, the ten years' average shows that of every thousand males 151·96 died annually, but only 126·82 out of every thousand females.

At almost every other age, however, the lower female death-rate was remarked. Thus, between 20 and 30 years of age, of every thousand males 10·23 died annually, but only 8·29 in a like number of females. Between 40 and 50 years of age, of every thousand males 14·24 died annually, but only 12·10 in a like number of females. Between 70 and 80 years of age, of every thousand males 94·54 died annually, but only 83·15 in a like number of females.

These examples may suffice to show that, at almost every stage of life, the males in Scotland have a greater liability to death, and a higher death-rate than the females. The fact, however, of this peculiarity being most strongly developed at that infantile period of life when the dress, food, and general treatment of both sexes are alike, seems to prove that the higher male death-rate is an impressed natural and constitutional peculiarity due to sex alone.

With both sexes the age of life at which there was the smallest death-rate was from 10 to 15 years. At that age only five in the thousand died

TABLE XXV.—DEATHS, 1864. Population of Insular Districts at different Ages in 1864, the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	INSULAR DISTRICTS, 1864.					
	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,965	1,866	192	178	9·771	9·539
— 2	1,896	1,852	84	89	4·430	4·805
— 3	2,000	1,987	36	49	1·800	2·465
— 4	1,956	1,878	28	32	1·431	1·703
— 5	2,038	1,924	26	23	1·275	1·195
Total under 5 Years	9,855	9,507	366	371	3·713	3·902
5—10	9,343	9,121	49	59	0·524	0·646
10—15	8,569	8,337	40	26	0·467	0·311
15—20	7,416	8,211	40	48	0·539	0·584
20—30	10,086	14,301	115	73	1·140	0·510
30—40	7,519	10,858	76	82	1·010	0·755
40—50	6,310	8,667	78	82	1·236	0·946
50—60	5,495	6,962	87	99	1·583	1·421
60—70	4,569	6,006	118	129	2·582	2·147
70—80	2,277	3,109	166	201	7·290	6·465
80—90	793	1,293	121	206	15·258	15·932
90—100	84	153	21	41	25·000	26·797
100 and above	4	19	1	7	25·000	36·842
Not stated	—	—	5	13	—	—
ALL AGES	72,320	86,544	1283	1437	1·774	1·660
BOTH SEXES	158,864		2720		1·712	

annually. That age, so to speak, may be called the turning-point of life, seeing that the deaths, which were at the rate of 139 in the thousand living during the first year of life, diminished gradually, year by year, till that age was attained; while, on the other hand, from that period the deaths increased at every progressive stage of advancing life till all were cut off. During the whole active period of life, viz. from 20 to 60 years, the deaths, though slowly increasing year by year, above what they were from 15 to 20, continued below the average death-rate at all ages. But after 60 years, as the period of active life may then be said to be over, the death-rates doubled on each successive decade, so that one-third of all those who were between 90 and 100 years died annually; and only one in every 2742 men, and one in every 1389 women, attained the hundredth year of life. (Table XXVIII.)

It was shown above that the death-rates in the Town Districts were one-third higher than those in the Rural Districts. This higher death-rate in the towns was observed at all ages, and the facts brought out by Table XXIX., being for a period of ten years, are extremely instructive, and merit a moment's consideration. If the death-rates at each age in the Mainland-Rural and in the Town Districts be compared, it will be seen that the noxious influence of a town residence is more hurtful to the very young than to the adult or to the aged; for, during the first five years of life, the Town death-rate is almost exactly double that of the Rural Districts. This is best seen by taking the females of each, and comparing the deaths at each year of life, in every thousand living. Thus, of every thousand girls under one year of age, 93·45 died annually in the Rural Districts, but 172·79 in the Towns. Of girls under 2 years, 47·52 died in the Rural Districts,

TABLE XXVI.—DEATHS, 1864. Population of Mainland-Rural Districts at Different Ages in 1864, the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	MAINLAND-RURAL DISTRICTS, 1864.					
	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	26,231	25,418	3457	2810	13·179	11·055
— 2	24,820	24,045	1300	1243	5·237	5·169
— 3	25,093	24,369	768	728	3·060	2·987
— 4	24,613	23,854	569	543	2·311	2·276
— 5	24,310	23,425	433	385	1·781	1·643
Total under 5 Years	125,067	121,111	6527	5709	5·219	4·705
5—10	112,137	108,144	1052	1002	0·938	0·926
10—15	101,320	95,809	517	546	0·510	0·569
15—20	89,546	88,367	596	607	0·665	0·687
20—30	125,929	149,877	1250	1221	0·992	0·814
30—40	94,520	112,251	927	1108	0·980	0·987
40—50	78,875	90,537	965	997	1·223	1·101
50—60	60,680	69,265	1179	1113	1·943	1·606
60—70	42,020	52,365	1601	1645	3·810	3·141
70—80	19,688	26,705	1778	2177	9·030	8·152
80—90	5,613	8,673	1097	1572	19·543	18·125
90—100	431	801	157	301	36·427	37·578
100 and above	23	32	7	10	30·434	31·250
Not stated	—	—	26	32	—	—
ALL AGES	855,849	923,937	17679	18040	2·065	1·952
BOTH SEXES	1,779,786		35719		2·006	

but 116 in the Towns. In the third year of life, 25·84 died in the Rural Districts, but 57·54 in the Towns. In the fourth year of life, 17·59 died in the Rural Districts, but 38·39 in the Towns. In the fifth year of life, 12·53 died annually in the Rural Districts, but 28·65 in the Towns.

After that period the proportional difference diminished somewhat; but at almost every successive stage of life, the Town death-rate was about one-third higher than that in the Rural Districts. Thus, to go on with our comparison of the female death-rates in the Town and Rural Districts, in every thousand girls from 5 to 10 years in each district, 7·51 died annually in the Rural, but 12·71 in the Town Districts. From 10 to 15 years of age, 4·75 girls died annually in the Rural, but 6·14 in the Town Districts. From 15 to 20 years, 6·20 females died in the Rural, but 7·63 in the Town Districts. From 20 to 30 years, 7·48 females died in the Rural, but 9·73 in Town Districts. From 30 to 40 years, 8·62 died annually in the country, but 13·49 in the towns. From 50 to 60 years, 14·95 died annually in the country in every thousand women of that age, but 23·52 in a like number of women in the towns, etc. Much the same differences exist in the death-rates of the males in town and country, as may be seen in Table XXIX., so that is unnecessary to quote them.

This Table (XXIX.), therefore, showing the results of ten years' registration of the deaths in the Town and Rural Districts of Scotland, proves that, though persons from 10 to 40 years of age are better able than the very young, and the more aged, to resist the deleterious influences which result from a residence in towns, even they suffer a much higher death-rate than if their residence had been in the country. But the striking fact, that

TABLE XXVII.—DEATHS, 1864. Population of the Town Districts at Different Ages in 1864, the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	TOWN DISTRICTS, 1864.					
	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	18,670	18,030	4137	3406	22·158	18·890
— 2	16,100	15,689	1971	1844	12·242	11·753
— 3	16,062	15,570	957	928	5·935	5·960
— 4	15,141	15,151	686	620	4·530	4·092
— 5	14,686	14,273	439	414	2·921	2·903
Total under 5 Years	80,659	78,713	8190	7212	10·153	9·162
5—10	65,812	65,051	1029	927	1·563	1·425
10—15	57,858	56,472	421	407	0·727	0·727
15—20	55,956	63,606	582	556	1·040	0·874
20—30	97,636	126,395	1379	1448	1·412	1·145
30—40	70,722	88,353	1219	1313	1·723	1·486
40—50	53,825	65,761	1379	1282	2·562	1·934
50—60	35,097	45,345	1253	1264	3·570	2·787
60—70	19,732	29,506	1262	1440	6·395	4·880
70—80	6,987	11,901	908	1275	12·995	10·713
80—90	1,467	2,846	385	694	26·244	24·385
90—100	95	247	32	101	33·684	40·890
100 and above	3	6	2	5	66·666	83·333
Not stated	—	—	7	5	—	—
ALL AGES	545,849	634,202	18048	17929	3·306	2·827
BOTH SEXES	1,180,051		35977		3·048	

residence in the towns doubles the mortality during the first years of life, is a strong argument for rearing children in the country whenever it is practicable.

In the Ninth Detailed Report, attention was directed to the striking difference which prevailed in Scotland between the death-rates of the married and unmarried men at each quinquennial period of life. The difference in favour of the married men was so unexpected, and so great, that it was deemed necessary to investigate the subject further; and accordingly the Registers for 1864 have been carefully gone over, in order to prepare Table XXX., which shows the deaths of all males 20 years of age and upwards, who died in Scotland during the year 1864. These deaths are arranged in two columns, according as the persons had been married or unmarried, and according to their ages—the ages being arranged in quinquennial periods, in order to correspond with the ages of the living as ascertained at the Census of 1861.

It is satisfactory to find that the facts relative to the very different death-rates of the married and unmarried men in the whole population of Scotland for the year 1863, which were for the first time brought before the notice of the public in last Detailed Report, are in every point corroborated by the researches into the mortality of the married and the unmarried for the year 1864. On a point of this kind, however, which had never

TABLE XXVIII.—DEATHS, 1855-1864. Total Number of Deaths at Different Ages in Scotland, and in its Insular, Mainland-Rural, and Town Districts, during the Ten Years 1855 to 1864 inclusive.

AGES.	SCOTLAND.		INSULAR DISTRICTS.		MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 3 Months	34,799	26,575	1,301	967	16,710	12,539	16,788	13,069
— 6	11,499	9,014	292	228	5,009	3,907	6,198	4,879
— 12	23,185	20,156	573	460	9,326	8,047	13,286	11,649
— 2 Years	30,853	29,200	768	666	11,927	11,258	18,158	17,276
— 3	15,347	15,222	419	360	6,181	6,206	8,747	8,656
— 4	10,158	9,955	208	236	4,274	4,186	5,676	5,533
— 5	7,134	7,046	168	171	3,096	2,990	3,870	3,885
Total 0-5 Years	132,975	117,168	3,729	3,088	56,523	49,133	72,723	64,947
5-10	17,343	16,214	460	415	8,542	8,011	8,341	7,788
10-15	8,376	8,078	264	288	4,663	4,489	3,449	3,291
15-20	11,030	10,466	460	401	5,853	5,409	4,717	4,656
20-25	12,821	11,825	647	398	6,511	5,693	5,663	5,734
25-30	10,495	11,612	551	437	5,118	5,369	4,826	5,806
30-35	9,377	10,742	372	410	4,282	4,825	4,723	5,507
35-40	9,188	10,572	309	358	4,061	4,809	4,818	5,405
40-45	9,510	9,933	331	366	4,085	4,396	5,094	5,171
45-50	9,823	9,501	298	367	4,495	4,303	5,030	4,831
50-55	10,389	10,316	389	474	4,953	4,783	5,047	5,059
55-60	10,788	10,945	416	457	5,451	5,421	4,921	5,067
60-65	13,180	14,321	562	720	6,960	7,292	5,658	6,309
65-70	12,767	14,323	604	715	7,367	8,006	4,796	5,602
70-75	13,898	17,388	740	1,026	8,574	12,204	4,584	6,158
75-80	12,986	16,483	833	1,063	8,495	10,285	3,658	5,135
80-85	10,159	14,640	736	1,185	7,037	9,602	2,386	3,853
85-90	5,394	8,201	453	702	3,911	5,578	1,030	1,921
90-95	1,791	3,238	229	339	1,280	2,221	282	678
95-100	469	1,058	79	158	310	679	80	231
100 and above	118	236	25	50	71	138	22	48
Not known	664	494	103	73	446	304	115	117
ALL AGES	323,541	327,754	12,590	13,490	158,988	160,950	151,963	153,314

been previously investigated for a whole population, it was desirable to give the fullest information possible. Accordingly the whole details for 1864 are given in Table XXX., and an additional table is added (Table XXXI.), showing the per-centage of deaths in the married and unmarried men at each quinquennial period of life during 1863 and 1864, and also

TABLE XXIX.—DEATHS, 1855-1864. Mean Annual Per-centage of Deaths to the Population at each Age in Scotland and its Three Great Groups of Districts, during the Ten Years 1855 to 1864 inclusive.

AGES.	SCOTLAND.		INSULAR DISTRICTS.		MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	15.196	12.682	10.796	8.763	11.964	9.345	20.363	17.279
— 2	7.371	7.199	3.974	3.551	4.855	4.752	11.832	11.600
— 3	3.635	3.703	2.045	1.791	2.488	2.584	5.643	5.754
— 4	2.488	2.489	1.044	1.240	1.754	1.759	3.931	3.839
— 5	1.771	1.815	0.808	0.879	1.290	1.253	2.713	2.865
Total 0—5 Years	6.313	5.752	3.707	3.105	5.076	4.115	9.481	8.694
5—10	0.945	0.912	0.482	0.432	0.769	0.751	1.329	1.271
10—15	0.509	0.522	0.301	0.340	0.464	0.475	0.625	0.614
15—20	0.737	0.671	0.606	0.477	0.665	0.620	0.884	0.763
20—30	1.023	0.829	1.163	0.576	0.933	0.748	1.127	0.973
30—40	1.098	1.037	0.887	0.683	0.891	0.862	1.415	1.349
40—50	1.424	1.210	0.975	0.817	1.099	0.975	1.968	1.580
50—60	2.137	1.798	1.436	1.323	1.733	1.495	2.979	2.352
60—70	3.989	3.343	2.499	2.359	3.446	2.966	5.656	4.248
70—80	9.454	8.315	6.766	6.633	8.764	7.746	12.231	9.999
80—90	20.045	18.496	14.679	14.421	19.682	17.115	24.467	21.367
90—100	37.373	36.381	36.025	31.743	37.186	36.638	38.607	38.191
100 and above	39.320	41.640	57.500	26.315	30.862	43.558	63.459	67.666
ALL AGES	2.245	2.048	1.705	1.539	1.886	1.780	2.916	2.547

TABLE XXX.—MARRIED and UNMARRIED MEN at each Quinquennial Age in Scotland in 1864, the Deaths at the same Ages, and the proportion of Deaths to the Living at each Age.

AGES.	HUSBANDS AND WIDOWERS IN 1864.			UNMARRIED MEN IN 1864.		
Above 20 Years.	Number living.	Deaths.	Per-cent. of Deaths.	Number living.	Deaths.	Per-cent. of Deaths.
20—25	23656	155	0.655	106587	1373	1.288
25—30	54790	428	0.781	48618	788	1.620
30—35	66657	683	1.024	25962	445	1.714
35—40	64285	807	1.255	15857	287	1.809
40—45	63042	988	1.567	12311	244	1.982
45—50	54833	995	1.814	8824	195	2.209
50—55	49874	1065	2.135	7636	205	2.684
55—60	38212	1064	2.784	5550	185	3.351
60—65	36108	1351	3.741	5242	240	4.578
65—70	22123	1203	5.438	2848	187	6.566
70—75	16094	1329	8.257	2021	208	10.291
75—80	9756	1161	11.890	1081	154	14.246
80—85	5496	955	17.376	513	100	19.493
85—90	1713	508	29.655	151	40	26.490
90—95	451	161	35.698	50	14	28.000
95—100	103	32	31.068	6	3	50.000
100 and above	28	9	32.166	2	1	50.000
Not stated	—	11	—	—	9	—
ALL AGES	507221	12905	2.544	243259	4678	1.923

the mean mortality at each age for these two years. The remarks may therefore be confined to the mean of the two years, as being a nearer approximation to the truth than any one year's results can be, though it must be confessed that the two years' tables corroborate each other to a most surprising extent.

At every quinquennial period of life from 20 years of age up to 85, Table XXXI. shows that married men died in Scotland at a much lower rate than the unmarried. Thus, from 20 to 25 years of age, in every thousand married men only 6·26 died annually, but in every thousand unmarried men at the same ages 15·01 died. From 25 to 30 years of age, only 8·23 died annually in every thousand married men, but 14·94 in every thousand unmarried. From 30 to 35 years of age, only 8·65 died in every thousand married men, but 15·94 in every thousand unmarried. From 45 to 50 years of age, in every thousand of each class, only 17·04 married, but 21·18 unmarried died annually. In every thousand of each class from 50 to 55 years of age, 19·54 married men died annually, but 26·34 unmarried. In every thousand of each class from 60 to 65 years of age, 35·63 married men died annually, but 44·54 unmarried men. In every thousand of each class from 70 to 75 years of age, 81·56 married men died annually, but 102·17 unmarried men. Even at the extreme age of 80 to 85 years, in every thousand of each class there died annually only 173·88 married men, but 195·40 unmarried.

Above this age the numbers for both classes were too small to yield trustworthy or steady results; and so few attain these extreme ages, that no discrepancies in the results, at such ages, could affect the conclusions deduced from the mortality at the other ages. Small, however, as are the numbers who attain such extreme ages, the difference on the whole preponderates in favour of the married men.

These carefully ascertained facts, applicable to the whole male popula-

TABLE XXXI.—Mortality of MARRIED and UNMARRIED MEN in Scotland in 1863 and 1864, and Per-centage of Deaths to the Numbers living at each age.

AGES.	HUSBANDS AND WIDOWERS.			UNMARRIED MEN.		
	1863.	1864.	Mean Annual Per-cent. of Deaths.	1863.	1864.	Mean Annual Per-cent. of Deaths.
20—25	0·597	0·655	0·626	1·714	1·288	1·501
25—30	0·865	0·781	0·823	1·369	1·620	1·494
30—35	0·907	1·024	0·865	1·475	1·714	1·594
35—40	1·080	1·255	1·167	1·595	1·809	1·602
40—45	1·248	1·567	1·407	1·689	1·982	1·835
45—50	1·594	1·814	1·704	2·028	2·209	2·118
50—55	1·774	2·135	1·954	2·684	2·684	2·634
55—60	2·444	2·784	2·614	2·558	3·351	2·854
60—65	3·385	3·741	3·563	4·330	4·578	4·454
65—70	5·149	5·438	5·293	5·477	6·566	6·021
70—75	8·055	8·257	8·156	10·143	10·291	10·217
75—80	11·681	11·890	11·785	14·542	14·246	14·394
80—85	17·400	17·376	17·388	19·688	19·493	19·540
85—90	28·571	29·655	29·113	21·192	26·490	23·841
90—95	30·512	35·698	33·105	42·000	28·000	35·000
95—100	38·835	31·068	34·952	50·000	50·000	50·000
100 and above	53·571	32·166	42·868	00·000	50·000	25·000
ALL AGES	2·238	2·544	2·441	1·723	1·923	1·823

tion of Scotland who are above 20 years of age, and for a period of two years, seem to prove that the married state is the condition of life best fitted for mankind, and that, at every successive stage of life, married men

TABLE XXXII.—GLASGOW, 1864. Population and Deaths at Different Ages in 1864, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.*		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	7,226	6,833	1680	1371	23.249	20.064
— 2	5,896	5,792	867	818	14.704	14.123
— 3	5,691	5,638	416	382	7.309	6.775
— 4	5,325	5,388	268	252	5.032	4.675
— 5	5,141	4,974	180	169	3.501	3.395
Total under 5 Years	29,279	28,625	3411	2992	11.650	10.452
5—10	22,364	22,158	400	328	1.788	1.480
10—15	19,578	19,223	162	156	0.827	0.811
15—20	20,633	22,994	250	219	1.211	0.952
20—30	38,207	47,466	530	600	1.387	1.268
30—40	26,743	31,946	486	510	1.817	1.596
40—50	19,510	22,632	552	500	2.888	2.209
50—60	11,475	14,380	476	452	4.148	3.143
60—70	5,808	8,585	387	450	6.663	5.241
70—80	1,594	2,923	232	339	14.554	11.597
80—90	297	587	92	121	30.976	20.613
90—100	20	55	8	19	40.000	34.545
100 and above	—	1	—	—	—	—
Not stated	—	—	2	—	—	—
ALL AGES	195,508	221,575	6988	6686	3.574	3.012
BOTH SEXES	417,083		13674		3.278	

TABLE XXXIII.—EDINBURGH, 1864. Population and Deaths at Different Ages in 1864, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	2,264	2,373	477	394	21.069	16.603
— 2	2,034	2,039	217	195	10.668	9.563
— 3	2,005	1,945	104	104	5.187	5.346
— 4	1,878	1,934	65	60	3.461	3.102
— 5	1,964	1,791	40	40	2.036	2.233
Total under 5 Years	10,145	10,082	903	773	8.802	7.865
5—10	8,824	8,679	135	95	1.529	1.094
10—15	8,086	7,891	37	44	0.457	0.557
15—20	8,134	9,914	65	60	0.799	0.605
20—30	14,723	19,772	197	202	1.338	1.021
30—40	9,991	13,596	184	158	1.842	1.162
40—50	7,579	10,539	206	188	2.718	1.783
50—60	5,211	7,703	195	187	3.742	2.427
60—70	3,142	5,192	212	242	6.747	4.661
70—80	1,221	2,125	137	234	11.220	11.011
80—90	229	473	54	132	23.580	27.907
90—100	9	40	2	15	22.222	36.000
100 and above	—	1	—	1	—	100.000
Not stated	—	—	—	—	—	—
ALL AGES	77,294	96,007	2327	2351	3.010	2.448
BOTH SEXES	173,301		4678		2.699	

* The Populations of this and of the seven consecutive Tables are all calculated to the middle of the year, so as to give the true proportion of deaths.

die at a much lower rate than unmarried men of the same ages. It seems impossible, therefore, to avoid drawing the conclusion, that it is to marriage, and the more regular domestic habits which attend that state, that this result is attributable.

Were this conclusion based on small numbers, or on the statistics of

TABLE XXXIV.—DUNDEE, 1864. Population and Deaths at Different Ages in 1864, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,539	1,435	423	324	27.485	22.630
— 2	1,200	1,224	177	141	14.750	11.519
— 3	1,351	1,212	74	102	5.477	8.415
— 4	1,172	1,168	58	64	4.948	5.479
— 5	1,132	1,170	39	43	3.445	3.675
Total under 5 Years	6,394	6,209	771	674	12.058	10.855
5—10	5,312	5,333	97	86	1.826	1.612
10—15	4,602	4,602	42	33	0.912	0.825
15—20	4,187	5,645	37	48	0.883	0.850
20—30	6,985	11,705	96	125	1.374	1.067
30—40	5,220	7,662	86	121	1.647	1.579
40—50	3,993	5,522	113	105	2.829	1.901
50—60	2,970	3,822	98	103	3.299	2.694
60—70	1,463	2,248	114	121	7.792	5.382
70—80	483	789	53	88	10.973	11.153
80—90	83	185	23	51	27.710	27.567
90—100	12	17	5	6	41.666	35.294
100 and above	1	—	—	—	—	—
Not stated	—	—	4	—	—	—
ALL AGES	41,705	53,739	1539	1566	3.690	3.253
BOTH SEXES	95,444		3105		3.253	

TABLE XXXV.—ABERDEEN, 1864. Population and Deaths at Different Ages in 1864, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,043	996	219	164	20.997	16.466
— 2	937	881	85	63	9.071	7.150
— 3	958	932	34	40	3.549	4.291
— 4	912	894	30	27	3.289	3.020
— 5	890	839	19	20	2.134	2.383
Total under 5 Years	4,740	4,542	387	314	8.164	6.913
5—10	4,277	4,090	48	48	1.122	1.173
10—15	3,870	3,947	22	22	0.568	0.557
15—20	3,349	3,830	35	46	1.045	1.201
20—30	4,977	7,463	76	91	1.527	1.219
30—40	3,706	5,670	72	80	1.942	1.411
40—50	3,197	4,527	73	93	2.283	2.054
50—60	2,458	3,542	87	118	3.539	3.331
60—70	1,454	2,509	99	107	6.808	4.264
70—80	620	1,210	79	116	12.741	9.586
80—90	155	343	38	69	24.516	19.827
90—100	11	31	4	13	36.364	42.032
100 and above	—	1	—	1	—	100.000
Not stated	—	—	1	—	—	—
ALL AGES	32,814	41,710	1021	1118	3.040	2.680
BOTH SEXES	74,524		2139		2.870	

a particular class, or on the comparison of the mortality of married and unmarried men during the earlier years of life (as below 40 years of age), doubts might rest on the conclusions deduced. But whether the explanation attempted to be given be satisfactory or the reverse, the fact itself must remain unchallenged, that at every successive stage of life, up even to

TABLE XXXVI.—PAISLEY, 1864. Population and Deaths at Different Ages in 1864, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	785	780	161	136	20.509	17.436
— 2	680	659	86	89	12.647	13.505
— 3	724	642	47	38	6.491	5.919
— 4	652	643	37	36	5.674	5.598
— 5	621	581	18	15	2.898	2.581
Total under 5 Years	3,462	3,305	349	314	10.080	9.500
5—10	2,759	2,872	40	46	1.449	1.601
10—15	2,438	2,409	15	25	0.615	1.037
15—20	2,130	2,598	18	21	0.845	0.808
20—30	3,497	4,690	48	49	1.372	1.044
30—40	2,630	3,293	49	60	1.863	1.864
40—50	2,134	2,520	54	40	2.530	1.587
50—60	1,472	1,857	35	64	2.379	3.446
60—70	925	1,272	44	62	4.756	4.874
70—80	373	559	58	66	15.549	11.807
80—90	81	129	21	39	25.926	30.233
90—100	12	10	2	2	16.666	20.000
100 and above	—	—	—	—	—	—
Not stated	—	—	—	—	—	—
ALL AGES	21,913	25,514	733	788	3.345	3.088
BOTH SEXES	47,427		1521		3.207	

TABLE XXXVII.—GREENOCK, 1864. Population and Deaths at Different Ages in 1864, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	821	737	203	204	24.726	27.680
— 2	635	633	116	105	18.267	16.588
— 3	690	640	49	46	7.101	7.187
— 4	656	650	54	27	6.538	4.153
— 5	599	610	31	23	5.175	3.770
Total under 5 Years	3,401	3,270	453	405	13.319	12.385
5—10	2,700	2,617	52	59	1.926	2.254
10—15	2,207	2,093	28	14	1.268	0.668
15—20	2,210	2,099	38	24	1.719	1.143
20—30	4,335	4,434	104	68	0.239	1.533
30—40	3,180	3,430	69	68	2.169	1.982
40—50	2,279	2,435	92	76	4.036	3.121
50—60	1,316	1,514	52	68	3.951	4.491
60—70	700	1,014	69	58	9.857	5.720
70—80	240	364	43	44	22.561	12.088
80—90	40	96	14	23	35.000	23.958
90—100	5	10	1	5	20.000	50.000
100 and above	—	1	—	—	—	—
Not stated	—	—	—	2	—	—
ALL AGES	22,613	23,377	1015	914	4.488	3.909
BOTH SEXES	45,990		1929		4.194	

extreme old age, married men die in a much lower ratio than those who are unmarried.

It is a known fact, that at the earlier ages, say from 18 to 40 years, among the unmarried are a considerable number of men who, from natural infirmity, delicacy of constitution, the existence of chronic disease, bad

TABLE XXXVIII.—LEITH, 1864. Population and Deaths at Different Ages in 1864, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	599	548	127	102	21·202	18·615
— 2	576	488	47	56	8·159	11·475
— 3	507	504	28	20	5·522	3·968
— 4	508	495	13	14	2·559	2·828
— 5	496	455	10	9	2·016	1·978
Total under 5 Years	2,686	2,490	225	201	8·376	8·072
5—10	2,127	2,090	21	22	0·987	1·052
10—15	1,913	1,723	11	3	0·574	0·174
15—20	1,686	1,745	14	7	0·830	0·401
20—30	3,851	3,392	22	20	0·571	0·589
30—40	2,638	2,662	36	37	1·364	1·389
40—50	1,762	2,006	36	35	2·043	1·744
50—60	1,033	1,318	31	23	3·000	2·123
60—70	570	884	33	44	5·708	4·977
70—80	207	361	29	46	14·009	12·742
80—90	37	84	9	16	24·324	19·047
90—100	1	1	—	1	—	100·000
100 and above	—	—	—	—	—	—
Not stated	—	—	—	1	—	—
ALL AGES	18,511	18,756	467	461	2·522	2·457
BOTH SEXES	37,267		928		2·490	

TABLE XXXIX.—PERTH, 1864. Population and Deaths at Different Ages in 1864, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	367	350	82	68	22·343	19·318
— 2	342	334	37	38	10·819	11·377
— 3	329	319	24	24	7·294	7·523
— 4	357	320	18	15	5·042	4·687
— 5	298	301	10	5	3·355	1·661
Total under 5 Years	1,693	1,624	171	150	10·100	9·236
5—10	1,378	1,430	25	22	1·441	1·538
10—15	1,302	1,290	5	9	0·384	0·697
15—20	1,284	1,364	12	17	0·934	1·246
20—30	2,024	2,554	49	35	2·420	1·370
30—40	1,578	1,985	20	35	1·267	1·763
40—50	1,196	1,524	26	29	2·174	1·902
50—60	850	1,170	20	32	2·353	2·735
60—70	566	938	27	44	4·770	4·690
70—80	240	395	41	39	17·083	9·873
80—90	63	99	15	40	22·727	40·497
90—100	3	5	3	5	—	—
100 and above	—	—	—	—	—	—
Not stated	—	—	—	—	—	—
ALL AGES	12,177	14,378	414	457	3·401	3·178
BOTH SEXES	26,555		871		3·279	

health, or from being addicted to dissipated and licentious habits, or by want of success in life, do not marry. The annual mortality among such men is annually greater than among the strong and vigorous bachelors; and this greater mortality among such unmarried men to some extent swells the proportional deaths of the unmarried at these early ages, as compared with those of the same age who are married. But almost all such die out, by the course of nature, before they have attained their fortieth year—none survive their fiftieth year.

But the tables for the two years proved that at every successive year of life, from 50 to extreme old age, the married men continued to die at a much lower ratio than the unmarried who were of the corresponding ages. Thus, even at the great age 70 to 75 years, in every thousand married men only 81 died, but in every thousand unmarried men at the same ages 102 died annually.

No arguments can explain away this ascertained fact. And as the sole difference in the two parties at every age above 50 years of age is that the one is married and that the other is unmarried, it seems impossible to resist the conclusion that it is marriage, and the habits connected with marriage, which is the cause of the difference.

Strange it is that it is only now, after the lapse of several thousands of years, that statistics have proved the truth of one of the first natural laws revealed to man—"It is not good that the man should live alone."

The above conclusion relative to the much smaller death-rate of the married men is strikingly confirmed by calculating the mean age at death of the married and unmarried men above 20 years of age. From the facts published in Table XVIII. of the Ninth Detailed Annual Report, it was ascertained that the mean age at death of the married men was 59·7 years, whereas the mean age at death of the unmarried men above 20 years of age was only 40 years,—giving a difference of 19½ years in favour of the married men. Calculating the mean age at death in the same manner for the year 1864, it appears, from the facts stated in Table XXX., that the mean age at death of the married men was 59·1 years, whereas that of the unmarried men who were above 20 years of age was 40·2 years,—showing a difference of 19 years of life in favour of married men.

In last Report attention was directed to the important fact, that when the total deaths of the married and of the unmarried were compared with the total living in each class, a false conclusion was arrived at—a conclusion at variance with the results of the comparison of the mortality of each class at each quinquennial period of life. The same is true of the table drawn up for 1864, and must be true of all similar tables. For the explanation of this statistical paradox, reference may be had to what was said in last Report. It may, however, be added, that the like paradoxical result appears in, and the same explanation is applicable to, all tables drawn up with the view of showing the absolute and comparative mortality of persons following different trades and occupations. The summary at all ages, though a statistical truth, necessarily leads to a false conclusion as to the healthiness or death-rate of the trade, profession, or occupation.

Tables XXXII. to XXXIX. inclusive give the particulars of the deaths in each of the eight principal towns of Scotland for the year 1864, showing the estimated population and deaths at each quinquennial period of life, and for each year under 5 years of age.

CAUSES OF DEATH IN 1864.

Of the 74416 deaths registered in Scotland in 1864, the cause of death was recorded in 71126 cases, leaving only 3290 cases in which no cause of death was assigned, or in which the cause of death was entered in such indefinite terms that it could not be referred to any particular class of diseases. 1564 of these unspecified cases were those of infants under one year of age.

The zymotic or epidemic and contagious class of diseases cut off 19090 persons in Scotland in 1864, being in the proportion of 640 deaths during the year from that class of diseases in every 100,000 persons, allowance being made for the non-specified cases; or 26·84 per cent. of the specified causes of death. As from all causes, so from this, males were cut off in a higher proportion than females, seeing that, in every 100,000 of each sex, 668 males, but only 615 females died during the year.

Of the individual epidemic diseases, Typhus Fever was the most fatal, having cut off 4804 persons, thus constituting the very high proportion of 6·75 per cent. of the specified causes of death, or causing 161 deaths in every 100,000 persons in the population. Males died in a higher proportion than females, seeing that, in every 100,000 of each sex, 169 males, but only 154 females, died during the year from that cause.

Typhus Fever was twice as fatal in the Town as in the Mainland-Rural Districts, seeing that, in every 100,000 persons in each of these districts, 231 died in the towns for every 119 in the country.

TABLE XL.—TOWN DEATHS, 1864. Per-centage of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland in 1864.

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
Total Deaths	3·278	2·699	3·253	2·870	3·207	4·194	2·490	3·279
I. Zymotic Class	0·913	0·575	1·016	0·821	0·986	1·587	0·662	1·001
III. Tubercular Class	0·606	0·471	0·540	0·403	0·550	0·689	0·281	0·444
IV. Brain, etc., Diseases	0·202	0·240	0·208	0·258	0·253	0·221	0·238	0·210
V. Heart, etc., Diseases	0·107	0·172	0·155	0·158	0·080	0·123	0·131	0·135
VI. Respiratory Organs, Dis.	0·642	0·428	0·468	0·374	0·472	0·543	0·422	0·384
VII. Organs of Digestion, Dis.	0·225	0·166	0·205	0·237	0·248	0·241	0·166	0·222
XIII. Premature Debility	0·178	0·126	0·190	0·101	0·158	0·208	0·139	0·192
XV. Old Age	0·109	0·143	0·158	0·179	0·223	0·184	0·088	0·365
XVII. Violent Deaths	0·096	0·089	0·082	0·100	0·052	0·123	0·107	0·097
Small-pox	0·072	0·008	0·144	0·072	0·168	0·100	0·005	0·101
Measles	0·104	0·013	0·022	0·002	0·044	0·143	0·005	0·003
Scarlatina	0·141	0·122	0·242	0·057	0·185	0·328	0·009	0·244
Diphtheria	0·031	0·039	0·048	0·075	0·029	0·023	0·053	0·037
Hooping-cough	0·138	0·123	0·154	0·096	0·202	0·089	0·169	0·075
Croup	0·037	0·050	0·074	0·030	0·052	0·102	0·072	0·037
Diarrhœa, Dysentery, Cholera	0·068	0·049	0·093	0·063	0·052	0·106	0·085	0·135
Typhus and Infantile Fever	0·278	0·121	0·168	0·359	0·204	0·615	0·145	0·327
Dropsy	0·032	0·019	0·039	0·022	0·039	0·045	0·026	0·011
Cancer	0·035	0·088	0·040	0·064	0·027	0·043	0·053	0·052
Phthisis	0·428	0·310	0·399	0·272	0·384	0·460	0·144	0·293
Apoplexy	0·040	0·044	0·042	0·050	0·061	0·043	0·067	0·056
Paralysis	0·042	0·068	0·047	0·065	0·092	0·041	0·069	0·060
Convulsions	0·048	0·041	0·069	0·073	0·037	0·030	0·045	0·037
Bronchitis	0·430	0·282	0·310	0·264	0·347	0·358	0·244	0·314
Pneumonia	0·152	0·076	0·101	0·067	0·082	0·123	0·120	0·030
Teething	0·072	0·013	0·059	0·095	0·082	0·106	0·034	0·086

It is necessary to explain, that under the term Typhus are tabulated all the forms of continued fever, viz. Typhus (spotted fever), Typhoid (enteric, gastro-enteric, and gastric fever), relapsing fever, simple continued fever,

TABLE XLI. — DEATHS, 1864. Proportion of Deaths from different Diseases in every hundred thousand persons of the Population, and of either Sex, in Scotland and in its Three Great Groups of Districts, the Insular, the Mainland-Rural, and Town Districts, during 1864; allowance being made for the Causes of Death which were not specified.

1864.	Proportion of DEATHS in every 100,000 Living.											
DISEASES.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
ALL CAUSES . . .	2386	2511	2274	1712	1774	1660	2006	2065	1952	3048	3306	2827
1. Zymotic Class . . .	640	668	615	353	349	356	521	527	516	854	926	792
2. Uncertain Class . .	84	67	100	68	69	67	76	60	91	99	77	118
3. Tubercular Class . .	380	399	369	229	273	193	303	310	296	523	554	497
4. Brain and Nerv. Sys.	171	196	149	99	109	90	147	166	134	218	262	179
5. Organs of Circulation	99	107	93	48	66	32	86	92	81	126	134	119
6. Respiratory Organs	337	375	304	158	179	141	240	267	215	503	565	450
7. Organs of Digestion	173	191	157	110	127	97	154	167	142	210	238	187
8. Urinary Organs . . .	31	44	18	17	31	5	29	44	15	34	47	23
9. Generative Organs . .	18	—	35	22	—	41	17	—	32	21	—	39
10. Locomotive Organs . .	14	16	12	16	19	13	13	13	13	14	19	11
11. Skin, etc.	3	3	2	3	3	2	2	3	2	4	4	3
12. Malformation	5	6	5	—	1	—	5	6	5	6	8	5
13. Premature Debility . .	108	129	89	47	54	41	82	96	68	156	191	125
14. Atrophy	16	15	18	15	11	19	11	9	13	24	24	24
15. Age	215	163	262	453	349	538	240	188	288	155	107	196
16. Sudden Deaths . . .	4	5	3	1	2	1	4	5	3	4	5	3
17. Violent Deaths . . .	77	121	36	66	124	17	69	110	30	90	139	48
Small-pox	58	67	50	19	18	20	48	54	42	78	92	65
Measles	37	40	34	9	11	8	23	24	23	59	67	52
Scarlatina	111	127	103	19	23	16	98	105	91	150	173	130
Diphtheria	55	60	56	60	58	61	72	73	70	39	41	37
Hooping-cough	67	61	71	39	41	38	30	25	34	123	118	128
Croup	45	51	44	58	59	57	45	47	43	49	56	43
DIARRHŒA	41	43	40	12	9	15	31	32	31	60	64	55
Dysentery	10	12	9	3	4	2	10	12	8	12	12	11
Cholera	2	3	1	3	3	4	2	2	1	2	3	1
Influenza	8	7	9	19	18	20	8	7	10	5	5	6
Infantile Fever	1	1	2	—	—	—	1	1	1	2	2	2
TYPHUS	161	169	154	88	84	92	119	118	120	231	256	212
Metria	8	—	16	2	—	4	8	—	15	9	—	18
Erysipelas	11	12	10	3	6	1	10	11	9	14	15	12
Dropsy	26	23	28	33	33	33	21	19	24	30	27	33
Cancer	43	27	58	30	29	30	41	27	55	48	26	67
Scrofula	22	26	17	17	18	16	20	26	15	25	28	22
Tabes Mesenterica . . .	29	33	25	3	3	2	21	22	18	44	51	39
PHTHISIS	271	268	273	188	227	155	217	210	222	363	364	361
Hydrocephalus	61	71	52	21	24	19	44	49	40	90	116	73
Apoplexy	38	44	34	25	31	20	35	39	32	45	54	38
Paralysis	52	53	51	41	43	39	50	49	51	56	60	52
Epilepsy	6	7	6	6	6	6	5	5	5	8	9	8
Convulsions	28	35	21	6	8	5	18	21	14	45	60	32
BRONCHITIS	214	226	203	78	82	74	143	151	135	335	358	315
Pneumonia	76	96	58	25	41	12	56	70	44	110	142	83
Teething	37	42	33	13	11	15	24	27	21	60	69	52
Enteritis	32	37	27	12	14	11	29	32	26	38	45	32
All Liver Diseases . . .	33	38	29	18	24	13	31	36	27	38	42	35
CHILDBIRTH	12	—	23	15	—	23	11	—	21	14	—	26
Burns and Scalds . . .	10	11	9	9	14	6	9	9	9	12	13	10
Drowning	18	34	4	39	81	4	18	33	5	16	31	4
Fracture & Contusion	28	49	9	6	11	1	26	47	7	32	56	12

and Febricula, as also that rarer and more fatal form known on the Continent as 'epidemic brain fever,' or 'epidemic cerebro-spinal meningitis.' We have not been able to spare time to abstract the deaths for all Scotland, so as to exhibit the proportions in which each of these forms was present in

TABLE XLII.—DEATHS, 1864. Proportion of Deaths from different Diseases in every ten thousand Deaths from Specified Causes, in Scotland and in its Three Great Groups of Districts, the Insular, the Mainland-Rural, and Town Districts, in 1864; distinguishing the proportional Mortality in the Males, Females, and both Sexes.

1864.	Proportion of DEATHS in every 10,000 Specified Causes of Death.											
DISEASES.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class . . .	2684	2660	2707	2063	1972	2144	2600	2553	2646	2802	2802	2803
2. Uncertain Class . .	354	267	441	399	392	405	381	294	466	326	234	419
3. Tubercular Class . .	1609	1592	1625	1343	1542	1167	1511	1505	1511	1718	1677	1759
4. Brain and Nerv. Sys.	719	780	658	579	616	546	733	777	689	715	791	635
5. Organs of Circulation	418	425	411	280	373	198	432	448	416	413	406	420
6. Respiratory Organs .	1415	1495	1337	921	1009	852	1199	1296	1105	1651	1710	1592
7. Organs of Digestion .	726	762	691	645	719	579	768	809	727	691	720	663
8. Urinary Organs . . .	128	179	79	100	177	33	147	216	79	112	143	81
9. Generative Organs . .	78	—	156	131	—	249	84	1	166	69	—	139
10. Locomotive Organs .	58	63	54	96	112	82	67	65	68	48	58	39
11. Skin, etc.	13	14	12	15	18	16	12	15	10	13	12	13
12. Malformation . . .	24	26	23	4	9	—	29	29	23	21	23	19
13. Premature Debility .	455	516	394	276	308	249	408	465	351	512	579	445
14. Atrophy	70	61	80	92	65	116	59	48	69	80	72	87
15. Age	902	648	1153	2647	1971	3245	1197	910	1479	510	324	696
16. Sudden Deaths . . .	17	21	14	87	9	8	22	27	16	14	16	11
17. Violent Deaths . . .	322	483	162	386	700	107	344	535	158	296	422	170
Small-pox	244	268	221	114	102	124	241	266	217	256	280	232
Measles	155	159	150	57	65	49	119	119	119	192	203	186
Scarlatina	479	505	453	114	130	99	489	509	470	493	524	462
Diphtheria	244	239	249	351	327	372	359	355	362	129	125	133
Hooping-cough	280	244	316	232	233	231	151	123	178	405	357	453
Croup	199	203	194	342	336	347	227	231	224	162	170	155
DIARRHŒA	174	172	177	74	56	91	158	156	160	196	195	198
Dysentery	44	48	41	21	28	16	51	60	42	39	37	41
Cholera	9	11	7	21	18	24	10	13	7	7	9	5
Influenza	341	28	39	124	102	124	44	35	53	19	16	21
Infantile Fever	7	6	9	—	—	—	7	6	9	7	6	9
TYPHUS	676	672	678	518	476	554	596	575	617	760	775	744
Metria	35	—	71	13	—	24	40	—	81	32	—	64
Erysipelas	48	50	46	21	37	8	52	55	49	46	47	45
Dropsy	107	91	123	193	186	198	109	94	122	100	82	117
Cancer	182	107	257	175	168	182	207	130	283	159	81	238
Scrofula	92	106	78	100	102	99	101	127	76	82	86	79
Tabes Mesenterica . . .	123	132	113	15	18	16	105	116	94	146	154	138
PHTHISIS	1136	1069	1103	1097	1289	935	1081	1019	1141	1191	1102	1280
Hydrocephalus	257	285	229	127	140	116	223	241	205	297	334	260
Apoplexy	163	177	149	149	177	124	177	191	163	150	163	137
Paralysis	217	211	124	241	243	240	252	239	265	183	182	181
Epilepsy	26	27	27	39	37	41	25	25	25	29	28	29
Convulsions	117	141	93	39	46	33	89	103	76	149	184	115
BRONCHITIS	897	901	893	456	467	447	713	734	692	1100	1083	1117
Pneumonia	318	382	256	149	233	74	283	339	223	363	431	295
Teething	158	168	147	79	65	91	121	132	119	197	208	187
Enteritis	134	145	122	70	74	66	140	159	133	126	137	115
All Liver Diseases . . .	140	150	130	109	140	82	157	175	140	126	122	124
CHILDBIRTH	52	—	104	92	—	173	56	—	111	46	—	93
Burns and Scalds . . .	43	44	42	57	74	41	47	47	47	39	40	38
Drowning	78	136	20	228	458	24	92	160	26	55	94	15
Fracture & Contusion .	116	194	39	35	65	8	132	228	37	106	170	43

the epidemic of 1864. In the eight principal towns, however, of 2203 deaths tabulated under Typhus, 1450 were registered as Typhus, 371 as Relapsing Fever, 216 as Gastric Fever, and 166 as Typhoid or Enteric Fever. Those registered as Gastric and as Enteric were the same form of disease, although most Scottish medical practitioners prefer using the term Gastric to the more modern nomenclature of Typhoid or Enteric Fever.

Typhus, though never absent from the people, only now and then assumes the epidemic form; and when it does so, the Scottish records show that, for at least a century and a half, it has usually put on that type about the month of October, and continued for a period of nearly three years. During that period it has almost always been most prevalent and fatal during the coldest months, increasing with the fall of temperature, and becoming less prevalent and less fatal on the advent of the milder spring and summer weather. It also usually died out as an epidemic during the spring months.

The Fever of 1864 first assumed the epidemic form in the months of September and October 1863, and it continued during the whole of the year 1864. As usual, it abated somewhat of its virulence and fatality during the warmer months of the year, but again increased with the lowering of the temperature, proving most prevalent and fatal when the weather was coldest. In this respect it appeared to be regulated by the same laws which influenced other diseases. The deaths from all Scotland are not tabulated in such a form as to enable us to show the deaths from Fever during each month; but the deaths in the eight principal towns of Scotland, being published monthly, enable us to show the mortality of Fever during each month, or the influence of season on its mortality. Thus in October 1863, there were registered 129 deaths from Fever in the eight principal towns, 173 in November, and 176 in December. In January 1864, there were registered 183 deaths from Fever, 206 in February, 224 in March, 182 in April, 159 in May, 152 in June, 153 in July, 150 in August, 155 in September, 162 in October, 233 in November, and 244 in December. During both years, therefore, Typhus Fever was subject to the same law of temperature which influences almost all diseases in Scotland,—viz., it increased in prevalence and fatality with the fall of temperature, and proved most prevalent and most fatal during the coldest weather.

During its prevalence as an epidemic, Typhus proved more fatal to males than females, seeing that, in every thousand persons of each sex, it cut off 169 males, but only 154 females. But males at all times die in this higher proportion than females, so that in this respect also Fever was subject to the same law which regulates the mortality of all diseases in Scotland.

The Fever of 1864 affected the principal towns very differently. Of every thousand inhabitants in each town, it cut off 1·21 in Edinburgh, 1·45 in Leith, 1·68 in Dundee, 2·04 in Paisley, 2·78 in Glasgow, 3·27 in Perth, 3·59 in Aberdeen, and 6·15 in Greenock.

The hospital statistics from all Scotland show that about 12 per cent. of those affected with Fever died, or one death in every eight cases. But as it is the more severe cases which are sent to be treated in hospitals, it is likely that in the general population only eight per cent. of those who are affected die, or one death in every 12 cases.

Scarlatina was the next most fatal of the epidemics, cutting off 3411 persons, of whom 1788 were males, and 1623 females. Hooping-cough caused 1993 deaths; Diphtheria, 1740; Small-pox, 1741; Croup, 1416; Diarrhœa, 1244; and Measles, 1102 deaths. Of the other diseases in the

zymotic class, Erysipelas caused 345 deaths; Dysentery, 317; Metria, 254; Influenza, 243; Syphilis, 125 (of which 96 were congenital); Cholera, 67; Rheumatic Fever, 101; Infantile Fever, 53; Purpura, 44; Ague, 15; Worms, 24; and Noma, 13.

2523 deaths occurred in Scotland in 1864 from diseases of uncertain seat, of which 1300 were from Cancer, 768 from Dropsy, 149 from Abscess, 142 from Mortification, 81 from Hæmorrhage (the seat of which was not registered), 50 from Ulcer, 18 from Fistula, and 15 from Gout. Of the 1300 deaths from Cancer, 379 were in males, and 921 in females.

The tubercular class of diseases cut off 11445 persons in Scotland in 1864, or caused 3·80 deaths in every thousand persons of the estimated population, or 16·09 per cent. of the specified causes of death. Of the diseases under this class, Consumption or Phthisis caused 8083 deaths, 3781 being males, and 4302 females. This indicates an annual mortality of 2·71 deaths in every thousand persons, or 2·68 deaths in every thousand males, and 2·73 deaths in every thousand females. Of the other diseases under this class, Hydrocephalus caused 1830 deaths; Tabes Mesenterica, 875; and Scrofula, 657.

Diseases of the brain and nervous system cut off 5116 persons, of whom 2762 were males, and 2354 females, being in the proportion of 1·71 deaths in every thousand persons of both sexes, or 1·96 deaths in every thousand males, and 1·49 deaths in every thousand females. Of the several diseases under this class, Paralysis caused 1550 deaths; Apoplexy, 1160; Convulsions, 838; Cephalitis, 368; Epilepsy, 198; Delirium Tremens, 51; Insanity (not referred to other causes), 46; Tetanus, 36; Chorea, 10; and undefined diseases of the brain, 859.

Diseases of the heart and blood vessels caused 2975 deaths, of which 2810 were ascribed to Heart Disease, 97 to Aneurism, and 68 to Pericarditis.

Inflammatory affections of the respiratory organs (not including Croup, Influenza, Hooping-cough, or Phthisis) cut off 10070 persons, and thus constituted 14·15 per cent. of the specified causes of death, or 3·37 deaths in every thousand persons of the population. Of these, 6383 deaths were caused by Bronchitis, 2268 by Pneumonia, 656 by Asthma, 284 by Pleurisy, 144 by Laryngitis, and 335 by indefinite diseases of the lungs.

Diseases of the organs of digestion caused 5165 deaths, or 7·26 per cent. of the specified causes of death, being 1·73 deaths in every thousand persons of the population. 2694 of these deaths occurred in males, and 2471 in females, giving the proportion of 1·91 deaths in every thousand males, and 1·57 deaths in every thousand females. Of the diseases enumerated under this class, Teething caused 1124 deaths; Enteritis, 953; Peritonitis, 331; Gastritis, 200; Ileus, 303; Stomach Disease, 754; Hepatitis, 162; Jaundice, 217; other Diseases of the Liver, 620; Hernia, 90; Quinsey, 72; Ascites, 68; Intussusception, 40; Stricture of the Intestines, 30; Disease of Spleen, 26; and Disease of Pancreas, 1.

Kidney and urinary diseases caused 916 deaths, of which 633 occurred in males, and 283 in females, showing that males are twice as liable to these complaints as females. Of these diseases, Nephria caused 220 deaths; Nephritis, 73; Diabetes, 82; Stone, 65; Ischuria, 60; Cystitis, 50; Stricture of Urethra, 22; and undefined Disease of Kidney, 344.

Childbirth and diseases of the generative organs caused 560 deaths. Of these, 374 were attributed to Childbirth, 38 to Paramenia, 79 to Ovarian Dropsy, and 69 to other diseases of these organs. If the 254 deaths from Metria, or Childbed Fever, be added to the above 374 by Child-

birth, it will make the total deaths in childbirth during the year to amount to 628. As 110,977 mothers gave birth to 112,333 children during the year, it follows that 5·5 in every thousand mothers died in childbirth, being one death in every 176 mothers—a proportion considerably higher than that of the previous year.

Rheumatism caused 156 deaths; Arthritis, 32; and other diseases of the joints and bones, 231 deaths. Diseases of the skin caused 93 deaths, of which 24 were from Carbuncle.

175 deaths were attributed to Malformation, and 150 of these occurred before the child was three months old. One female lingered on till her 37th year. Atrophy caused 502 deaths; and sudden deaths, whose cause was not ascertained, 126.

3242 infants died within the year after birth, from the debility arising from being born prematurely or from a weakly constitution; and 6418 persons died from old age without marked disease.

2291 violent deaths occurred, and thus constituted 3·22 per cent. of the specified causes of death. Of these, Burns and Scalds caused 310 deaths; Fractures and Contusions, 829; Drowning, 557; Suffocation, 108 (83 of these being cases of overlaying); Wounds, 94; Intemperance, 77; Cold, 41; Want of breast milk, 91; Poison, 40; Hanging, 29; Privation, 9; Neglect, 2; and other violent causes, not sufficiently specified to be referred to any of the above, 104.

Of these 2291 violent deaths, 88 were suicides; 27 being by hanging, 26 by cut throat, 14 by drowning, 8 by poison, 3 by gunshot, 2 by precipitation from a window, while in 8 the means which deprived of life were not stated.

CAUSES OF DEATH DURING THE TEN YEARS 1855–1864.

In inquiries into the comparative mortality of different diseases during any one year, it is of great importance to have a standard table to refer to, which shows the average fatality of each during a period of ten years. Statists have generally agreed that a decennial period gives a fair average for such a purpose, and the year 1864 completes the first decennial period during which the Scottish Registration Act has been in operation. Thus, for the first time since Scotland has been a nation, have we the means of showing the average fatality of each disease to which the inhabitants are liable.

To give the fullest information on this subject, tables are appended to this Report, showing the number of deaths from each disease during each of the ten years 1855–1864, as also the total deaths from each disease during these ten years. (See pp. 218–225.) Tables of proportion are also given, showing the mean proportion of deaths from each disease to the population, and to the specified causes of death (see Tables XLIII. and XLIV.) in Scotland, and in its three great groups of Districts—the Insular, Mainland-Rural, and Town Districts.

The mean population of Scotland, estimated to the middle of the ten years, would be 3,048,383 persons, of whom 161,451 were in the Insular, 1,758,769 in the Mainland-Rural, and 1,128,163 in the Town Districts.

To calculate accurately the proportion of deaths from each disease to the population, each of the above estimated populations must be reduced by the proportion applicable to the causes of death which were not specified. Thus, the mean annual number of deaths in all Scotland whose causes were not specified amounted to 3703, and thus constituted 5·6853 per cent. of the

total annual deaths. The mean population of Scotland must therefore be reduced by 5·6853 per cent., that is, by 173,309 persons, in order to make the population correspond with the specified causes of death. This therefore reduces the population of Scotland, as applicable to the specified causes of death, to 2,875,074 persons; and that number, used as the divisor, gives the true proportion of deaths from each disease in the population. A more inaccurate method is to apportion to each disease its proportion of the unascertained causes of death, and use the total population as the divisor. But this leads to inaccurate results.

Of the 651,295 deaths in Scotland during the ten years, the diseases or accidents causing death were specified in 614,267 cases, leaving 37038 cases, or 5·6853 per cent. of the deaths, for which no cause of death was assigned.

The zymotic, or epidemic and contagious class of diseases, during the ten years, cut off 149,019 persons, and thus constituted 24·260 per cent. of the specified causes of death. In other words, that class of diseases caused 5·182 deaths annually in every thousand persons, or 5182 deaths in every million persons. This, therefore, may be considered as the normal mortality of the natives of Scotland from that class of diseases. The mortality from that class of diseases continued low, and wonderfully uniform, from 1855 to 1862; but in 1863 and 1864 it rose high above the average, and this in consequence of the excessive mortality from Scarlatina, Diphtheria, and Continued Fever.

Of the individual diseases under the zymotic class, Typhus (Continued Fever in its varied forms) proved the most fatal, having caused 29284 deaths during the ten years. It thus constituted 4·767 per cent. of the specified causes of death, or cut off in the proportion of one person in every thousand annually, or 1018 in every million.

Continued Fever is one of the regular diseases of the inhabitants of Scotland, and it is only at distant intervals that it assumes the character of an epidemic. During these ten years it was during the last three months of 1863 and the whole of 1864 that it assumed the epidemic type; but during the other years it had no more title to be called an epidemic than Bronchitis, Pneumonia, or Consumption.

The next most fatal of the zymotic diseases was Scarlatina, which cut off 26465 persons in the ten years, and thus constituted 4·308 per cent. of the specified causes of death, or caused 920 deaths annually in every million persons. It also is one of the regular diseases of the people, and few indeed pass through life without being once affected by it. Like Fever, however, it occasionally assumes the epidemic form, as it did in 1859 and 1860, and again in 1863 and 1864.

Hooping-cough was the third most fatal of the zymotic diseases, having cut off 20853 persons during the ten years, and thus constituted 3·394 per cent. of the specified causes of death, or caused 725 deaths annually in every million persons.

Measles was the fourth most fatal disease of this class, having caused 13027 deaths in the ten years, and thus constituted 2·120 per cent. of the specified causes of death, or caused 453 deaths annually in every million persons.

Diarrhoea was the fifth most fatal disease, causing 12966 deaths in the ten years, and thus constituted 2·110 per cent. of the deaths, or caused 451 deaths in every million persons.

Small-pox was the sixth of the fatal diseases in this class, causing 10548 deaths in the ten years, and thus constituted 1·717 per cent. of the deaths, or caused 366 deaths in every million persons. The Scottish Vaccination Act only came into operation on the 1st of January 1864, and it

only legislated for the children born on or after that date. But as it allowed six months to expire from the birth before vaccination could be enforced,

TABLE XLIII.—DEATHS, 1855-1864. Proportion of Deaths from different causes in every million persons during the Ten Years 1855-1864.

CAUSES OF DEATH.	SCOTLAND.	INSULAR DISTRICTS.	MAINLAND-RURAL DISTRICTS.	TOWN DISTRICTS.	CAUSES OF DEATH.	SCOTLAND.	INSULAR DISTRICTS.	MAINLAND-RURAL DISTRICTS.	TOWN DISTRICTS.
All Causes	21365	16153	18191	27059	5. Pericarditis . . .	26	9	27	27
1. Zymotic Class . . .	5182	2996	4140	7086	Aneurism	26	5	18	41
2. Uncertain Seat . . .	836	729	800	916	Heart Disease . . .	789	352	699	987
3. Tubercular Class . . .	3661	2365	2925	4975	6. Laryngitis	53	15	45	71
4. Brain and Nerv. Sys. .	1701	974	1477	2147	Bronchitis	1525	545	1066	2355
5. Organs of Circulation .	841	366	745	1056	Pleurisy	110	240	105	104
6. Respiratory Organs . .	2779	1505	2047	4072	Pneumonia	730	286	541	1078
7. Organs of Digestion . .	1663	982	1481	2042	Asthma	231	368	189	288
8. Urinary Organs . . .	266	191	253	299	Lung Disease	127	88	100	175
9. Organs of Generation .	174	191	156	202	7. Teething	386	94	242	644
10. Organs of Locomotion .	116	157	108	125	Quinsey	24	26	21	27
11. Skin, etc.	24	18	23	28	Gastritis	55	38	56	57
12. Malformation	51	17	47	62	Enteritis	314	137	283	386
13. Premature Debility . .	985	463	755	1407	Peritonitis	94	43	88	110
14. Atrophy	181	89	131	265	Ascites	30	32	31	30
15. Age	2119	4275	2336	1514	Ulceration of Intestines	59	23	63	59
16. Sudden Deaths . . .	48	50	42	57	Hernia	31	19	30	36
17. Violent Deaths . . .	727	779	682	797	Ileus	95	102	99	89
1. Small-pox	366	115	235	600	Intussusception . . .	13	17	14	12
Measles	453	366	278	732	Stricture of Intestines	7	6	7	9
Scarlatina	920	210	759	1262	Stomach Disease . . .	239	216	241	241
Diphtheria	223	132	257	187	Pancreas Disease . . .	-	-	-	-
Hooping-cough	725	416	431	1214	Hepatitis	49	45	51	47
Croup	405	401	357	431	Jaundice	65	56	65	66
Thrush	11	9	10	13	Liver Disease	168	115	176	218
Diarrhoea	451	188	336	660	Spleen Disease	6	7	7	6
Dysentery	160	90	137	266	8. Nephritis	16	8	16	18
Cholera	37	18	36	41	Nephria	56	27	40	85
Influenza	117	325	138	63	Ischuria	15	15	16	13
Purpura	16	11	14	19	Diabetes	23	15	24	23
Ague	2	-	1	3	Stone	23	46	27	13
Worms	12	-	12	11	Cystitis	16	17	17	16
Infantile Fever	29	13	29	30	Stricture of Urethra .	3	2	2	5
Typhus	1018	555	993	1262	Kidney Disease	111	58	108	123
Metria	62	28	58	74	9. Paramenia	8	9	8	7
Rheumatic Fever	28	28	31	23	Ovarian Dropsy	22	14	20	25
Erysipelas	99	59	88	121	Childbirth	115	153	97	139
Syphilis	36	14	17	67	Organs of Generation .	23	12	29	31
Noma	5	-	4	9	10. Arthritis	6	3	6	8
Hydrophobia	-	-	-	-	Rheumatism	48	126	48	39
2. Hæmorrhage	31	30	31	39	Joint and Bone Disease	61	27	54	78
Dropsy	327	370	391	353	11. Carbuncle	7	6	6	9
Abscess	39	11	33	53	Phlegmon	3	-	3	3
Ulcer	13	16	11	16	Skin Disease	11	11	14	16
Fistula	4	-	3	6	12. Cyanosis	17	2	16	20
Mortification	48	24	46	54	Spina Bifida	11	6	11	12
Cancer	365	269	330	389	Other Malformations .	23	3	20	29
Gout	4	6	4	3	17. Intemperance	25	9	19	36
3. Scrofula	188	135	176	213	Privation	2	1	-	4
Tabes Mesenterica . . .	249	68	189	366	Want of Breast Milk .	19	2	9	36
Phthisis	2595	1961	2102	3450	Neglect	1	-	-	2
Hydrocephalus	626	199	451	942	Cold	11	23	14	5
4. Cephalitis	121	78	109	146	Poison	16	1	13	23
Apoplexy	380	165	346	462	Burns and Scalds . . .	198	119	100	121
Paralysis	525	401	595	559	Hanging, etc.	13	10	15	18
Delirium Tremens	22	3	17	33	Suffocation	31	11	26	41
Chorea	3	5	2	3	Drowning	169	454	167	139
Epilepsy	70	56	64	83	Fracture & Contusion .	257	104	250	290
Tetanus	19	42	18	17	Wounds	23	16	28	31
Insanity	21	16	14	32	Other Violent Causes .	39	27	35	47
Convulsions	263	100	173	422					
Brain Disease	283	104	226	395					

and twelve months in the Insular and Highland parishes, the epidemic of Small-pox which prevailed during the first half of 1864 was scarcely at all

TABLE XLIV.—DEATHS, 1855-1864. Proportion of Deaths from different causes in every 100,000 Deaths from specified causes, during the Ten Years 1855-1864.

CAUSES OF DEATH.	SCOTLAND.	INSULAR DISTRICTS.	MAINLAND-RURAL DISTRICTS.	TOWN DISTRICTS.	CAUSES OF DEATH.	SCOTLAND.	INSULAR DISTRICTS.	MAINLAND-RURAL DISTRICTS.	TOWN DISTRICTS.
CLASSES OF DISEASE.					CLASSES OF DISEASE.				
1. Zymotic Class	24260	18549	22761	26190	5. Pericarditis	123	55	149	103
2. Uncertain Seat	3918	4514	4402	3387	Aneurism	122	32	99	151
3. Tubercular Class	17138	14642	16080	18388	Heart Disease	3694	2183	3848	3651
4. Brain and Nerv. Sys.	7963	6031	8132	7936	6. Laryngitis	249	96	244	261
5. Organs of Circulation	3940	2271	4097	3905	Bronchitis	7143	3503	5859	8702
6. Respiratory Organs	13012	9318	11258	15051	Pleurisy	518	1489	578	386
7. Organs of Digestion	7786	6082	8146	7549	Pneumonia	3420	1774	2978	3986
8. Urinary Organs	1248	1186	1389	1108	Asthma	1082	1912	1039	1065
9. Organs of Generation	816	1181	858	748	Lung Disease	598	542	552	648
10. Organs of Locomotion	547	975	598	464	7. Teething	1809	583	1331	2381
11. Skin, etc.	117	115	129	104	Quinsey	112	165	119	101
12. Malformation	240	105	261	229	Gastritis	261	239	312	216
13. Premature Debility	4618	2869	4155	5202	Enteritis	1471	850	1559	1429
14. Atrophy	849	552	740	981	Peritonitis	441	266	487	408
15. Age	9922	26470	13008	5596	Ascites	144	202	173	111
16. Sudden Deaths	228	313	236	214	Ulceration of Intestines	279	142	349	218
17. Violent Deaths	3403	4827	3750	2948	Hernia	148	119	165	134
DISEASES.					Ileus	445	634	545	328
1. Small-pox	1717	717	1287	2218	Intussusception	64	105	81	44
Measles	2120	2270	1529	2705	Stricture of Intestines	35	41	39	31
Scarlatina	4308	1305	4174	4665	Stomach Disease	1120	1343	1329	894
Diphtheria	1046	827	1414	692	Pancreas Disease	2	4	3	1
Hooping-cough	3394	2574	2369	4487	Hepatitis	230	280	281	175
Croup	1898	2505	1962	1789	Jaundice	304	349	359	246
Thrush	4	55	57	49	Liver Disease	881	712	968	806
Diarrhoea	2110	1163	1851	2441	Spleen Disease	31	46	39	22
Dysentery	751	560	754	762	8. Nephritis	79	50	91	69
Cholera	175	110	202	152	Nephria	264	170	221	314
Influenza	553	2013	764	232	Ischuria	71	96	90	50
Purpura	75	68	80	71	Diabetes	109	96	134	86
Ague	10	-	9	13	Stone	108	289	152	51
Worms	53	46	70	40	Cystitis	78	105	93	60
Infantile Fever	134	82	161	112	Stricture of Urethra	14	13	11	18
Typhus	4767	3392	4967	4664	Kidney Disease	521	363	596	457
Metria	293	170	320	275	9. Paramenia	37	59	48	25
Rheumatic Fever	131	174	171	87	Ovarian Dropsy	103	92	115	92
Erysipelas	464	367	487	447	Childbirth	540	951	535	516
Syphilis	168	91	94	247	Organs of Generation	134	78	159	114
Noma	27	4	23	32	10. Arthritis	32	22	35	29
Hydrophobia	2	-	4	-	Rheumatism	226	781	265	145
2. Hæmorrhage	160	188	172	147	Joint and Bone Disease	289	170	297	289
Dropsy	1534	2294	1704	1306	11. Carbuncle	33	40	33	32
Abscess	186	69	152	199	Phlegmon	13	4	17	11
Ulcer	64	101	64	60	Skin Disease	69	69	78	60
Fistula	20	4	19	23	12. Cyanosis	79	13	88	75
Mortification	224	151	254	201	Spina Bifida	52	40	60	45
Cancer	1709	1209	1980	1437	Other Malformations	108	50	112	108
Gout	18	36	23	11	17. Intemperance	119	59	107	134
3. Scrofula	883	841	969	800	Privation	9	9	5	15
Tabes Mesenterica	1169	423	1040	1011	Want of Breast Milk	89	13	50	135
Phthisis	12151	12145	11555	12751	Neglect	5	-	1	9
Hydrocephalus	2934	1232	2515	3482	Cold	53	147	80	18
4. Cephalitis	568	487	599	542	Poison	77	9	71	86
Apoplexy	1779	1025	1905	1709	Burns and Scalds	508	726	552	448
Paralysis	2412	2523	2779	2035	Hanging, etc.	75	64	83	69
Delirium Tremens	105	23	94	122	Suffocation	146	69	145	153
Chorea	13	27	13	12	Drowning	791	2813	920	513
Epilepsy	331	349	351	309	Fracture & Contusion	1205	643	1377	1073
Tetanus	88	262	101	63	Wounds	134	101	155	117
Insanity	100	101	81	119	Other Violent Causes	185	170	199	173
Convulsions	1235	620	955	1562					
Brain Disease	1328	648	1247	1460					

affected by the Act. It may be said, therefore, that these ten years show the average mortality of Small-pox when the vaccinations were left in the hands of the people; and we shall look with interest to the returns of subsequent years, as they will clearly show how far legislative enactments, which enforce vaccination of the children, effect their intended purpose.

Small-pox is one of the most fluctuating or variable of all the diseases which appear as epidemics, as the deaths during each of the ten years will show:—

Years.	Deaths.	Years.	Deaths.
1855	1309	1860	1495
1856	1306	1861	766
1857	845	1862	426
1858	332	1863	1646
1859	682	1864	1741

The next most fatal of these diseases was Diphtheria, which caused 6428 deaths in eight of the ten years, for no death was registered as caused by it during either 1855 or 1856. This disease first appeared in Scotland during the past ten years in 1857, when it caused 76 deaths, and it has progressively increased, till now it may be said to be annually as fatal as Measles and Croup. The deaths from Diphtheria during the eight years have been as follows:—

Years.	Deaths.	Years.	Deaths.
1857	76	1861	681
1858	294	1862	997
1859	415	1863	1745
1860	480	1864	1740

Of the other diseases tabulated under the zymotic class, Dysentery caused 4616 deaths during the ten years; Cholera, 1076; Influenza, 3397; Erysipelas, 2851; Metria or Childbed Fever, 1802; Syphilis, 1034; Infantile Fever, 827; Rheumatic Fever, 807; Purpura, 464; Worms, 338; Thrush, 328; Noma, 167; Ague, 66; and Hydrophobia and bite of snakes, 12. Almost all of these last were deaths from the poisonous bite of the common adder.

24066 deaths in the ten years were attributed to the diseases which are put under the second class, or those of uncertain seat. They constituted 3·918 per cent. of the specified causes of death, or caused 836 deaths annually in every million of the population.

Cancer was the most fatal of this class, causing 10499 deaths, being 1·709 per cent. of the specified causes of death, or 365 deaths annually in every million persons. This painful disease seems to have been on the increase of late years, seeing the deaths have been increasing annually in a much more rapid ratio than the population, as is made apparent by the abstract of the deaths for the last ten years:—

Years.	Deaths.	Years.	Deaths.
1855	871	1860	1014
1856	908	1861	1165
1857	960	1862	1152
1858	963	1863	1162
1859	1004	1864	1300

Dropsy caused 9422 deaths in the ten years, being 1·534 per cent. of the deaths, or 327 deaths annually in every million persons. Under this term are only registered those deaths where the cause of the Dropsy was not specified.

Of the other diseases under this class, Mortification caused 1381 deaths;

Hæmorrhage, the seat of which was not specified, 987; Abscess, 1146; Ulcer, 392; Fistula, 127; and Gout, 112.

The tubercular class of diseases caused 105,275 deaths in the ten years, being 17.138 per cent. of the causes of death, or 3.661 deaths in every thousand, or 3661 deaths in every million persons. The mortality from this class of diseases is very steady from year to year, and fluctuates less than almost any other class of diseases.

Of the individual diseases under this class, Phthisis or Consumption is by far the most fatal, indeed it is the most fatal of all the diseases to which the inhabitants of Scotland are liable. During the ten years it cut off 74640 persons, and thus constituted 12.151 per cent. of the specified causes of death, or caused 2.595 deaths annually in every thousand, or 2595 deaths annually in every million persons. The small fluctuations in the mortality of this disease from year to year are chiefly attributable to the greater or lesser prevalence of the cold arid east winds during the spring months. A ten years' tabulation of the facts satisfactorily establishes that the deaths from this disease are far more numerous during the continuance of the arid cold east winds, which are the chief aerial currents over Scotland during March, April, May, and beginning of June. These winds have a more baneful effect on persons suffering from Phthisis than even the colds of winter, and the moment they begin to blow, the mortality from that disease begins to rise.

Hydrocephalus, the next most fatal disease of this class, caused 18072 deaths during the ten years, and thus constituted 2.934, that is nearly 3 per cent., of the specified causes of death, or caused 626 deaths annually in every million persons. Tabes Mesenterica caused 7180 deaths, and Scrofula 5428 in the ten years.

Diseases of the brain and nervous system caused 48914 deaths in Scotland during the ten years, thus constituting 7.963 per cent. of the specified causes of death, or causing 1.701 deaths in every thousand persons annually, or 1701 deaths annually in every million.

Of these diseases, Paralysis was the most fatal, having caused 14815 deaths in the ten years, while Apoplexy caused 10932 deaths. Convulsions caused 7589 deaths; Cephalitis, 3489; Epilepsy, 2037; Delirium Tremens, 646; Insanity, 617; Tetanus, 546; Chorea, 83; and undefined Disease of the Brain, 8160 deaths.

Diseases of the heart and blood vessels caused 24203 deaths in the ten years, thus constituting 3.940 per cent. of the causes of death, or causing 841 deaths annually in every million persons. Of these, 22691 were attributed to Heart Disease, 760 to Pericarditis, and 752 to Aneurism.

The inflammatory affections of the respiratory organs cut off 79929 persons during the ten years, and thus constituted 13.012 per cent. of the specified causes of death, or caused 2.779 deaths annually in every thousand, or 2779 deaths annually in every million persons.

Of these diseases, Bronchitis was the most fatal; indeed, it is the second most fatal disease to which the inhabitants of Scotland are liable, Consumption being the most fatal. Bronchitis caused 43876 deaths in Scotland during the ten years, and thus constituted 7.143 per cent. of the specified causes of death, or caused annually 1.525 deaths in every thousand, or 1525 deaths in every million persons. Bronchitis is peculiarly under the influence of the weather; and it is worthy of note that the cold cycle of years, which commenced with 1860, seems to have aggravated that disease, causing it to be more prevalent and fatal. During 1860 the deaths from Bronchitis increased by 2000, or more than a third above the average of former years, and that increased mortality has ever since been maintained.

Pneumonia caused 21011 deaths; Asthma, 6652; Pleurisy, 3184; Laryngitis, 1532; and indefinite Disease of the Lungs, 3674.

Diseases of the stomach and organs of digestion caused 47824 deaths in the ten years, and thus constituted 7·786 per cent. of the specified causes of death, or caused 1·663 deaths annually in every thousand, or 1663 deaths in every million persons.

Of these diseases, Teething caused 11115 deaths; undefined Disease of the Stomach, 6882; Enteritis, 9040; Peritonitis, 2713; Gastritis, 1604; Quinsey, 691; Ascites, 587; Ulceration of the Intestines, 1714; Hernia, 914; Ileus, 2736; Intussusception, 398; Stricture of Intestines, 218; Disease of the Pancreas, 13; Hepatitis, 1417; Jaundice, 1872; other Diseases of the Liver, 5416; and Disease of the Spleen, 194.

Diseases of the urinary organs caused 7668 deaths in the ten years, and thus constituted 1·248 per cent. of the specified causes of death, or 266 deaths annually in every million persons. Of these deaths, 1623 were ascribed to Nephria, 674 to Diabetes, 668 to Stone, 487 to Nephritis, 440 to Ischuria, 480 to Cystitis, 92 to Stricture of the Urethra, and 3204 to undefined Disease of the Kidney.

Childbirth and diseases of the generative organs caused 5015 deaths in the ten years, and thus constituted 0·816 per cent. of the specified causes of death, or caused 174 deaths annually in every million persons. Of these, 231 deaths were ascribed to Paramenia, 634 to Ovarian Dropsy, 828 to undefined Disease of the Uterus, and 3322 to Childbirth. To these deaths in childbirth must be added the 1802 deaths from Childbed Fever, when it appears that 5124 mothers died during the ten years in giving birth to children. As 1,037,503 mothers during these ten years gave birth to 1,050,527 children, it follows that one mother in every 202 died during childbirth, or nearly five deaths in every thousand mothers.

Rheumatism caused 1388 deaths in the ten years; Inflammation of the Joints, 197; and chronic Diseases of the Joints and Bones, 1776. Carbuncle caused 205 deaths; Phlegmon, 84; and Diseases of the Skin, 427.

Of the Malformations, Cyanosis caused 488 deaths; Spina Bifida, 324; and other Malformations, 664.

28333 died within the year from birth of the debility arising from premature birth or from originally weakly constitutions; 5217 died from Atrophy; 60950 from Old Age, without marked signs of disease; and 1400 from Sudden Death, the exact cause of which was not ascertained.

20901 violent deaths, or deaths from external causes, were registered during the ten years, constituting 3·403 per cent. of the causes of death, or causing annually 727 deaths in every million persons. It is astonishing how very regular these are from year to year, the little irregularity which does occur being chiefly caused by the fluctuations in the deaths from drowning. Such a large portion of the population is engaged in the fisheries, or in the necessary traffic between the islands, that a more than usual occurrence of storms of winds during any year tells immediately on the number of deaths by drowning.

During the ten years, fractures and contusions caused 7403 deaths; drowning, 4864; burns and scalds, 3121; suffocation, 901; wounds, 828; intemperance (alcoholic poisoning), 731; want of breast milk, 552; privation, 61; neglect, 32; exposure to cold, 328; poison, 472; hanging, 466; and other violent causes not referable to any of the above, 1142 deaths.

To enable those who are engaged in sanitary inquiries to arrive at proper conclusions relative to the prevalence and fatality of diseases in the Town, Rural, and Insular Districts of Scotland, the tables of deaths for the

ten years have been so drawn up as to exhibit the number and proportion of deaths from each disease in the Insular, the Mainland-Rural, and Town Districts of Scotland. When properly studied, these tables reveal several most important and fundamental truths which writers on sanitary subjects seem to have overlooked to a very great extent, and which are only now alluded to in the hope that sanitary inquirers will pursue the subject for themselves.

First, These tables prove, as has already been pointed out, that the general mortality in the Towns is one-third greater than in the Rural Districts.

Secondly, These tables prove that every disease which prevails in the Towns, equally prevails in the Rural Districts. (The corollary from this is, that sanitary measures, even though so successful as to diminish the mortality of any town or place by one-third, would not extirpate any one disease.)

Thirdly, These tables reveal that the increased mortality in the Towns is not caused by an increased prevalence and mortality of any one disease or class of diseases, but by a nearly uniform increased mortality of all diseases and all classes of disease. (The corollary from this is, that it is the general health which is impaired by a residence in towns; and that this lowered standard of health makes the town inhabitants more liable to take, and fall victims to all diseases.)

Fourthly, These tables prove that the supposed great epidemic of Towns, viz. continued Fever, instead of being, as is commonly supposed, more prevalent in towns as compared with the other diseases, is not so prevalent as in the Rural Districts, seeing that the deaths from Fever in the towns only constituted 4·664 per cent. of the specified causes of death, but were 4·967 per cent. of the deaths in the Rural Districts. (The corollary from this is, that it is not over-crowding, filthiness, dirt, and want of drainage which is the cause of Fever, but only that these impair the general health, and render the person more liable to Fever, should the unknown atmospheric or telluric agencies which give rise to the disease cause Fever to attack the people.)

Fifthly, These tables prove that the class of diseases which have a purely atmospheric origin, and seem to be completely under the influence of temperature, viz. the inflammatory affections of the respiratory organs, in proportion to the other diseases, are more prevalent and fatal in the Towns than in the Rural Districts, seeing that in the Towns they constituted 15·051 per cent. of the deaths, but only 11·258 per cent. of the deaths in the Rural Districts. (The corollary from this striking fact confirms all the conclusions above arrived at,—viz. that the health of the inhabitants of the towns being more impaired than those residing in the country, they are more easily, and are proportionally much more injuriously, affected by atmospheric vicissitudes, so that they perish in much higher proportions from those diseases which are clearly traceable to atmospheric influences.)

INFLUENCE OF EXTERNAL AGENCIES IN 1864.

The influence of season on the births was as marked in 1864 as in former years, the greatest number of births occurring during the spring months—April, May, and June.

In former Reports, several curious facts were stated regarding marriage in Scotland, all of which have been corroborated by the registrations of 1864. Among these, attention was directed to the fondness of the Scottish people for contracting marriage on the last day of the year, provided that day did not fall on a Saturday or a Sunday. It was shown that ever since

the Registration Act allowed the facts of the case to be ascertained, it was found that from 1100 to 1200 marriages were contracted annually on the last day of the year, provided it was not a Saturday or a Sunday; but that, if it did fall on either of these days, the marriage day was anticipated, and the Friday became the favourite marriage day.

During 1864, the last day of the year fell on a Saturday, when only 75 marriages were contracted; whereas upwards of 1200 were contracted on Friday, the 30th of December. The registration of most of these was delayed till the 2nd of January, so that their numbers appear to swell the marriages in January, when the numbers are abstracted according to the month in which they were registered.

Closely adjoining as are Scotland and England, the character of the

TABLE XLV.—Meteorology of Scotland for 1864, from Observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General for 1864; also the Births, Deaths, and Marriages registered in Scotland during each month of the year 1864.

1864.	JAN.	FEB.	MAR.	APR.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	YEAR.
Highest Temperature in shade	52.2	55.0	64.0	74.0	88.0	73.5	83.0	85.9	73.6	69.5	59.0	58.2	88.0
Lowest Temperature do.	10.3	3.3	2.0	23.9	21.0	27.0	36.7	28.3	31.3	24.0	20.0	14.0	2.0
Day Temperatures (Mean)	40.7	39.0	43.0	53.3	58.1	60.2	64.1	62.5	59.3	51.4	46.2	43.2	51.7
Night Temperatures (Mean)	31.6	27.9	32.0	38.8	42.0	46.6	49.4	46.4	45.5	40.3	35.6	35.5	39.3
Daily Range (Mean)	9.1	11.1	11.0	14.5	16.1	13.6	14.7	16.1	13.8	11.1	10.6	7.7	12.4
Mean Temperature	36.2	33.5	37.5	46.1	50.0	53.4	56.7	54.4	52.4	45.8	40.9	39.4	45.5
Highest Temperature in Sun	77.7	96.0	111.0	117.0	134.0	117.0	130.7	130.0	120.0	120.0	98.0	78.0	134.0
Lowest on Grass at Night	3.0	-3.0	-2.0	15.0	15.0	16.0	21.0	20.0	20.0	13.0	10.0	11.4	-3.0
Wet-bulb Temperature (Mean)	35.0	31.4	35.3	43.2	47.1	50.6	53.4	51.3	49.9	43.7	39.2	38.0	43.1
Dew-point Temperature (Mean)	32.2	28.9	33.1	40.7	44.1	47.8	50.9	48.5	47.9	41.9	37.7	36.3	41.6
Humidity of Air	89	86	87	84	81	82	83	81	86	89	91	89	85
Elastic Force of Vapour (inches)	.191	.159	.190	.255	.291	.333	.372	.341	.334	.267	.226	.215	.264
Number of Days Rain fell	14	14	16	12	12	17	11	13	19	13	16	17	174
Amount of Rain (inches)	2.84	3.75	3.96	1.57	1.98	2.57	2.37	1.66	4.61	5.47	4.09	3.71	38.58
Amount of Cloud	6.2	5.7	6.6	5.9	6.0	6.7	6.6	6.1	6.0	7.0	6.8	7.2	6.4
Hours of Sunshine	78	108	125	191	237	214	221	213	163	99	75	55	1779
Mean Barometer (inches)	30.018	29.886	29.634	30.022	29.995	29.802	29.934	30.018	29.731	29.914	29.681	29.921	29.896
Easterly Winds, No. of Days	8	10	10	10	10	4	6	4	3	15	10	11	101
Westerly Winds, No. of Days	13	11	14	13	14	19	18	17	19	9	12	13	172
Births	9082	9200	9867	10118	10046	9800	9126	9235	8673	9216	8747	9223	112333
Deaths	7682	7305	7620	6465	6028	5976	5453	5620	5067	5320	5664	6216	74416
Marriages	2693	1422	1230	1393	1133	3196	2230	1499	1276	1475	2126	3052	22725
Daily Births	293	317	318	337	324	327	294	298	289	297	291	297	307
Daily Deaths	248	252	246	215	194	199	176	181	169	171	189	200	203
Daily Marriages (261 days)	128	68	54	66	51	145	106	65	58	70	96	139	87

weather during any one year is almost always different, and its effect on the population different also. Attention has often been drawn to this fact in these Reports, and the year 1864 proved no exception to the general rule. Thus, while England had only 16·7 inches of rain during the year (being the smallest rainfall on record), Scotland had rather an excessive fall, seeing that a mean of 55 stations showed that the mean rainfall was 38·6 inches. The two countries were therefore in opposite conditions as to moisture; and as almost all the meteorological phenomena are more or less connected with the deposit of rain, they also differed in the two countries.

The daily number of deaths during each month closely corresponded with the mean temperature, and was greatest when the mean temperature was lowest. Thus, January, with its mean temperature of 36°·2, caused 248 deaths daily; February, with its lower mean temperature of 33°·5, caused 252 deaths daily; and March, with its mean temperature of 37°·5, caused 246 deaths daily. The sheltered thermometer fell to 10°·3 in January, to 3°·3 in February, and to 2° in March; the exposed thermometer to 3° in January, to —3°, or three degrees below zero, in February, and to —2°, or two degrees below zero, in March.

April proved an unusually mild month, and felt almost like summer, the genial balmy weather coming suddenly after the wintry month of March. The mean temperature of the month rose to 46°·1, and the deaths fell to 215 daily. May was a pleasant, genial month, with a mean temperature of 50°, and the daily deaths fell to 194. During the second week of the month, for two successive days the temperature rose above 80° in the shade; but this excessive heat was checked by a severe thunderstorm, accompanied by heavy rain, which passed over Scotland on the 20th May. Smart frosts, early in the morning, occurred during the last days of May and the first week of June, accompanied with a greater prevalence than usual of east winds. The frosts not only injured the foliage of the trees, and cut down the potatoes and tender garden shrubs and flowers, but tended to increase the mortality, so that, though the sun's power caused the mean temperature of June to be 53°·4, or three and a half degrees higher than that of May, the baneful influence of the severe frosts during the night caused the daily deaths to increase to 199 daily.

The cold east winds continued till about the 11th of July, and from

TABLE XLVI.—Showing the connection between the Monthly Mean Temperature, Fall of Rain and Winds, and the Monthly Deaths from certain Diseases, and classes of Disease, in the Eight Principal Towns of Scotland in 1864.

1864.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature, . . .	36°·3	33°·8	37°·9	47°·1	51°·4	54°·2	57°·5	55°·4	52°·9	46°·2	41°·4	40°·2
Rainfall in inches, . . .	3·13	4·85	4·54	1·89	1·60	2·64	2·56	1·52	4·51	4·17	3·98	3·42
Westerly Winds (No. of days)	14	12	14	12	14	18	17	17	20	8	11	13
Easterly Winds (No. of days)	7	8	11	9	11	4	6	5	3	15	10	10
Total Deaths,	3151	2830	2915	2455	2233	2235	2107	2219	1966	2052	2254	2411
Daily Deaths,	102	98	94	82	72	74	68	72	66	68	75	78
Zymotic Diseases, . . .	847	771	764	602	545	533	560	611	632	615	761	756
Small-pox,	98	112	92	72	62	61	51	26	42	30	18	15
Measles,	32	27	44	36	27	36	45	48	43	56	107	102
Scarlatina,	206	133	82	63	55	74	73	93	125	168	174	153
Diphtheria,	48	50	39	25	19	19	14	26	28	20	25	30
Hooping-Cough, . . .	138	110	158	138	121	89	82	97	81	59	88	89
Croup,	54	41	48	30	30	30	35	35	32	42	33	47
Typhus,	183	206	224	182	159	152	153	150	155	162	233	244
Diarr., Dysent., & Cholera,	41	35	35	26	36	48	85	111	102	48	29	31
Consumption,	331	345	385	318	308	280	266	280	222	198	209	222
Diseases Respiratory Organs,	705	554	552	435	358	332	264	246	213	317	374	402
Heart, etc., Diseases, .	109	124	107	107	83	102	80	67	65	70	82	92
Brain, etc., Diseases, .	194	150	202	191	177	169	165	158	143	154	135	177
Age,	210	144	170	112	92	109	85	90	74	92	108	126

that date till the 20th the warmest weather during the year occurred. July therefore proved the warmest month of the year, the mean temperature having been $56^{\circ}7$, and the daily deaths 176.

Very dry and moderately warm weather prevailed during the month of August; and though the mean temperature was only $54^{\circ}4$, the increase of bowel-complaints raised the daily deaths to 181. During the last week of August smart frosts occurred in the mornings, more particularly over the southern half of Scotland, and was to such an extent as to damage the potato crop, and cause many of the woods to assume their autumnal tinting. The rainfall was also very deficient over the southern half of Scotland during that month.

September, with its mean temperature of $52^{\circ}4$, was a pleasant dry month, and the lowest mortality of the year occurred in it, being only 169 deaths daily. During the month the rainfall was deficient over all the southern half of Scotland. This deficiency of rain continued till the middle of October, when rain fell in such deluges that all the streams were flooded over Scotland, and much damage ensued. After this the temperature gradually fell, and with the fall of temperature the deaths increased; so

TABLE XLVII.—Showing the Revenue, Value of Imports and Exports, the Quantities of Grain, Tea, Sugar, etc., imported into the United Kingdom; also the average Price of the Chief Articles of Food, etc., during the years 1862, 1863, and 1864.

		1862.	1863.	1864.
Gross Revenue of United Kingdom,	£	69,674,479	70,603,561	70,208,964
Gross Expenditure,	£	72,086,485	69,302,008	67,056,286
Real Value of Total Imports,	£	225,716,976	248,919,020	274,863,924
Real Value of Total Exports,	£	166,168,734	196,902,409	212,656,542
Wheat imported,	Cwts.	41,033,503	24,364,171	23,196,714
Barley, Oats, Maize, imported,	Cwts.	22,746,612	26,615,707	16,770,259
Wheat Flour imported,	Cwts.	7,207,113	5,218,977	4,512,391
All other kinds of Flour imported,	Cwts.	17,935	14,811	
Eggs imported,	No.	235,230,360	266,929,680	335,298,240
Butter imported,	Cwts.	1,037,371	986,708	1,054,617
Cheese imported,	Cwts.	703,909	756,285	834,844
Potatoes imported,	Cwts.	1,354,636	1,249,360	742,404
Rice imported,	Cwts.	3,919,189	3,070,292	3,189,691
Tea imported,	Lbs.	114,787,361	136,806,319	124,359,248
Coffee imported,	Lbs.	94,210,359	117,354,329	109,370,213
Cocoa imported,	Lbs.	9,912,508	9,592,965	7,920,712
Raw Sugar imported,	Cwts.	9,884,191	10,724,532	10,767,538
Tobacco imported (total),	Lbs.	42,306,035	55,122,048	66,615,176
Wine imported,	Galls.	11,960,664	14,186,189	15,451,622
Wool imported,	Lbs.	171,943,472	177,377,664	206,473,045
Cotton (Raw) imported,	Cwts.	4,678,333	5,978,422	7,975,935
Flax imported,	Cwts.	1,798,351	1,458,962	1,842,947
Hemp, etc., imported,	Cwts.	915,807	1,067,913	953,086
Jute imported,	Cwts.	963,774	1,223,033	2,024,537
Quantity of Coal raised in Scotland,	Tons	11,076,000	11,100,500	12,400,000
Iron Ore raised in do.,	Tons	1,500,000	1,500,000	1,950,000
Pig Iron made in do.,	Tons	1,080,000	1,160,000	1,158,000
Cod and Ling taken on Coasts of do.,	Cwts.	157,597	129,725	107,758
do. do. do.	Barrels.	7,735	7,337	7,963
Herrings taken on do.,	Barrels	867,769	614,816	643,650
Average Price of Wheat in England, . . per Qr.		55s. 5d.	44s. 9d.	40s. 2d.
Barley,	per Qr.	35s. 1d.	33s. 1d.	29s. 11d.
Oats,	per Qr.	22s. 7d.	21s. 2d.	20s. 1d.
Contract price of 4lb. Loaf to } 1st half year,		6½d.	5½d.	4½d.
Troops in Scotland, } 2d half year,		5½d.	5½d.	4½d.
Contract price of Fresh Meat } 1st half year,		5d.	4½d.	4½d.
per lb. to Troops in Scotland, } 2d half year,		4½d.	4½d.	4½d.
Savings Banks, Scotland—Number of Accounts,		147,865	155,298	159,319
Savings Banks, do.—Amount of Deposits, £		2,677,209	2,877,508	2,812,201
Number of registered Paupers in Scotland, . .		98,922	99,695	101,636
Number of ascertained Scottish Emigrants, . .		12,596	15,230	15,035

that October, with its mean temperature of $45^{\circ}8$, had 171 deaths daily; November, with its mean temperature of $40^{\circ}9$, had 189 deaths daily; and December, with its mean temperature of $30^{\circ}4$, had 200 deaths daily. No severe frosts nor great falls of snow occurred during either November or December. Slight frosts, chiefly in the mornings, and slight partial falls of snow, chiefly in the upland hilly districts, were, however, noted during the latter half of December.

In the present state of our knowledge it would be presumptuous to attempt to connect the prevalence of Fever as an epidemic with any of the meteorological phenomena. Through all the changed condition of the weather during the different months, its nature remained unaltered; but it is to be remarked, that it strictly followed the same law to which we have just seen all diseases are subject, viz. that it was most fatal during the coldest months, least fatal during the warmer, and in its fatality strictly followed the law of mean temperature, as has been fully shown at p. xlii.

To show the connection of weather, but especially that of mean temperature, with the mortality of different diseases, Table XLVI. is reprinted from the 'Supplement to the Monthly Returns for 1864;' and it shows the monthly mortality from certain diseases and classes of disease in the eight principal towns of Scotland, along with a few of the more important meteorological phenomena deduced from observations taken in these towns.

Table XLVII. is appended for the sake of showing the general condition of the country as to its imports, exports, quantity of chief articles of diet, and of trade, imports, etc. From that table it may be deduced that the country was in a prosperous condition, that trade was brisk, capital abundant, food plentiful and cheap, and that the cotton trade had nearly recovered from the shock it sustained by the outbreak of the American war in 1861. The prevalence, therefore, of Fever as an epidemic, and the high mortality of all diseases, could not be attributed to destitution in the labouring classes, nor to any scarcity or bad quality of the food. This fact, therefore, almost goes the length of proving that the high mortality from all diseases, and the prevalence of Fever as an epidemic, was owing to meteorological conditions of the atmosphere not yet discovered.

I have the honour to be,

SIR,

Your most obedient Servant,

JAMES STARK.

APPENDIX TO REPORT.

REFERENCE TABLE OF POPULATION OF SCOTLAND, 1801 to 1861,

Estimated to the Middle of each Year, and including the Army, Navy, and Merchant Seamen in Scotland, or in Scottish Waters.

YEAR.	PERSONS.	MALES.	FEMALES.
1801	1,625,002	751,998	873,002
1802	1,643,877	760,616	883,261
1803	1,662,981	769,341	893,640
1804	1,682,318	778,178	904,140
1805	1,701,890	787,126	914,764
1806	1,721,701	796,188	925,513
1807	1,741,750	805,361	936,389
1808	1,762,045	814,653	947,392
1809	1,782,587	824,063	958,524
1810	1,803,384	833,596	969,788
1811	1,824,434	843,250	981,184
1812	1,851,003	857,627	993,376
1813	1,877,966	872,255	1,005,711
1814	1,905,352	887,136	1,018,216
1815	1,933,141	902,275	1,030,866
1816	1,959,229	915,552	1,043,677
1817	1,986,045	929,399	1,056,646
1818	2,013,552	943,776	1,069,776
1819	2,041,720	958,652	1,083,068
1820	2,070,523	973,996	1,096,527
1821	2,099,945	989,793	1,110,152
1822	2,125,822	1,002,327	1,123,495
1823	2,152,017	1,015,019	1,136,998
1824	2,178,536	1,027,872	1,150,664
1825	2,205,383	1,040,889	1,164,494
1826	2,232,639	1,054,068	1,178,571
1827	2,259,072	1,066,418	1,192,654
1828	2,287,924	1,080,935	1,206,989
1829	2,316,020	1,094,524	1,221,496
1830	2,344,662	1,108,485	1,236,177
1831	2,373,561	1,122,526	1,251,035
1832	2,397,777	1,134,485	1,263,292
1833	2,422,239	1,146,585	1,275,654
1834	2,446,968	1,158,798	1,288,170
1835	2,471,889	1,171,097	1,300,792
1836	2,497,167	1,183,629	1,313,538
1837	2,522,653	1,196,245	1,326,408
1838	2,548,402	1,208,997	1,339,405
1839	2,574,413	1,221,884	1,352,529
1840	2,600,692	1,234,910	1,365,782
1841	2,621,854	1,242,689	1,379,165
1842	2,653,165	1,258,690	1,394,475
1843	2,683,639	1,274,223	1,409,416
1844	2,713,318	1,289,265	1,424,053
1845	2,742,167	1,303,795	1,438,372
1846	2,770,154	1,317,792	1,452,362
1847	2,797,245	1,331,236	1,466,009
1848	2,823,406	1,344,105	1,479,301
1849	2,848,609	1,356,381	1,492,228
1850	2,872,821	1,368,045	1,504,776
1851	2,896,015	1,379,080	1,516,935
1852	2,918,162	1,389,469	1,528,693
1853	2,939,236	1,399,196	1,540,040
1854	2,959,211	1,408,246	1,550,965
1855	2,978,065	1,416,606	1,561,459
1856	2,995,771	1,424,261	1,571,510
1857	3,012,310	1,431,200	1,581,110
1858	3,027,665	1,437,414	1,590,251
1859	3,041,812	1,442,890	1,598,922
1860	3,054,738	1,447,622	1,607,116
1861	3,066,633	1,451,707	1,614,926

BIRTHS, DEATHS, and MARRIAGES registered in SCOTLAND during the YEAR 1864.

1864.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres. *
		1851.	1861.	Males.	Fem.	Total	Mal.	Fem.	Total	Males.	Fem.	Total.			
SCOTLAND - -		2,888,742	3,062,294	57374	54959	112333	5730	5467	11197	37010	37406	74416	22725	37917	19,639,377
DIVISIONS.															
1	NORTHERN, . . .	127,035	130,422	1821	1707	3528	116	101	217	1104	1243	2347	586	1181	2,261,662
2	NORTH-WESTERN, .	175,735	167,329	2425	2180	4605	165	154	319	1529	1631	3160	862	1445	4,739,876
3	NORTH-EASTERN, .	348,366	366,783	6566	6236	12802	1002	998	2000	3523	3753	7276	2439	5576	2,429,594
4	EAST-MIDLAND, .	515,966	523,822	9131	8772	17903	990	920	1910	6059	6409	12468	3775	5435	2,790,492
5	WEST-MIDLAND, .	241,447	242,507	4168	3964	8132	339	327	666	2713	2685	5398	1408	2734	2,693,176
6	SOUTH-WESTERN, .	881,092	1,008,253	22075	21158	43233	1882	1799	3681	15314	14760	30074	9026	13159	1,462,397
7	SOUTH-EASTERN, .	383,217	408,962	7788	7518	15306	733	690	1423	4822	4866	9688	3374	5618	1,192,524
8	SOUTHERN, . . .	215,884	214,216	3400	3374	6774	503	478	981	1943	2059	4005	1255	2769	2,069,696
COUNTIES.															
I. NORTHERN.															
1	Shetland, . . .	31,078	31,670	435	414	849	20	22	42	226	267	493	155	356	598,726
2	Orkney, . . .	31,455	32,395	451	411	862	27	14	41	251	252	503	160	359	
3	Caithness, . . .	39,782	42,200	644	626	1270	54	55	109	437	491	928	179	342	
4	Sutherland, . . .	24,720	24,157	291	256	547	15	10	25	190	233	423	92	124	
II. NORTH-WESTERN.															
5	Ross and Cromarty, .	83,781	82,427	1212	1093	2305	68	58	126	701	764	1465	386	840	2,016,375
6	Inverness, . . .	91,954	84,902	1213	1087	2300	97	96	193	828	867	1695	476	605	2,723,501
III. NORTH-EASTERN.															
7	Nairn, . . .	8,076	8,347	124	105	229	12	7	19	95	93	188	47	41	137,500
8	Elgin (or Moray), .	40,532	44,218	716	713	1429	99	95	194	415	419	834	258	595	349,000
9	Banff, . . .	51,353	56,020	1036	958	1994	180	152	332	486	529	1015	336	979	439,219
10	Aberdeen, . . .	213,461	223,344	4103	3955	8058	632	660	1292	2223	2366	4589	1562	3469	1,260,625
11	Kincardine, . . .	34,944	34,854	587	555	1142	79	84	163	304	316	650	236	492	252,250
IV. EAST-MIDLAND.															
12	Forfar, . . .	193,627	206,750	4114	3852	7966	528	487	1015	2679	2828	5507	1848	2459	568,750
13	Perth, . . .	137,369	133,198	1902	1931	3833	201	208	409	1477	1564	3041	777	792	1,814,063
14	Fife,* . . .	153,789	155,021	2612	2539	5151	219	189	408	1594	1686	3280	955	1871	328,427
15	Kinross,* . . .	9,626	8,731	145	105	220	17	9	26	81	76	157	41	63	49,812
16	Clackmannan, . . .	21,555	20,122	388	345	733	25	27	52	228	255	483	154	250	29,440
V. WEST-MIDLAND.															
17	Stirling, . . .	83,802	88,138	1733	1670	3403	150	151	301	1019	967	1986	650	1417	295,875
18	Dumbarton, . . .	46,995	54,179	1111	1043	2154	91	84	175	720	703	1423	315	731	204,800
19	Argyll, . . .	94,042	83,859	1128	1048	2176	81	75	156	812	790	1602	345	574	2,083,126
20	Bute, . . .	16,608	16,331	196	203	399	17	17	34	162	225	387	98	12	109,375
VI. SOUTH-WESTERN.															
21	Renfrew,* . . .	157,950	168,746	3724	3553	7277	287	266	553	2783	2697	5480	1671	1797	158,268
22	Ayr,* . . .	189,973	199,063	3937	3719	7656	381	334	715	2189	2276	4465	1446	3191	735,262
23	Lanark,* . . .	533,169	640,444	14414	13886	28300	1214	1199	2413	10342	9787	20129	5909	8171	563,867
VII. SOUTH-EASTERN.															
24	Linlithgow,* . . .	30,590	39,045	965	885	1850	72	75	147	442	441	883	329	967	81,113
25	Edinburgh,* . . .	259,493	274,093	5127	5036	10163	492	469	961	3525	3553	7078	2486	3085	234,925
26	Haddington,* . . .	36,363	37,626	649	628	1277	60	62	122	352	377	729	223	548	179,142
27	Berwick,* . . .	36,165	36,488	624	593	1217	68	51	119	285	309	594	186	623	302,951
28	Peebles,* . . .	10,804	11,300	204	200	404	21	15	36	116	89	205	73	199	227,869
29	Selkirk,* . . .	9,502	10,410	219	176	395	20	18	38	102	97	199	77	196	163,524
VIII. SOUTHERN.															
30	Roxburgh,* . . .	51,225	53,722	875	883	1758	94	92	186	467	507	974	341	784	423,494
31	Dumfries,* . . .	78,149	75,904	1212	1197	2409	194	183	377	779	739	1518	438	891	702,953
32	Kirkcudbright,* . .	43,121	42,495	672	699	1371	107	103	210	367	399	766	245	605	610,343
33	Wigtown,* . . .	43,389	42,095	641	595	1236	108	100	208	333	414	747	231	489	327,906

* In all the Counties marked thus *, the number of Acres is given from actual survey by the Ordnance Staff; and these measurements were procured from the Ordnance Survey Office, through the kindness of Col. Sir Henry James. The measurements of the other Counties, with the exception of Shetland and Orkney, were taken from Major Dawson's estimate for the Census of 1851. In that estimate he included as land all the channels between the islands in Shetland and Orkney. These channels are excluded in the estimate given in the above Table.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
I. NORTHERN.													
1. SHETLAND.													
1	Bressay, etc.—(1) Bressay	906	915	10	7	17	—	—	—	5	6	11	3
	(2) Burra and Quarff,	906	890	11	16	27	—	1	1	7	7	14	4
2	Delting,	2124	1975	31	17	48	—	1	1	12	23	35	8
3	Dunrossness, etc.—												
	(1) Dunrossness,	c. 2005	2113	32	36	68	—	3	3	16	10	26	11
	(2) Sandwick and Cunningsburgh,	c. 2220	2337	37	29	66	1	1	2	16	13	29	14
	(3) Fair Isle,	280	380	5	5	10	—	—	—	2	5	7	4
4	Fetlar, etc.—												
	(1) Fetlar,	658	548	5	6	11	—	—	—	6	10	16	—
	(2) North Yell,	998	932	11	14	25	2	—	2	9	10	19	—
5	LERWICK (incl. Town),	3390	3631	53	45	98	3	2	5	31	42	73	45
6	Mid and South Yell,	1741	1784	22	33	55	1	3	4	11	12	23	5
7	Nesting, etc.—												
	(1) Nesting,	c. 806	855	12	13	25	—	—	—	4	6	10	1
	(2) Lunnasting,	c. 830	880	15	8	23	1	3	4	2	7	9	1
	(3) Whalsay and Skerries,	784	848	17	12	29	—	—	—	4	9	13	3
8	Northmavine,	2534	2585	27	24	51	1	—	1	22	20	42	9
9	Sandsting and Aithsting,	2603	2670	47	27	74	1	—	1	19	26	45	15
10	Tingwall, etc.—												
	(1) Tingwall,	c. 1654	1554	22	23	45	5	2	7	9	6	15	7
	(2) Whiteness & Weesdale,	c. 1220	1143	13	20	33	—	2	2	11	5	16	3
11	Unst,	2977	3060	39	41	80	4	—	4	23	34	57	12
12	Walls, etc.—(1) Walls,	c. 1280	1365	13	20	33	—	3	3	11	10	21	4
	(2) Sandness,	c. 563	606	9	10	19	1	—	1	3	5	8	5
	(3) Papa-Stour,	359	366	4	5	9	—	1	1	3	1	4	—
	(4) Foula,	240	233	—	3	3	—	—	—	—	—	—	1
Total,		31078	31670	435	414	849	20	22	42	226	267	493	155
2. ORKNEY.													
13	Birsay,	1749	1774	28	21	49	4	1	5	8	17	25	9
14	Deerness,	786	813	14	11	25	—	—	—	6	5	11	2
15	Eday and Pharay,	1016	979	11	16	27	—	—	—	10	13	23	7
16	Evie and Rendall,	1446	1408	14	18	32	1	—	1	9	5	14	12
17	Firth and Stennes,	1327	1493	22	17	39	1	—	1	9	12	21	6
18	Harray,	750	819	9	6	15	—	—	—	4	6	10	6
19	Holm and Paplay,	749	834	18	10	28	1	1	2	6	5	11	6
20	Hoy and Græmsay,	615	556	12	7	19	—	—	—	7	6	13	2
21	KIRKWALL & ST OLA (incl. Burgh),	3990	4422	71	56	127	7	1	8	49	45	94	13
22	North Ronaldshay,	526	532	8	7	15	—	—	—	7	5	12	4
23	Orphir,	1157	1133	7	18	25	1	1	2	4	5	9	4
24	Rousay and Egilsay,	1215	1152	15	19	34	1	—	1	10	11	21	4
25	St Andrews,	926	868	14	9	23	2	—	2	5	5	10	5
26	Sanday,	2004	2145	28	28	56	—	1	1	16	12	28	9
27	Sandwick,	1107	1225	10	17	27	—	2	2	8	8	16	9
28	Shapinshay,	899	973	11	8	19	—	—	—	9	9	18	3
29	South Ronaldshay and Burray,	3086	3282	45	53	98	3	2	6	27	28	55	22
30	Stromness,	2770	2540	33	26	59	2	—	2	29	22	51	13
31	Stronsay,	1211	1228	25	17	42	—	1	1	5	11	16	9
32	Walls, etc.—(1) Walls,	1278	1254	18	13	31	2	1	3	4	6	10	3
	(2) Flotta,	389	420	3	4	7	—	—	—	1	2	3	—
33	Westray, etc.—(1) Westray	2088	2153	29	25	54	2	1	3	16	11	27	10
	(2) Papa-Westray,	371	392	6	5	11	—	1	1	2	3	5	2
Total,		31455	32395	451	411	862	27	14	41	251	252	503	160

N.B.—Royal and Parliamentary Burghs are printed in capitals; thus: EDINBURGH. Towns with Populations of 2000 and upwards, in small capitals; thus: THURSO.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
3. CAITHNESS.													
34	Bower,	1658	1746	22	31	53	2	3	5	13	14	27	5
35	Canisbay,	2437	2730	27	59	86	2	4	6	29	24	53	11
36	Dunnet,	1863	1861	33	26	59	3	—	3	12	20	32	6
37	Halkirk,	2918	2864	37	28	65	2	2	4	21	34	55	10
38	Latheron,	8224	8571	135	110	245	11	10	21	68	88	156	28
39	Olrig,	1873	2059	28	27	55	1	1	2	24	21	45	10
40	Reay,	2506	2476	27	26	53	1	2	3	19	17	36	11
41	THURSO (incl. Town),	5096	5561	69	76	145	4	6	10	67	77	144	22
42	Watten,	1351	1491	14	18	32	1	4	5	15	13	28	9
43	WICK—(1) Burgh,	6796	7505	184	135	319	18	14	32	118	128	246	49
	(2) Landward,	5055	5336	68	90	158	9	9	18	51	55	106	18
Total,		39782	42200	644	626	1270	54	55	109	437	491	928	179
4. SUTHERLAND.													
44	Assynt—(1) Kirkton,	c. 510	553	4	9	13	—	—	—	3	5	8	3
	(2) Stoer,	c. 2479	2625	32	21	53	1	2	3	21	18	39	10
45	Clyne,	1933	1886	20	19	39	—	2	2	14	21	35	10
46	Creich—(1) Bonar,	c. 2134	1982	18	18	36	1	—	1	10	21	31	3
	(2) Rosehall,	c. 580	539	8	6	14	—	1	1	4	8	12	3
47	DORNOCH (incl. Burgh),	2981	2885	42	33	75	2	1	3	30	31	61	14
48	Durness,	1152	1109	11	12	23	2	—	2	12	9	21	6
49	Eddrachillis—(1) Scourie,	c. 700	727	8	8	16	—	—	—	5	5	10	3
	(2) Kinlochbervie,	c. 876	914	12	9	21	—	—	—	8	8	16	1
50	Farr—(1) Kirkton,	c. 1313	1251	17	9	26	1	—	1	15	14	29	4
	(2) Strathly,	c. 890	852	7	11	18	1	1	2	4	10	14	5
51	Golspie,	1529	1615	22	24	46	1	—	1	9	18	27	6
52	Kildonan,	2288	2132	21	27	48	2	2	4	24	21	45	10
53	Lairg,	1162	961	13	6	19	1	1	2	5	9	14	1
54	Loth,	640	610	6	6	12	—	—	—	2	4	6	—
55	Rogart,	1535	1439	17	14	31	1	—	1	7	14	21	7
56	Tongue,	2018	2077	33	24	57	2	—	2	17	17	34	6
Total,		24720	24157	291	256	547	15	10	25	190	233	423	92
II. NORTH-WESTERN.													
5. ROSS AND CROMARTY.													
Mainland.													
57	Alness,	1240	1178	24	7	31	2	—	2	11	17	28	10
58	Applecross—												
	(1) Applecross,	c. 1130	1064	8	10	18	2	—	2	10	8	18	9
	(2) Shieldaig,	c. 1579	1480	19	11	30	4	1	5	13	14	27	2
59	Avoch,	2029	1788	19	26	45	1	2	3	11	17	28	11
60	Contin,	1562	1509	22	23	45	2	—	2	12	9	21	4
61	CROMARTY (incl. Burgh),	2727	2300	34	35	69	4	3	7	20	22	42	13
62	DINGWALL (incl. Burgh),	2364	2412	37	27	64	1	3	4	23	19	42	13
63	Edderton,	890	836	13	20	33	2	6	8	8	11	19	9
64	Fearn,	2122	2083	37	32	69	—	1	1	29	28	57	4
65	Fodderty,	2342	2247	27	21	48	2	2	4	18	21	39	5
66	Gairloch—												
	(1) Northern District,	c. 1822	1927	29	20	49	—	—	—	15	22	37	7
	(2) Southern District,	c. 3340	3522	40	37	77	1	1	2	31	22	53	14
67	Glenshiel,	573	485	8	6	14	2	1	3	3	4	7	2
68	Killearnan,	1794	1494	15	15	30	1	1	2	9	11	20	11
69	Kilmuir-Easter,	1437	1295	16	21	37	2	1	3	11	12	23	6
70	Kiltearn,	1538	1634	26	19	45	—	2	2	11	14	25	5
71	Kincardine,	1896	1746	27	18	45	3	2	5	17	21	38	6

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
72	Kintail,	1009	890	4	6	10	1	1	2	11	4	15	2
73	Knockbain,	3005	2485	27	26	53	1	1	2	21	21	42	6
74	Lochalsh,	2299	2413	21	23	44	1	—	1	10	18	28	8
75	Lochbroom—												
	(1) Lochbroom,	c. 3540	3577	37	27	64	3	—	3	30	30	60	15
	(2) Coigach,	c. 1273	1285	14	11	25	1	4	5	11	10	21	—
76	Lochcarron,	1612	1592	25	11	36	3	2	5	12	10	22	7
77	Logie-Easter,	965	932	16	12	28	3	1	4	4	9	13	6
78	Nigg,	1457	1253	14	12	26	2	—	2	12	16	28	9
79	Resolis,	1551	1568	17	15	32	1	2	3	19	14	33	6
80	Rosemarkie (incl. Burgh of FORTROSE),	1776	1545	15	17	32	—	1	1	20	14	34	9
81	Rosskeen,	3699	3766	65	65	130	7	—	7	40	49	89	19
82	TAIN (incl. Burgh),	3574	3294	47	53	100	5	11	16	40	40	80	13
83	Tarbat,	2151	2269	45	29	74	2	2	4	15	20	35	10
84	Urquhart & Logie-Wester,	3153	3147	35	34	69	1	1	2	19	42	61	12
85	Urray,	2621	2355	44	20	64	2	1	3	21	20	41	13
	<i>Insular.</i>												
86	Barvas,	4189	4609	81	98	179	2	—	2	27	33	60	26
86	Carloway,	c. 2120	2204	40	42	82	—	—	—	21	17	38	10
87	Lochs,	c. 3109	3568	68	63	131	2	1	3	26	34	60	23
88	STORNOWAY (incl. Town),	8057	8668	159	151	310	2	4	6	67	70	137	54
89	Uig,	c. 2236	2907	37	30	67	—	—	—	23	21	44	7
	Total,	83781	82427	1212	1093	2305	68	58	126	701	764	1465	386
	6. INVERNESS.												
	<i>Mainland.</i>												
90	Alvie,	914	833	13	7	20	4	1	5	11	10	21	8
91	Ardersier,	1337	1239	22	17	39	1	2	3	18	15	33	8
92	Boleskine & Abertarff—												
	(1) Boleskine,	c. 936	813	12	6	18	2	1	3	1	2	3	1
	(2) Fort-Augustus or Abertarff,	c. 1070	930	10	6	16	1	1	2	5	11	16	7
93	Cromdale—(1) Cromdale,	3990	c. 1647	19	18	37	2	3	5	7	5	12	14
	(2) Inverallan,		c. 2295	47	61	108	6	12	18	27	27	54	14
94	Croy and Dalcross,	1777	1873	34	25	59	2	3	5	13	14	27	9
95	Daviot and Dunlichty,	1857	1741	14	22	36	—	3	3	15	21	36	5
96	Dores,	1650	1506	28	24	52	1	3	4	12	11	23	4
97	Glenelg—(1) Glenelg,	c. 1070	800	11	10	21	2	—	2	3	9	12	3
	(2) Knoydart,	c. 770	574	9	7	16	1	4	5	3	3	6	3
	(3) North Morar,	c. 630	469	8	9	17	1	—	1	8	3	11	4
98	INVERNESS (including Burgh),	16496	16162	267	249	516	19	12	31	259	273	532	138
99	Kilmonivaig—												
	(1) Glengarry,	c. 710	625	8	6	14	1	—	1	9	1	10	4
	(2) Lochaber,	c. 1873	1651	20	14	34	2	—	2	16	14	30	4
100	Kilmorack,	3007	2852	29	28	57	3	4	7	28	20	48	14
101	Kiltarlity,	2965	2839	33	25	58	4	2	6	15	17	32	10
102	Kingussie and Insh,	2201	2033	33	34	67	5	10	15	20	26	46	14
103	Kirkhill,	1730	1757	18	23	41	1	1	2	15	17	32	9
104	Laggan,	1223	986	11	11	22	1	3	4	5	11	16	10
105	Moy and Dalarossie,	1018	1026	10	7	17	—	—	—	10	5	15	6
106	Petty,	1784	1671	24	24	48	3	1	4	11	22	33	14
107	Urquhart, etc.—												
	(1) Urquhart,	c. 2585	2294	22	27	49	2	1	3	29	27	56	5
	(2) Glenmoriston,	c. 695	617	10	7	17	—	1	1	3	5	8	2
	<i>Insular.</i>												
108	Barra,	1873	1853	37	23	60	2	1	3	10	14	24	13
109	Bracadale,	1597	1335	21	12	33	—	1	1	8	10	18	4
110	Duirinish,	5330	4775	60	49	109	5	2	7	31	33	64	18

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
111	Harris—(1) Harris,	3663	3769	61	40	101	3	1	4	33	32	65	15
	(2) Bernera,	477	336	5	7	12	—	1	1	9	2	11	1
	(3) St Kilda,	110	78	1	1	2	—	—	—	1	1	2	—
112	Kilmuir—(1) Kilmuir,	c. 1743	1561	19	14	33	1	2	3	13	21	34	4
	(2) Stenscholl,	c. 1464	1311	24	13	37	1	1	2	12	7	19	9
113	North Uist,	3918	3959	63	45	108	6	3	9	29	25	54	27
114	Portree—(1) Portree,	2805	2579	36	32	68	3	2	5	9	19	28	10
	(2) Raasay,	752	580	9	12	21	—	—	—	6	9	15	—
115	Sleat,	2531	2330	26	29	55	1	—	1	32	22	54	21
116	Small Isles,	916	567	4	8	12	—	1	1	5	7	12	3
117	Snizort—(1) North }	c. 3071	2613	{ 13	12	25	1	1	2	9	6	15	1
	(2) South }			{ 17	17	34	1	4	5	14	10	24	12
118	South Uist—												
	(1) Benbecula,	1762	1544	23	21	44	2	2	4	11	12	23	8
	(2) Howmore,	c. 2040	1763	28	27	55	2	1	3	13	26	39	7
	(3) Boisdale,	c. 2371	2051	26	29	55	3	4	7	24	22	46	1
119	Strath,	3243	2664	28	29	57	2	1	3	16	20	36	12
	— Total,	91954	84902	1213	1087	2300	97	96	193	828	867	1695	476
III. NORTH-EASTERN													
7. NAIRN.													
120	Ardclach,	1278	1330	13	14	27	1	2	3	8	19	27	4
121	Auldearn,	1480	1328	16	19	35	2	—	2	15	18	33	5
122	Cawdor,	1202	1203	11	12	23	2	—	2	10	12	22	8
123	NAIRN (incl. Burgh),	4116	4486	84	60	144	7	5	12	62	44	106	30
	Total,	8076	8347	124	105	229	12	7	19	95	93	188	47
8. ELGIN (OR MORAY).													
124	Abernethy & Kincardine,	1871	1928	23	20	43	5	4	9	16	12	28	12
125	Alves,	919	1010	22	16	38	1	1	2	4	4	8	4
126	Bellie,	2017	1967	38	32	70	2	6	8	16	17	33	7
127	Birnie,	427	411	3	2	5	—	—	—	—	2	2	2
128	Boharm,	1368	1412	24	22	46	4	3	7	11	13	24	6
129	Dallas,	1226	1102	17	16	33	2	2	4	4	9	13	5
130	Drainy,	1856	3028	57	65	122	8	5	13	20	26	46	24
131	Duffus,	2983	3308	60	56	116	4	3	7	39	40	79	28
132	Duthil, etc.—(1) Duthil,	c. 1493	1609	25	28	53	4	4	8	10	12	22	5
	(2) Rothiemurchus,	c. 295	319	12	7	19	4	—	4	6	4	10	4
133	Dyke,	1369	1247	18	27	45	5	3	8	11	14	25	8
134	Edinkillie,	1343	1303	27	17	44	5	2	7	6	5	11	4
135	ELGIN (incl. Burgh),	8231	9866	142	157	299	12	23	35	139	117	256	47
136	New Spynie,	445	518	8	6	14	4	—	4	4	5	9	5
137	FORRES (incl. Burgh),	4069	4112	75	75	150	16	13	29	41	54	95	33
138	Kinloss,	1370	1315	21	19	40	—	4	4	10	10	20	6
139	Knockando,	1771	1736	30	32	62	7	3	10	14	10	24	11
140	Rafford,	1020	1055	22	10	32	4	3	7	8	5	13	6
141	Rothies,	2022	2407	39	44	83	7	8	15	30	20	50	14
142	St Andrews Lhanbryde,	1208	1344	19	16	35	1	2	3	6	12	18	6
143	Speymouth,	685	689	8	14	22	2	1	3	6	7	13	6
144	Urquhart,	2544	2532	26	32	58	2	5	7	14	21	35	15
	Total,	40532	44218	716	713	1429	99	95	194	415	419	834	258
9. BANFF.													
145	Aberlour,	1447	1665	23	37	60	2	3	5	12	14	26	14
146	Alvah,	1402	1467	19	18	37	3	4	7	6	9	15	6
147	BANFF—(1) Burgh,	6084	6791	147	119	266	28	19	47	57	78	135	40
	(2) Landward,	869	949	17	12	29	3	3	6	5	6	11	6
148	Botriphnie,	713	867	12	8	20	1	1	2	5	2	7	2
149	Boyndie,	1564	1711	35	28	63	5	4	9	27	21	48	14

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
150	CULLEN (pt. of Burgh),	1697	1821	41	32	73	10	4	14	10	11	21	10
151	Deskford,	917	1031	21	18	39	6	2	8	3	6	9	6
152	Enzie, c. 1872	2072	2072	52	28	80	9	6	15	23	21	44	13
153	Fordyce,	3807	4145	74	73	147	14	14	28	50	40	90	24
154	Forglen,	695	783	13	18	31	2	2	4	1	6	7	2
155	Gamrie,	2758	3019	60	55	115	14	7	21	17	24	41	9
156	Grange,	1851	1909	43	21	64	5	4	9	16	11	27	12
157	Inveravon—(1) Inveravon, c. 894	868	868	15	20	35	2	5	7	7	4	11	5
	(2) Auchbreck, c. 1820	1771	1771	23	23	46	5	6	11	16	25	41	4
158	Inverkeithny,	835	880	14	15	29	1	2	3	5	4	9	5
159	Keith,	4986	5943	110	112	222	21	18	39	53	58	111	43
160	Kirkmichael, etc.—												
	(1) Kirkmichael, . . c. 568	551	551	4	5	9	1	1	2	5	4	9	1
	(2) Tomintoul, . . c. 990	960	960	11	7	18	2	1	3	7	7	14	2
161	Marnoch,	2994	3289	56	60	116	13	17	30	31	37	68	16
162	Mortlach,	2804	3095	53	47	100	7	9	16	29	35	64	23
163	Ordiquhill,	644	764	10	10	20	1	1	2	8	2	10	13
164	Rathven (incl. BUCKIE, Town), c. 4664	4922	4922	107	121	228	16	8	24	57	56	113	33
165	Rothiemay,	1413	1414	14	17	31	4	6	10	13	19	32	6
166	St Fergus,	1597	1608	26	24	50	2	1	3	15	16	31	16
167	Seafeld (pt. of CULLEN, Burgh), c. 1468	1725	1725	36	30	66	3	4	7	8	13	21	11
	Total,	51353	56020	1036	958	1994	180	152	332	486	529	1015	336
	10. ABERDEEN.												
168	ABERDEEN—												
	(1) St Nicholas (Burgh),	41465	41962	841	770	1611	121	132	253	650	701	1351	332
	(2) Old Machar (Burgh),	30503	31938	551	516	1067	80	74	154	371	417	788	287
	(3) Do. (Landward),	1254	1298	11	24	35	—	2	2	11	12	23	14
169	Aberdour,	1707	1837	34	34	68	7	5	12	23	19	42	6
170	Aboyne,	1108	1160	20	20	40	2	4	6	10	14	24	5
171	Alford,	1143	1264	29	27	56	4	4	8	12	9	21	5
172	Auchindoir,	1369	1593	27	30	57	6	8	14	17	15	32	10
173	Auchterless,	1837	2010	38	47	85	4	7	11	18	14	32	7
174	Belhelvie,	1692	1807	39	34	73	8	5	13	11	19	30	18
175	Birse,	1533	1284	24	18	42	3	5	8	6	10	16	9
176	Bourtie,	529	547	11	8	19	1	—	1	4	2	6	4
177	Cabrach,	750	794	10	13	23	1	3	4	6	6	12	3
178	Cairney,	1565	1490	26	16	42	7	4	11	15	7	22	5
179	Chapel of Garioch, . .	2102	2023	31	28	59	5	6	11	20	17	37	9
180	Clatt,	543	511	5	9	14	—	2	2	3	3	6	4
181	Cluny,	1149	1254	25	23	48	3	5	8	11	5	16	8
182	Coull,	734	792	13	21	34	2	3	5	8	5	13	7
183	Crathie and Braemar, .	1788	1574	16	31	47	4	3	7	9	11	20	10
184	Crimond,	893	892	7	21	28	2	6	8	1	9	10	6
185	Cruden,	2479	2743	56	42	98	10	8	18	26	30	56	19
186	Culsamond,	1042	1165	12	11	23	3	—	3	5	8	13	11
187	Daviot,	601	614	13	5	18	1	1	2	9	5	14	2
188	Drumblade,	949	926	11	8	19	2	4	6	5	2	7	9
189	Drumoak,	948	996	13	14	27	1	1	2	6	4	10	4
190	Dyce,	470	585	6	7	13	1	—	1	3	6	9	—
191	Echt,	1206	1287	24	24	48	3	9	12	12	16	28	11
192	Ellon, c. 2750	3239	3239	48	65	113	8	6	14	20	22	42	18
193	Fintray,	1080	1003	17	20	37	—	1	1	10	5	15	8
194	Forgue,	2626	2686	51	51	102	11	20	31	21	22	43	18
195	Foveran,	1638	1891	45	42	87	5	7	12	21	10	31	16
196	FRASERBURGH (incl. Twn.),	4447	4511	104	105	209	16	12	28	50	58	108	29
197	Fyvie,	2927	3264	71	58	129	10	13	23	20	13	33	24
198	Gartly,	990	1029	17	16	33	5	4	9	10	4	14	3

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
199	Glass,	972	1049	11	20	31	1	4	5	11	8	19	5
200	Glenbucket,	542	552	10	8	18	—	1	1	1	8	9	3
201	Glenmuick, Tullich, and Glengairn,	1984	1668	23	31	54	5	6	11	13	12	25	15
202	HUNTLY (incl. Town), . .	4061	4329	93	75	168	15	15	30	43	53	96	19
203	Insch,	1519	1565	27	33	60	4	4	8	7	13	20	7
204	INVERURIE (including part of Burgh),	c. 2649	2668	70	59	129	14	14	28	22	33	55	20
205	Keig,	772	811	14	15	29	2	1	3	2	7	9	4
206	Keithhall,	920	933	12	14	26	2	2	4	4	5	9	5
207	Kemnay,	680	832	16	15	31	—	6	6	11	7	18	10
208	Kildrummy,	643	590	8	14	22	2	2	4	3	1	4	2
209	Kincardine O'Neil, . . .	2098	2186	30	40	70	4	2	6	11	17	28	12
210	King-Edward,	2749	2843	55	45	100	7	10	17	26	18	44	14
211	Kinnellar,	590	691	14	5	19	2	1	3	5	2	7	5
212	Kinnethmont,	1108	1187	13	15	28	3	6	9	11	8	19	5
213	KINTORE (incl. Burgh, and part of Burgh of INVERURIE),	1342	1895	37	46	83	3	4	7	15	25	40	13
214	Leochel-Cushnie,	1068	1173	20	33	53	2	6	8	17	11	28	6
215	Leslie,	559	577	7	8	15	2	—	2	5	6	11	1
216	Logie-Buchan,	724	762	18	8	26	4	3	7	1	2	3	4
217	Logie-Coldstone,	889	932	7	17	24	3	3	6	6	4	10	8
218	Longside,	2952	3008	43	57	100	7	7	14	32	31	63	17
219	Lonmay,	1964	2142	42	42	84	4	7	11	8	19	27	14
220	Lumphanan,	1088	1251	21	18	39	5	2	7	7	12	19	8
221	Methlic,	1997	2157	41	37	78	10	3	13	19	18	37	11
a222	Midmar,	1166	1091	24	15	39	2	3	5	10	6	16	6
b222	Millbrex,	c. 1215	c. 1295	18	22	40	2	7	9	9	11	20	3
223	Monquhitter,	c. 2080	c. 2365	47	49	96	7	13	20	18	10	28	23
224	Monymusk,	940	988	16	13	29	3	4	7	8	3	11	4
225	New Deer,	c. 3383	3736	66	65	131	11	7	18	19	32	51	22
226	Newhills,	3325	3463	51	65	116	6	9	15	21	31	52	26
a227	New Machar,	c. 1338	1556	29	22	51	3	2	5	8	11	19	9
b227	New Pitsligo,	c. 2425	2609	55	59	114	14	10	24	25	23	48	23
228	Old Deer,	c. 4025	4392	83	48	131	15	6	21	38	41	79	30
229	Old Meldrum,	2002	2343	52	43	95	9	3	12	21	19	40	18
230	Oyne,	919	1127	19	21	40	2	4	6	6	6	12	1
231	Peterculter,	1351	1410	33	30	63	8	5	13	6	14	20	9
232	PETERHEAD (incl. Burgh),	9429	9796	218	186	404	22	20	42	86	88	174	74
233	Pitsligo,	1801	1890	36	43	79	5	4	9	17	17	34	18
234	Premnay,	793	916	13	23	36	2	6	8	14	7	21	1
235	Rathen,	2368	2554	45	43	88	5	7	12	22	29	51	14
236	Rayne,	1550	1514	23	31	54	4	4	8	9	13	22	15
a237	Rhynie,	1017	1061	29	21	50	9	2	11	5	8	13	6
b237	Savoch,	c. 1852	2061	26	29	55	4	5	9	14	10	24	7
238	Skene,	1862	1831	33	34	67	3	5	8	15	16	31	17
239	Slains,	1232	1266	26	32	58	1	6	7	10	10	20	6
240	Strathdon,	1531	1459	24	15	39	7	4	11	17	12	29	10
241	Strichen,	c. 2223	2409	54	45	99	15	11	26	21	30	51	21
242	Tarland,	1197	1246	23	12	35	4	2	6	7	9	16	4
243	Tarves,	c. 2339	2377	32	44	76	10	5	15	16	14	30	13
244	Tough,	891	874	12	16	28	4	8	12	9	8	17	5
245	Towie,	758	839	5	11	16	—	1	1	5	8	13	5
246	Tullynessle and Forbes, .	930	957	11	12	23	—	1	1	12	8	20	4
247	Turriff,	3584	3693	73	62	135	14	10	24	34	40	74	18
248	Tyrie,	c. 775	833	12	12	24	—	7	7	6	4	10	9
249	Udny,	c. 1473	1623	37	19	56	4	6	10	11	8	19	12
Total,		213461	223344	4103	3955	8058	632	660	1292	2223	2366	4589	1562

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
11. KINCARDINE.													
250	Arbuthnot,	1002	932	11	13	24	1	--	1	3	4	7	7
251	Banchory-Devenick— (1) Ban.-Devenick (incl. pt. of ABERDEEN, Burgh),	c. 1298	1232	27	23	50	6	1	7	6	7	13	8
	(2) Portlethen,	c. 1780	1687	29	28	57	2	6	8	9	15	24	6
252	Banchory-Ternan,	2462	2947	66	48	114	14	9	23	29	23	52	27
253	Benholm,	1641	1574	25	28	53	3	4	7	9	27	36	4
254	BERVIE (or Inverbervie) —(incl. Burgh),	1459	1561	27	32	59	6	4	10	21	19	40	12
255	Dunnottar (incl. part of STONEHAVEN, Town),	1949	1828	35	26	61	4	5	9	21	24	45	16
256	Durris,	962	1109	22	23	45	3	4	7	12	15	27	7
257	Fettercairn,	1741	1700	26	29	55	1	10	11	22	15	37	7
258	Fetteresso— (1) Fetteresso (incl. pt. of STONEHAVEN, Town),	c. 3730	3575	52	54	106	5	9	14	44	45	89	14
	(2) Cookney,	c. 1990	1952	42	23	65	7	6	13	15	19	34	15
259	Fordoun,	2386	2297	29	34	63	1	2	3	22	22	44	13
260	Garvock,	457	458	10	4	14	1	1	2	3	2	5	5
261	Glenbervie,	1239	1219	18	22	40	2	5	7	5	6	11	12
262	Kinneff and Catterline,	1069	1054	20	12	32	2	--	2	2	10	12	12
263	Laurencekirk,	2125	2110	33	35	68	8	4	12	22	29	51	10
264	Maryculter,	1055	1055	14	26	40	3	4	7	6	11	17	4
265	Marykirk,	2232	2068	27	24	51	2	3	5	16	19	35	16
266	Nigg,	1841	2074	37	36	73	3	4	7	18	19	37	18
267	St Cyrus,	1579	1552	27	24	51	3	3	6	12	8	20	14
268	Strachan,	947	870	10	11	21	2	--	2	7	7	14	9
Total,		34944	34854	587	555	1142	79	84	163	304	346	650	236
IV. EAST-MIDLAND.													
12. FORFAR.													
269	Aberlemno,	1116	1054	14	24	38	1	4	5	9	9	18	10
270	Airlie,	856	845	11	14	25	1	4	5	8	5	13	3
271	Arbirlot,	990	960	20	12	32	1	--	1	4	7	11	3
272	ARBROATH (incl. Bur.),	17238	17831	335	351	686	39	38	77	225	257	482	170
273	Auchterhouse,	686	706	11	18	29	--	1	1	3	2	5	5
274	Barry,	2175	2465	27	34	61	2	4	6	35	24	59	23
275	BRECHIN (incl. Burgh),	8210	8810	158	143	301	25	25	50	78	99	177	50
276	Carmylie,	1240	1286	22	17	39	3	2	5	8	15	23	7
277	Careston,	207	225	5	1	6	--	--	--	2	1	3	1
278	Cortachy and Clova,	722	653	8	5	13	2	--	2	5	4	9	4
279	Coupar-Angus,	2685	2642	40	35	75	6	4	10	22	33	55	17
280	Craig (incl. part of MON- TROSE, Burgh),	1934	2177	42	39	81	2	3	5	12	22	34	12
281	Dun,	522	552	10	5	15	2	--	2	8	4	12	1
282	DUNDEE— (1) First District,	c. 39960	44064	1056	918	1974	115	96	211	773	742	1515	476
	(2) Second District,	c. 34835	40813	924	870	1794	132	134	266	667	700	1367	471
	(3) Third (or Lochee) Dis.,	c. 5232	6787	182	181	363	28	32	60	99	124	223	99
283	Dunnichen,	1884	1932	25	33	58	5	3	8	20	13	33	14
284	Eassie and Nevay,	706	748	6	9	15	1	--	1	4	4	8	3
285	Edzell,	1084	1025	15	17	32	2	3	5	7	8	15	6
286	Farnell,	650	703	11	6	17	1	--	1	7	9	16	5
287	Fearn,	392	439	3	3	6	--	--	--	2	2	4	5
288	FORFAR (incl. Burgh),	11009	10838	204	199	403	33	34	67	113	139	252	85
289	Glamis,	2152	1980	28	24	52	3	1	4	11	14	25	10
290	Glenisla,	1050	1008	21	12	33	2	--	2	7	6	13	5

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
291	Guthrie,	469	476	4	6	10	2	—	2	1	—	1	4
292	Inverarity,	948	961	18	15	33	2	1	3	8	5	13	2
293	Inverkeillor,	1871	1792	30	23	53	6	1	7	7	18	25	8
294	Kettins,	995	962	9	11	20	3	1	4	10	3	13	8
295	Kingoldrum,	429	473	9	6	15	—	—	—	7	3	10	3
296	Kinnell,	826	816	12	14	26	3	—	3	9	5	14	5
297	Kinnettles,	460	447	5	8	13	—	—	—	1	1	2	1
298	Kirkden,	1763	1862	31	28	59	5	—	5	11	21	32	11
299	KIRRIEMUIR (incl. Town),	7617	7359	126	115	241	33	29	62	81	72	153	46
300	Lethnott and Navar, . .	408	446	3	7	10	—	—	—	2	5	7	2
301	Liff, Benvic, and Inver- gowrie,	1467	1430	19	27	46	2	7	9	20	15	35	13
302	Lintrathen,	926	898	17	10	27	3	2	5	4	4	8	3
303	Lochlee,	615	495	3	5	8	—	1	1	1	2	3	1
304	Logie-Pert,	1609	1483	14	20	34	3	1	4	7	12	19	8
305	Lunan,	279	259	3	7	10	—	—	—	2	2	4	—
306	Lundie,	450	442	9	9	18	—	2	2	4	5	9	3
307	Mains, etc.—(1) Mains, .	1299	1392	23	14	37	4	3	7	14	15	29	9
	(2) Strathmartine, . .	735	789	12	12	24	1	1	2	6	1	7	2
308	Marytown,	366	417	8	2	10	—	2	2	2	—	2	—
309	Menmuir,	693	796	15	13	28	2	2	4	1	1	2	8
310	Monifieth (including part of BROUGHTY FERRY),	4267	5052	123	87	210	9	1	10	82	81	163	34
311	Monikie,	1317	1460	22	24	46	3	3	6	15	13	28	10
312	MONTROSE (incl. part of Burgh),	16037	15668	256	248	504	23	25	48	183	205	388	125
313	Murroes,	643	763	15	11	26	2	—	2	2	11	13	2
314	Newtyle,	1141	1139	13	12	25	5	1	6	16	20	36	5
315	Oathlaw,	424	399	8	12	20	—	—	—	4	3	7	3
316	Panbride,	1372	1299	21	28	49	2	3	5	13	15	28	9
317	Rescobie,	711	747	11	12	23	—	1	1	8	3	11	3
318	Ruthven,	503	265	4	4	8	—	—	—	2	—	2	2
319	St Vigean,	2591	2553	53	47	100	5	8	13	17	22	39	23
320	Stracathro,	505	546	9	8	17	—	1	1	—	3	3	2
321	Tannadice,	1517	1438	15	24	39	2	2	4	5	10	15	5
322	Tealing,	844	883	16	13	29	2	1	3	5	9	14	3
	Total,	193627	206750	4114	3852	7966	528	487	1015	2679	2828	5507	1848
	13. PERTH.												
323	Aberdalgie,	343	295	2	2	4	—	—	—	1	6	7	1
324	Aberfeldy,	c. 2702	2402	39	34	73	7	4	11	34	28	62	24
325	Aberfoyle,	514	565	6	5	11	—	1	1	3	2	5	—
326	Abernethy,	2026	1960	29	26	55	3	1	4	15	23	38	16
327	Abernyte,	275	310	8	6	14	—	1	1	3	3	6	—
328	ALYTH (incl. Town), . .	c. 2946	3198	37	48	85	5	5	10	28	38	66	11
329	AUCHTERARDER (includ- ing Town),	4160	4208	57	61	118	13	10	23	51	51	102	23
330	Auchtergaven,	3232	2562	38	37	75	3	5	8	31	35	66	15
331	Balquhidder,	874	746	9	9	18	—	2	2	7	3	10	3
332	Bendochy,	c. 552	549	9	5	14	—	1	1	5	4	9	4
333	Blackford,	c. 2012	2084	40	32	72	2	5	7	15	19	34	9
334	Blair-Athol,	c. 1951	1553	15	26	41	1	4	5	15	17	32	3
335	BLAIRGOWRIE (including Town),	c. 4081	4423	57	85	142	7	12	19	59	60	119	30
336	Callander,	1716	1676	26	24	50	4	1	5	14	13	27	4
337	Caputh,	c. 1920	1728	25	19	44	2	2	4	15	12	27	11
338	Cargill,	1629	1647	26	22	48	3	3	6	16	12	28	4
339	Clunie,	723	699	12	8	20	—	—	—	6	9	15	4
340	Collace,	581	534	9	5	14	1	—	1	6	8	14	4

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
341	Comrie,	2463	2226	23	29	52	3	4	7	24	26	50	5
342	CRIEFF (incl. Town),	4504	4490	47	60	107	6	14	20	52	57	109	25
343	CULROSS (incl. Burgh),	1487	1423	26	34	60	2	6	8	11	13	24	9
344	Dowally,	c. 531	486	6	6	12	2	—	2	6	4	10	4
345	Dron,	394	376	4	3	7	—	1	1	2	2	4	1
346	Dull,	c. 855	753	9	4	13	1	—	1	4	7	11	1
347	Dunbarney,	1066	1035	12	17	29	—	3	3	12	13	25	2
348	Dunblane,	c. 3213	3096	51	53	104	6	7	13	38	38	76	20
349	Dunkeld,	c. 1199	1086	14	21	35	1	—	1	5	11	16	7
350	Dunning,	2206	2084	30	33	63	5	4	9	22	20	42	11
351	Errol,	2796	2759	48	45	93	5	2	7	33	32	65	19
352	Findo-Gask,	405	399	4	4	8	—	—	—	5	2	7	3
353	Forgandenny,	828	739	19	8	27	3	1	4	2	7	9	5
354	Forteviot,	638	595	11	5	16	2	—	2	3	6	9	4
a355	Fortingall,	c. 1409	1244	17	14	31	3	1	4	19	10	29	8
b355	Foss,	c. 432	381	3	4	7	1	2	3	4	3	7	2
356	Fowlis-Easter,	300	317	7	9	16	—	1	1	—	4	4	2
357	Fowlis-Wester,	1321	1276	16	10	26	—	—	—	12	20	32	11
358	Glendevon,	128	138	2	1	3	—	—	—	1	—	1	—
359	Inchture,	745	659	15	11	26	1	2	3	9	9	18	4
360	Kenmore,	c. 1718	1515	15	13	28	2	1	3	13	20	33	7
361	Killin,	c. 1817	1681	15	20	35	—	2	2	13	13	26	10
362	Kilmadock,	3659	3312	42	30	72	4	4	8	35	25	60	20
363	Kilspindie,	684	665	12	17	29	—	5	5	9	8	17	3
364	Kincardine,	1993	1778	24	24	48	2	3	5	13	15	28	9
365	Kinclaven,	881	758	5	12	17	1	2	3	8	7	15	5
366	Kinfauns,	650	659	7	10	17	1	—	1	9	6	15	2
367	Kinloch-Rannoch,	c. 1303	1147	15	11	26	2	1	3	8	8	16	6
368	Kinnaird,	370	318	7	7	14	1	1	2	3	2	5	4
369	Kinnoull,	771	796	9	8	17	1	1	2	3	11	14	2
370	Kirkmichael—												
	(1) Kirkmichael,	c. 849	812	7	14	21	1	2	3	13	7	20	1
	(2) Glenshee,	c. 349	334	4	6	10	—	—	—	4	6	10	—
371	Lecropt,	442	538	8	9	17	1	—	1	2	5	7	4
372	Lethendy and Kinloch,	c. 544	530	5	6	11	—	—	—	2	4	6	1
373	Little Dunkeld,	c. 2140	2089	33	38	71	4	1	5	25	30	55	11
374	Logie (including part of STIRLING),	2551	3483	38	44	82	8	6	14	37	34	71	21
375	Logiealmond,	c. 959	815	9	6	15	2	—	2	12	5	17	5
376	Logierait,	c. 2109	1902	31	30	61	6	7	13	16	28	44	8
377	Longforgan,	1787	1823	28	34	62	—	—	—	24	24	48	9
378	Madderty,	593	536	7	2	9	—	—	—	3	6	9	4
379	Meikle,	978	1122	19	16	35	1	1	2	9	6	15	6
380	Methven,	c. 2394	2290	38	32	70	4	6	10	20	25	45	11
381	Moneydie,	321	252	2	2	4	—	—	—	1	—	1	—
382	Monzie,	c. 569	461	2	3	5	1	—	1	2	—	2	—
383	Monzievaird,	790	782	12	19	31	1	2	3	4	10	14	1
384	Moulin,	c. 1772	1605	23	20	43	3	3	6	13	13	26	5
385	Muckhart,	685	615	8	11	19	—	2	2	5	4	9	4
a386	Muthill,	c. 2972	2008	50	45	95	5	5	10	32	26	58	13
b386	Persie,	c. 814	839	8	13	21	—	—	—	6	5	11	4
387	PERTH (incl. Burgh),	24670	26094	422	438	860	38	31	69	414	457	871	218
388	Port of Menteith,	1419	1375	20	17	37	4	3	7	10	12	22	4
389	Ratray,	c. 2308	2234	36	26	62	1	4	5	24	24	48	12
390	Redgorton,	c. 1955	1596	18	28	46	2	3	5	22	11	33	4
391	Rhynd,	338	297	5	5	10	—	—	—	6	2	8	2
392	St Madoes,	288	280	7	2	9	2	—	2	1	1	2	2
393	St Martins,	983	904	12	9	21	1	2	3	4	12	16	1
a394	Scone,	2332	2153	31	27	58	3	2	5	20	21	41	12
b394	Strathfillan,	c. 435	411	7	2	9	2	—	2	2	2	4	2

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
394	Tenandry,	c. 681	595	5	4	9	—	—	—	4	5	9	2
395	Tibbermore,	1469	1182	11	11	22	1	—	1	7	5	12	7
396	Trinity-Gask,	597	488	6	4	10	—	—	—	4	4	8	1
397	Tulliallan (including KIN- CARDINE),	3043	2410	27	26	53	4	1	5	25	25	50	24
398	Weem,	c. 230	215	4	5	9	—	2	2	2	3	5	1
	Total,	137369	133198	1902	1931	3833	201	208	409	1477	1564	3041	777
14. FIFE.													
399	Abbotshall,	688	808	7	8	15	—	1	1	3	4	7	4
400	Abdie,	c. 1353	1257	19	19	38	2	—	2	7	11	18	11
401	Aberdour,	1945	1874	20	26	46	1	2	3	13	17	30	10
402	ANSTRUTHER- EASTER (pt. of Burgh),	1161	1155	22	22	44	2	—	2	13	20	33	4
403	ANSTRUTHER- WESTER (incl. Burgh),	443	438	12	10	22	1	1	2	3	2	5	2
404	Arngask,	689	705	12	11	23	1	1	2	2	4	6	4
405	Auchterderran,	3210	3457	83	77	160	5	3	8	33	32	65	22
406	AUCHTERMUCHTY (incl. Burgh),	3704	3285	47	48	95	6	3	9	28	31	59	21
407	Auchtertool,	517	609	16	11	27	5	—	5	4	4	8	6
408	Ballingry,	568	736	27	16	43	3	—	3	8	3	11	4
409	Balmerino,	945	815	8	12	20	1	1	2	14	14	28	1
410	Beath,	1252	2390	82	76	158	5	—	5	27	22	49	10
411	BURNTISLAND (incl. Burgh),	3158	3670	55	76	131	1	3	4	19	33	52	22
412	Cameron,	1207	1362	18	20	38	2	1	3	7	12	19	7
413	Carnbee,	1129	1157	19	15	34	—	1	1	9	13	22	6
414	Carnock,	3191	2925	55	62	117	3	3	6	37	23	60	11
415	Ceres,	2833	2723	32	31	63	2	4	6	28	17	45	11
416	Collessie,	1520	1530	21	24	45	2	2	4	12	6	18	12
417	CRAIL (incl. Burgh),	1903	1931	38	26	64	2	2	4	41	31	72	10
418	Creich,	386	377	7	4	11	1	—	1	5	3	8	—
419	Cults,	915	800	10	14	24	—	—	—	7	7	14	5
420	CUPAR (incl. Burgh),	7427	6750	92	99	191	7	13	20	66	76	142	55
421	Dairsie,	708	638	6	9	15	—	—	—	6	8	14	2
422	Dalgetty,	1513	1569	35	32	67	1	4	5	14	10	24	10
423	Dunbog,	c. 409	414	14	11	25	1	—	1	—	4	4	1
424	DUNFERMLINE— (1) Burgh,	13836	13506	242	218	460	21	17	38	186	211	397	152
	(2) Landward,	c. 7602	7609	168	118	286	13	9	22	102	91	193	24
425	Dunino,	289	370	5	5	10	1	1	2	2	2	4	—
426	DYSART (incl. Burgh),	8739	8842	141	158	299	9	8	17	103	93	196	62
427	Elie,	843	826	12	9	21	1	1	2	11	8	19	2
428	FALKLAND (incl. Burgh),	3102	2937	48	48	96	5	7	12	20	25	45	11
429	Ferry-Port-on-Craig,	2238	2013	26	26	52	—	2	2	19	14	33	16
430	Flisk,	c. 157	230	6	5	11	—	—	—	1	1	2	1
431	Forgan,	1125	1326	21	15	36	—	1	1	6	18	24	16
432	INVERKEITHING (incl. Burgh),	c. 2748	3196	46	49	95	7	1	8	32	34	66	14
433	Kemback,	956	896	8	8	16	2	2	4	6	11	17	4
434	Kennoway,	2257	2012	25	18	43	5	4	9	16	19	35	10
435	Kettle,	2601	2474	40	37	77	5	2	7	22	19	41	10
436	Kilconquhar (including EARLSFERRY),	2489	2431	41	36	77	6	3	9	22	27	49	11
437	Kilmany,	662	656	11	9	20	—	3	3	1	5	6	1
438	KILRENNY (incl. Burgh and part of AN- STRUTHER-EASTER),	2194	2534	44	47	91	1	3	4	17	31	48	19
439	KINGHORN (incl. Burgh),	2455	2349	39	44	83	10	6	16	35	39	74	16

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
440	Kinglassie,	1186	1266	18	22	40	2	2	4	9	10	19	2
441	Kingsbarns,	893	937	20	17	37	1	1	2	9	12	21	4
442	KIRKCALDY (including Burgh),	10636	11117	208	159	367	14	7	21	130	135	265	93
443	Largo,	2800	2626	35	49	84	6	2	8	16	31	47	10
444	LESLIE (incl. Town), . .	3800	4332	67	63	130	8	7	15	30	58	88	29
445	Leuchars,	1991	1903	25	25	50	—	3	3	25	16	41	14
446	Logie,	467	410	4	16	20	—	1	1	4	2	6	4
447	Markinch,	5843	5375	83	94	177	8	14	22	56	62	118	27
448	Monimail,	1102	1054	11	13	24	1	3	4	9	11	20	7
449	Moonzie,	198	179	6	3	9	1	—	1	2	2	4	3
450	NEWBURGH (including Burgh),	2986	2693	45	48	93	6	2	8	26	31	57	14
451	Newburn,	375	374	4	7	11	1	—	1	3	—	3	1
452	PITTENWEEM (incl. Burgh),	1473	1710	30	29	59	3	3	6	21	16	37	6
453	ST ANDREWS and St Leonards (incl. Burgh of St Andrews), . .	7327	7605	111	127	238	15	6	21	104	85	189	42
454	St Monance (or Abercrombie),	1241	1498	27	37	64	2	1	3	10	23	33	5
455	Saline,	1792	1610	31	39	70	2	4	6	16	16	32	11
456	Scoonie (incl. LEVEN), .	3115	3257	50	34	84	3	1	4	39	34	73	19
457	Strathmiglo,	2509	2261	27	29	56	4	5	9	20	24	44	8
458	Torryburn,	1341	1229	16	19	35	—	3	3	10	18	28	7
459	Wemyss,	5647	6003	114	100	214	2	9	11	48	45	93	29
Total,		153789	155021	2612	2539	5151	219	189	408	1594	1686	3280	955
15. KINROSS.													
460	Cleish,	659	649	8	11	19	—	1	1	4	5	9	2
461	Fossoway and Tulliebole, .	1621	1584	21	21	42	2	—	2	15	10	25	5
462	KINROSS (incl. Town), .	3227	2649	41	36	77	8	4	12	27	27	54	11
463	Orwell,	2569	2399	20	22	42	2	2	4	21	25	46	16
464	Portmoak,	1550	1450	25	15	40	5	2	7	14	9	23	7
Total,		9626	8731	115	105	220	17	9	26	81	76	157	41
16. CLACKMANNAN.													
465	ALLOA (incl. Town), . .	9493	8867	175	157	332	11	10	21	104	127	231	73
466	Clackmannan,	5802	4425	105	87	192	7	6	13	53	49	102	35
467	Dollar,	1574	1776	29	19	48	1	—	1	12	20	32	14
468	TILlicOUNTRY (including Town),	4686	5054	79	82	161	6	11	17	59	59	118	32
Total,		21555	20122	388	345	733	25	27	52	228	255	483	154
V. WEST-MIDLAND.													
17. STIRLING.													
469	Airth,	1319	1194	29	19	48	2	3	5	9	14	23	7
470	ALVA (incl. Town), . .	3204	3283	76	77	153	10	6	16	29	29	58	19
471	Baldernock,	801	718	10	11	21	1	2	3	7	6	13	4
472	Balfron,	1900	1517	23	24	47	2	4	6	16	19	35	5
473	Bothkennar,	1179	1722	44	32	76	2	2	4	17	17	34	12
474	Buchanan,	632	705	11	11	22	1	1	2	8	1	9	2
475	Campsie (including LENNOXTOWN),	6918	6483	107	88	195	9	8	17	55	79	134	68
476	DENNY (incl. Town), . .	4754	4988	101	105	206	13	8	21	74	73	147	37
477	Drymen,	1481	1619	28	17	45	4	2	6	18	12	30	4
478	Dunipace,	1472	1731	41	38	79	2	4	6	22	20	42	10
479	FALKIRK—(1) Burgh, .	8752	9030	167	170	337	11	15	26	127	112	239	53
	(2) Landward,	7686	7996	168	158	326	10	12	22	106	109	215	90

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
480	Fintry,	823	685	9	12	21	—	2	2	4	11	15	3
481	Gargunnoch,	754	728	11	5	16	—	1	1	7	3	10	3
482	Killearn,	1176	1171	18	16	34	1	2	3	4	8	12	4
483	KILSYTH (incl. Town), . .	5346	6112	151	174	325	17	23	40	75	73	148	55
484	Kippen,	1892	1722	21	26	47	6	2	8	22	15	37	7
485	Larbert,	4606	4999	102	103	205	12	10	22	74	58	132	33
486	Muiravonside,	2647	2660	55	45	100	3	1	4	20	23	43	20
487	Polmont,	3764	4111	81	76	157	4	8	12	45	28	73	25
488	St Ninians (includ. BAN- NOCKBURN, Town), . .	7630	6648	116	104	220	14	9	23	73	70	143	35
489	Slamannan,	1655	2916	76	69	145	2	2	4	28	38	66	24
490	STIRLING (incl. Burgh), .	12401	14012	267	268	535	23	24	47	160	144	304	129
491	Strathblane,	1010	1388	21	22	43	1	—	1	19	5	24	1
Total,		83802	88138	1733	1670	3403	150	151	301	1019	967	1986	650
18. DUMBARTON.													
492	Arrochar,	562	629	8	7	15	1	—	1	7	3	10	—
493	BONHILL (includ. Town, & ALEXANDRIA, Town), .	7819	9059	149	142	291	7	11	18	92	108	200	64
494	Cardross (incl. RENTON), .	3402	4168	87	86	173	9	6	15	54	56	110	21
495	Cumbernauld,	3778	3513	67	74	141	8	7	15	34	26	60	21
496	DUMBARTON (incl. Burgh), .	5445	8268	234	190	424	13	12	25	153	171	324	71
497	Kilmarnock,	1033	1085	15	17	32	2	—	2	12	8	20	2
498	KIRKINTILLOCH (incl. Town)	8426	8179	186	173	359	24	27	51	135	117	252	48
499	Luss,	907	831	12	9	21	1	—	1	15	7	22	3
500	New, or East, Kilpatrick, .	4286	4910	127	115	242	7	8	15	53	47	100	28
501	Old, or West, Kilpatrick (incl. DUNTOCHER, Town), .	5921	5577	97	102	199	9	5	14	80	66	146	30
502	Roseneath,	1044	1626	22	26	48	—	2	2	10	11	21	3
503	Row (incl. HELENSBURGH), .	4372	6334	107	102	209	10	6	16	75	83	158	24
Total,		46995	54179	1111	1043	2154	91	84	175	720	703	1423	315
19. ARGYLL. Mainland.													
504	Ardehatten,	1525	1381	14	14	28	—	1	1	15	6	21	2
505	Ardnamurchan— (1) Aharacle, c.	1791	1544	22	26	48	2	—	2	14	11	25	1
	(2) Arisaig, c.	1555	1343	18	18	36	—	—	—	3	8	11	1
	(3) Sunart (or Strontian) c.	875	759	8	7	15	—	1	1	8	6	14	3
	(4) Western District, . c.	1225	1054	11	12	23	2	1	3	9	13	22	7
506	Ballachulish and Corran of Ardgour, c.	1125	919	15	6	21	—	—	—	12	4	16	4
507	CAMPBELTOWN (incl. Burgh),	9381	8149	129	127	256	11	11	22	74	85	159	49
508	Craignish,	756	618	6	8	14	—	—	—	2	6	8	3
509	Cumlodden,	1095	1033	19	13	32	1	—	1	16	7	23	8
510	DUNOON and KILMUN (incl. DUNOON & KIRN), .	4518	5461	69	66	135	4	5	9	71	56	127	33
511	Glassary, c.	1860	1769	31	21	52	1	2	3	17	14	31	9
512	Glenorchy and Inishail, .	1450	1307	14	8	22	2	1	3	16	13	29	2
513	INVERARAY (including Burgh),	1755	1650	18	19	37	—	2	2	20	18	38	9
514	Inverchaolain,	474	424	3	8	11	—	1	1	6	5	11	1
515	Kilbrandon & Kilchattan, c.	2571	2053	21	16	37	2	1	3	20	15	35	11
516	Kilcalmonell, etc.— (1) Kilcalmonell, . . . c.	930	742	4	8	12	1	1	2	6	6	12	7
	(2) Kilberry,	689	583	11	4	15	1	—	1	3	5	8	—
517	Kilchrenan, etc.— (1) Kilchrenan,	494	385	4	2	6	—	—	—	1	3	4	1
	(2) Dalavich,	282	230	3	1	4	—	—	—	5	1	6	—

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
518	Kilfinan,	1695	1891	34	35	69	3	1	4	21	33	54	8
519	Killean and Kilchenzie, . .	2219	1890	25	20	45	1	1	2	7	12	19	6
520	Kilmalie, c. 4110	3353	3353	33	33	66	3	2	5	34	46	80	21
521	Kilmartin,	1144	949	15	18	33	—	1	1	9	9	18	2
522	Kilmodan,	500	433	9	6	15	—	1	1	5	4	9	—
523	Kilmore and Kilbride (incl. Burgh of OBAN),	3131	2962	38	40	78	5	3	8	40	33	73	14
524	Kilninver, etc.— (1) Kilninver,	449	314	4	4	8	—	—	—	1	1	2	3
	(2) Kilmelford,	265	486	10	11	21	2	1	3	7	4	11	3
525	Lismore, etc.— (1) Lismore, c. 1167	1023	1023	17	10	27	—	—	—	8	10	18	1
	(2) Appin, c. 940	825	825	10	8	18	1	—	1	3	5	8	6
	(3) Glencoe & Ballachu- lish, c. 1510	1324	1324	36	20	56	1	—	1	21	10	31	5
	(4) Duror, c. 480	423	423	6	7	13	—	1	1	6	2	8	—
526	Lochgilphead, c. 3263	3312	3312	64	48	112	1	4	5	33	22	55	18
527	Lochgoilhead, etc.— (1) Lochgoilhead,	446	418	4	3	7	1	—	1	5	6	11	1
	(2) Kilmorich,	388	284	3	4	7	—	—	—	2	6	8	—
528	Morvern,	1547	1226	15	24	39	4	3	7	11	15	26	7
529	Muckairn,	788	729	8	8	16	1	1	2	5	5	10	1
530	North Knapdale,	1666	1327	15	9	24	2	—	2	20	13	33	1
531	Saddell, etc.— (1) Saddell,	791	739	9	16	25	—	1	1	8	3	11	1
	(2) Skipness, c. 705	533	533	5	4	9	—	—	—	7	9	16	—
532	Southend,	1406	1214	21	22	43	2	2	4	11	13	24	9
533	South Knapdale,	565	654	7	3	10	1	—	1	5	4	9	5
534	Stralachlan, etc.— (1) Stralachlan,	397	309	4	3	7	—	—	—	1	3	4	2
	(2) Strachur,	518	563	9	3	12	—	—	—	10	7	17	1
535	Tarbert, c. 1828	1661	1661	33	39	72	4	4	8	19	13	32	3
	Insular.												
536	Bowmore (or Kilarrow), . .	3469	2701	27	28	55	3	3	6	26	23	49	12
537	Gigha,	547	467	5	1	6	1	—	1	7	3	10	—
538	Iona, c. 900	743	743	12	11	23	1	—	1	7	12	19	2
539	Jura, etc.—(1) Jura, c. 868	858	858	9	6	15	1	—	1	6	8	14	4
	(2) Colonsay,	837	598	3	11	14	—	3	3	2	4	6	1
540	Kilchoman, c. 2865	2377	2377	21	21	42	2	4	6	19	26	45	9
541	Kildalton, c. 2450	2187	2187	21	30	51	2	3	5	15	17	32	3
542	Kilfinichen & Kilviekeon, c. 2171	1792	1792	23	19	42	2	1	3	12	19	31	7
543	Kilmeny,	1413	1268	15	17	32	1	1	2	12	16	28	4
544	Kilninian and Kilmore, . . c. 1890	1641	1641	17	16	33	2	1	3	10	15	25	8
545	Kinlochspelve, c. 420	428	428	7	3	10	—	1	1	4	4	8	—
546	Oa, c. 860	769	769	7	7	14	—	—	—	5	3	8	2
547	Portnahaven, c. 1277	1059	1059	22	12	34	1	—	1	15	13	28	1
548	Salen, c. 634	604	604	9	6	15	1	—	1	4	4	8	3
549	Tobermory, c. 1804	1566	1566	23	26	49	2	1	3	19	13	32	4
550	Torosa, c. 550	557	557	7	9	16	—	—	—	6	7	13	2
551	Tyree, etc.—(1) Tyree, . . 3709	3217	3217	37	36	73	3	4	7	22	23	45	14
	(2) Coll,	1109	781	9	7	16	—	—	—	4	10	14	—
	Total,	94042	83859	1128	1048	2176	81	75	156	812	790	1602	345
	20. BUTE.												
552	Cumbraes,	1275	1256	18	16	34	1	—	1	9	21	30	12
553	Kilbride, c. 2340	2253	2253	28	20	48	4	1	5	21	20	41	8
554	Kilmory, c. 2724	2515	2515	25	24	49	2	2	4	16	26	42	11
555	Kingarth,	1007	905	10	13	23	—	1	1	3	8	11	7

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
556	Lochranza,	c. 883	824	9	10	19	1	1	2	7	8	15	5
557	North Bute,	c. 1235	1351	14	16	30	—	2	2	11	25	36	4
558	ROTHESAY,	c. 7144	7227	92	104	196	9	10	19	95	117	212	51
	Total,	16608	16331	196	203	399	17	17	34	162	225	387	98
VI. SOUTH-WESTERN.													
21. RENFREW.													
559	ABBEY—												
	(1) Part of PAISLEY,	16351	15889	303	334	637	37	26	63	232	264	496	195
	(2) Landward (including part of BARRHEAD),	c. 4867	5670	105	92	197	6	8	14	59	56	115	49
	(3) JOHNSTONE (including Town),	c. 7363	8142	204	165	369	18	11	29	114	107	221	74
560	Cathcart,	2916	3782	74	57	131	5	1	6	50	29	79	39
561	Eaglesham,	2524	2328	25	35	60	4	3	7	14	22	36	17
562	EASTWOOD,	9243	11314	229	210	439	29	21	50	141	124	265	99
563	Erskine,	1232	1457	24	18	42	1	—	1	14	18	32	10
564	GREENOCK—												
	(1) New, or Middle,	9414	9446	255	286	541	20	38	58	233	232	465	50
	(2) East,	7704	12135	342	327	669	11	12	23	216	193	409	141
	(3) Old, or West,	20318	22313	614	568	1182	26	24	50	566	489	1055	352
565	Houston and Killellan,	2753	2490	51	38	89	6	7	13	22	17	39	18
566	Inchinnan,	649	619	15	5	20	—	—	—	7	2	9	2
567	Innerkip—												
	(1) Innerkip,	c. 1026	1188	22	27	49	1	—	1	14	15	29	8
	(2) GOUROCK (including Town),	c. 1992	2307	31	47	78	1	3	4	28	52	80	11
568	KILBARCHAN,	5474	6348	131	128	259	5	11	16	59	63	122	32
569	Kilmalcolm,	1399	1455	15	18	33	1	2	3	11	12	23	14
570	Lochwinnoch,	4153	3821	59	39	98	6	1	7	40	46	86	23
571	Mearns,	3704	3547	59	53	112	2	4	6	44	42	86	26
572	Neilston (including part of BARRHEAD),	12233	11013	167	150	317	22	18	40	119	134	253	65
573	PAISLEY—												
	(1) High,	14643	14900	308	282	590	23	21	44	185	195	380	114
	(2) Low,	7205	6712	139	133	272	18	18	36	149	136	285	76
	(3) Middle,	9904	9926	195	199	394	17	17	34	167	193	360	95
574	PORT-GLASGOW (incl. Burgh),	7017	7294	244	231	475	21	15	36	231	192	423	125
575	RENFREW (incl. Burgh),	3866	4650	113	111	224	7	5	12	68	64	132	36
	Total,	157950	168746	3724	3553	7277	287	266	553	2783	2697	5480	1671
22. AYR.													
576	ARDROSSAN—												
	(1) Old (including part of SALTCOATS),	c. 3434	3530	64	71	135	12	8	20	43	50	93	53
	(2) New (including ARDROSSAN),	c. 2147	3246	74	64	138	5	1	6	25	27	52	28
577	Auchinleck,	3697	4213	133	85	218	12	7	19	54	53	107	18
578	AYR (incl. Burgh),	18845	19659	307	325	632	38	40	78	253	288	541	132
579	Ballantrae,	1801	1483	16	20	36	8	2	10	13	10	23	5
580	Barr,	907	910	11	8	19	1	1	2	6	6	12	11
581	BEITH (incl. Town),	6425	5775	139	130	269	14	14	28	64	45	109	39
582	Colmonell,	2934	2588	38	29	67	7	1	8	5	21	26	16
583	Coylton,	1542	1604	18	20	38	2	—	2	13	9	22	14
584	Craigie,	793	730	9	12	21	—	—	—	3	7	10	1
585	Dailly,	2413	2050	42	29	71	7	3	10	27	23	50	11

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
586	Dalmellington,	2910	4194	105	197	212	10	7	17	39	31	70	21
587	DALRY (incl. Town), . .	8865	11156	310	296	606	18	25	43	153	150	303	94
588	Dalrymple,	1096	1325	18	18	36	2	1	3	8	9	17	7
589	Dreghorn,	1828	3283	72	61	133	5	4	9	29	29	58	24
590	Dundonald (incl. TROON),	4555	4694	69	68	137	3	7	10	32	38	70	24
591	Dunlop,	1115	1038	15	13	28	2	—	2	8	5	13	6
592	Fenwick,	1741	1532	25	21	46	2	—	2	13	25	38	11
593	GALSTON (incl. Town), . .	4392	5254	125	114	239	5	5	10	79	62	141	31
594	GIRVAN (incl. Town), . .	8588	7053	119	96	215	21	21	42	74	60	134	45
595	IRVINE (incl. Burgh), . .	8463	8607	173	152	325	24	19	43	99	109	208	88
596	KILBIERNIE (incl. Town),	5484	5265	129	119	248	10	3	13	72	65	137	39
597	KILMARNOCK (incl. part of Burgh),	21287	23556	525	478	1003	33	34	67	255	329	584	192
598	Kilmaurs,	3144	3526	55	49	104	10	4	14	36	51	87	17
599	KILWINNING (incl. Town),	6359	7717	175	164	339	13	11	24	74	70	144	46
600	Kirkmichael,	3262	2823	43	42	85	5	7	12	25	23	48	17
601	Kirkoswald,	2242	2060	31	25	56	2	2	4	15	8	23	8
602	LARGS (incl. Town), . .	3715	3620	61	55	116	3	—	3	39	48	87	21
603	Loudoun (incl. NEW- MILNS),	4720	4840	103	97	200	6	9	15	46	54	100	46
604	Mauchline,	2470	2303	37	37	74	1	1	2	17	21	38	17
605	MAYBOLE (incl. Town), . .	7615	6713	115	104	219	17	20	37	81	81	162	44
606	Monkton and Prestwick,	1960	1937	29	32	61	4	8	12	15	23	38	16
607	MUIRKIRK (incl. Town),	3423	3270	68	68	136	10	10	20	37	30	67	21
608	New Cumnock,	2759	2891	45	44	89	4	8	12	25	19	44	16
609	Ochiltree,	1787	1676	14	13	27	2	—	2	7	12	19	8
610	Old Cumnock (including Town),	3777	3721	63	67	130	9	6	15	47	44	91	39
611	Ricccarton (incl. part of KILMARNOCK),	4583	5629	140	129	269	10	7	17	79	58	137	47
612	St Quivox and Newton- upon-Ayr,	2231	1870	43	23	66	7	3	10	21	11	32	13
613	Sorn (incl. CATRINE), . .	4174	4042	76	62	138	6	7	13	63	67	130	26
614	Stair,	820	743	10	18	28	2	2	4	4	3	7	7
615	STEVENSTON (incl. Town and part of SALTCOATS),	3811	5452	113	143	256	8	7	15	67	71	138	37
616	STEWARTON (incl. Town),	4572	4449	49	75	124	11	6	17	37	62	99	37
617	Straiton,	1540	1544	30	27	57	1	2	3	13	9	22	19
618	Symington,	902	855	13	11	24	—	1	1	6	3	9	4
619	Tarbolton,	2824	2669	58	58	116	8	4	12	45	44	89	22
620	West Kilbride,	2021	1968	30	40	70	1	6	7	23	13	36	8
Total,		189973	199063	3937	3719	7656	381	334	715	2189	2276	4465	1446
23. LANARK.													
621	Avondale (incl. STRATH- AVEN),	6451	6125	102	105	207	7	9	16	68	63	131	60
622	Barony— (1) MARYHILL (incl. Town and part of GLASGOW),	c. 4007	6734	152	137	289	9	10	19	94	77	171	61
	(2) Springburn (incl. pt. of GLASGOW),	c. 6386	8911	234	239	473	40	32	72	343	317	660	62
	(3) Shettleston,	c. 6564	6914	144	123	267	12	5	17	104	80	184	66
623	Biggar,	2049	1999	28	39	67	8	4	12	21	20	41	18
624	Blantyre,	2848	3092	56	42	98	6	4	10	33	38	71	23
625	Bothwell— (1) Bothwell (including BELLSHILL),	c. 5583	7059	183	152	335	10	10	20	97	106	203	44
	(2) Holytown,	c. 9700	10844	232	255	487	11	23	34	148	109	257	65

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
626	Cadder—												
	(1) Western District,	c. 2550	3023	58	72	130	5	4	9	32	25	57	9
	(2) Eastern District,	c. 2464	2925	57	70	127	6	7	13	29	37	66	13
626	Calderhead,	c. 2140	3789	82	80	162	5	9	14	40	35	75	19
627	Cambuslang,	3306	3647	84	58	142	4	2	6	40	50	90	25
628	Cambusnethan (including WISHAW) (part of),	8571	13377	350	325	675	38	32	70	187	139	326	95
629	CARLUKE (incl. Town),	6283	6176	176	148	324	17	12	29	93	78	171	48
630	Carmichael,	805	836	13	15	28	2	3	5	6	11	17	5
631	Carmunnoch,	710	734	17	8	25	—	—	—	5	5	10	5
632	Carnwath,	3551	3584	101	81	182	14	10	24	38	41	79	33
633	Carstairs,	1066	1345	28	27	55	2	2	4	11	12	23	4
634	Covington & Thankerton,	548	532	8	3	11	2	1	3	10	5	15	1
635	Crawford—												
	(1) Crawford,	c. 730	694	11	14	25	1	1	2	7	6	13	7
	(2) Leadhills,	c. 940	896	18	19	37	2	5	7	12	13	25	10
636	Crawfordjohn,	1111	980	15	7	22	1	4	5	7	6	13	6
637	Culter,	472	665	6	2	8	—	1	1	2	3	5	1
638	Dalserf—												
	(1) LARKHALL (including Town),	c. 2670	3629	85	106	191	6	11	17	38	40	78	40
	(2) Dalserf,	c. 913	1247	23	19	42	1	2	3	14	12	26	9
639	Dalziel (incl. MOTHERWELL),	2262	5438	178	158	336	5	8	13	82	81	163	36
640	Dolphington,	305	260	5	2	7	—	—	—	2	1	3	4
641	Douglas,	2611	2490	44	46	90	8	4	12	33	25	58	24
642	Dunsyre,	312	312	2	4	6	—	—	—	—	1	1	3
643	East Kilbride,	3760	4064	59	63	122	6	5	11	36	41	77	31
644	GLASGOW—												
	(1) Central District,	c. 43270	49678	1198	1162	2360	213	247	460	1030	1037	2067	388
	(2) High,	c. 42005	48119	1088	1045	2133	94	90	184	1268	1012	2280	400
	(3) Bridgeton,	c. 38385	45485	1062	969	2031	96	85	181	756	803	1559	435
	(4) Calton,	c. 33310	36625	729	746	1475	52	48	100	566	592	1158	502
	(5) Clyde,	c. 32800	29975	592	513	1105	78	59	137	462	468	930	212
	(6) Blythswood,	c. 21405	28697	460	436	896	40	28	68	311	293	604	580
	(7) Milton,	c. 26240	33360	846	727	1573	52	41	93	528	513	1041	290
	(8) Anderston,	c. 30035	40945	975	1031	2006	37	57	94	651	611	1262	367
	(9) Tradeston,	c. 27163	38600	854	854	1708	55	47	102	702	658	1360	480
	(10) Hutchesontown,	c. 34484	44019	1082	1042	2124	90	83	173	714	699	1413	343
645	Glassford,	1955	1938	26	23	49	1	—	1	24	9	33	15
646	GOVAN—												
	(1) GOVAN (incl. Town),	c. 6238	13725	409	420	829	13	18	31	229	220	449	155
	(2) PARTICK (incl. Town),	c. 7852	14859	369	390	759	15	9	24	220	206	426	160
647	HAMILTON (incl. Burgh),	11740	14047	273	257	530	30	21	51	159	171	330	108
648	LANARK (incl. Burgh),	8243	7891	136	108	244	15	20	35	104	98	202	58
649	Lesmahagow,	7746	9266	150	173	323	18	21	39	83	89	172	54
650	Libberton,	800	836	15	10	25	1	2	3	5	7	12	1
651	New Monkland—												
	(1) AIRDRIE,	14435	12922	290	265	555	18	28	46	165	154	319	124
	(2) Landward,	8766	7632	151	141	292	11	13	24	91	72	163	47
652	Old Monkland—												
	(1) Western District,	c. 6646	6932	180	197	377	9	14	23	109	104	213	28
	(2) Middle District (incl. COATBRIDGE),	c. 13168	15303	396	401	797	19	16	35	212	186	398	153
	(3) Eastern District (incl. CALDERBANK),	c. 7519	7308	158	128	286	5	5	10	84	72	156	20
653	Pettinain,	428	407	5	2	7	—	—	—	2	3	5	5
654	RUTHERGLEN (incl. Burgh),	7954	9335	200	221	421	4	10	14	134	141	275	100
655	Shotts (part of),	c. 3892	c. 4778	103	117	220	4	5	9	44	42	86	22

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
656	STONEHOUSE (incl. Town),	2781	3267	82	56	138	11	8	19	35	26	61	25
657	Symington,	536	528	10	8	18	2	1	3	—	8	8	4
658	Walston,	497	480	9	6	15	—	—	—	6	6	12	1
659	Wandell and Lamington,	369	380	4	10	14	—	2	2	7	3	10	1
660	Wiston and Robertson, .	839	786	11	9	20	3	1	4	9	7	16	4
	Total,	533169	640444	14414	13886	28300	1214	1199	2413	10342	9787	20129	5909
	VII. SOUTH-EASTERN.												
	24. LINLITHGOW.												
661	Abercorn,	977	965	19	19	38	2	3	5	7	9	16	4
662	BATHGATE (incl. Town and ARMADALE), . .	4533	10134	329	294	623	18	22	40	143	134	277	105
663	BORROWSTOUNNESS (incl. Town),	5192	5698	121	126	247	7	6	13	69	58	127	41
664	Carriden,	1724	1821	55	40	95	8	5	13	12	18	30	21
665	Dalmeny,	768	804	21	13	34	—	1	1	8	8	16	6
666	Ecclesmachan,	289	309	5	9	14	—	—	—	3	3	6	4
667	Kirkliston,	2029	1907	45	30	75	4	1	5	30	20	50	13
668	LINLITHGOW—												
	(1) Burgh,	4213	3843	75	80	155	9	7	16	29	41	70	36
	(2) Landward,	1902	1941	39	30	69	5	1	6	14	20	34	20
669	Livingstone,	1289	1366	36	24	60	4	3	7	22	25	47	2
670	QUEENSFERRY (incl. Burgh),	1195	1391	27	20	47	3	3	6	19	22	41	10
671	Torphichen,	1356	1848	28	30	58	1	2	3	11	14	25	7
672	Uphall,	1331	1507	35	24	59	2	1	3	20	13	33	17
673	Whitburn,	3792	5511	130	146	276	9	20	29	55	56	111	43
	Total,	30590	39045	965	885	1850	72	75	147	442	441	883	329
	25. EDINBURGH.												
674	Borthwick,	1614	1742	41	37	78	3	7	10	23	21	44	11
675	Carrington,	710	681	8	16	24	2	3	5	3	5	8	2
676	Cockpen,	3228	2902	70	51	121	5	7	12	37	36	73	28
677	Colinton,	2676	2656	42	56	98	2	5	7	24	29	53	25
678	Corstorphine,	1499	1579	28	22	50	2	1	3	19	21	40	15
679	Cramond,	2547	2695	50	48	98	1	2	3	28	22	50	18
680	Cranston,	1235	1035	17	24	41	2	5	7	4	7	11	7
681	Crichton,	1387	1304	24	30	54	5	1	6	15	19	34	3
682	Currie,	2190	2248	37	42	79	2	1	3	27	24	51	14
683	DALKEITH (incl. Town),	6521	7114	123	144	267	9	13	22	103	104	207	55
684	Duddingston—												
	(1) PORTOBELLO, . .	3559	4366	56	72	128	3	3	6	48	58	106	40
	(2) Landward, . . .	904	857	12	20	32	—	2	2	2	6	8	3
685	EDINBURGH—												
	(1) St George (incl. Landward of St Cuth- bert),	c. 38540	42068	723	694	1417	45	43	88	537	594	1131	340
	(2) St Andrew, . . .	c. 37435	38731	478	468	946	28	28	56	308	363	671	320
	(3) Canongate (incl. Landward),	c. 29230	30169	675	671	1346	72	72	144	744	589	1333	232
	(4) St Giles,	c. 29245	29679	697	641	1338	157	119	276	376	412	788	320
	(5) Newington, . . .	c. 27198	29797	546	564	1110	31	41	72	362	393	755	362
686	Fala and Soutra, . . .	434	382	10	11	21	2	1	3	8	4	12	1
687	Glencross,	1138	1217	15	21	36	—	6	6	5	4	9	9
688	Heriot,	352	407	2	8	10	—	1	1	6	2	8	1
689	Inveresk (incl. MUSSEL- BURGH),	8653	9518	158	156	314	14	15	29	137	124	261	78

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
690	Kirknewton and East-Calder,	1630	1549	37	25	62	7	2	9	8	11	19	13
691	Lasswade,	5821	5688	98	102	200	12	7	19	54	50	104	42
692	LEITH—												
	(1) North Leith,	c. 9494	11562	266	251	517	6	15	21	151	126	277	116
	(2) South Leith	c. 22725	24467	527	492	1019	50	40	90	316	335	651	244
693	Liberton,	3528	3510	72	49	121	5	4	9	44	36	80	19
694	Mid-Calder,	1474	1389	22	21	43	1	1	2	11	7	18	15
695	Newbattle,	2518	2837	60	68	128	6	4	10	20	37	57	25
696	Newton,	1780	1553	20	24	44	2	3	5	9	9	18	10
697	Penicuik,	3003	3249	50	59	109	4	2	6	29	31	60	23
698	Ratho,	1718	1659	24	29	53	3	2	5	12	12	24	13
699	Stow,	1973	2171	47	46	93	3	4	7	16	15	31	1
700	Temple,	1414	1385	37	20	57	6	—	6	12	12	24	6
701	West-Calder,	2120	1927	55	54	109	2	9	11	27	35	62	15
	Total,	259493	274093	5127	5036	10163	192	169	361	3525	3553	7078	2481
	26. HADDINGTON.												
702	Aberlady,	1099	1019	18	12	30	4	2	6	9	13	22	10
703	Athelstaneford,	971	902	9	8	17	1	1	2	9	6	15	2
704	Bolton,	373	332	6	6	12	—	1	1	7	4	11	2
705	Dirleton,	1634	1540	23	21	44	3	1	4	10	11	21	4
706	DUNBAR (incl. Burgh),	4415	4944	79	91	170	8	11	19	61	62	123	21
707	Garvald,	869	891	20	10	30	2	1	3	10	5	15	9
708	Gladsmuir,	1780	1945	40	32	72	1	2	3	20	11	31	9
709	HADDINGTON (incl. Burgh),	5525	5548	100	96	196	6	9	15	46	63	109	41
710	Humbie,	925	997	17	14	31	1	1	2	7	13	20	4
711	Innerwick,	1012	937	6	21	27	1	1	2	13	10	23	6
712	Morham,	249	281	4	4	8	—	—	—	2	2	4	2
713	NORTH BERWICK (incl. Burgh),	1643	2071	35	41	76	2	4	6	13	15	28	12
714	Oldhamstocks,	692	615	9	14	23	—	3	3	4	4	8	2
715	Ormiston,	811	915	16	13	29	1	2	3	7	7	14	5
716	Pencaitland,	1175	1187	19	26	45	2	3	5	13	10	23	6
717	Prestonkirk,	1894	1960	35	40	75	4	2	6	16	14	30	14
718	Prestonpans,	2123	2080	46	32	78	1	1	2	15	25	40	11
719	Salton,	697	712	7	15	22	1	2	3	6	4	10	7
720	Spott,	595	555	5	6	11	1	1	2	4	9	13	3
721	Stenton,	719	692	11	8	19	4	—	4	1	9	10	3
722	TRANENT (incl. Town),	4158	4647	102	83	185	14	9	23	53	51	104	33
723	Whitekirk & Tynninghame,	1131	1113	14	11	25	1	2	3	8	10	18	9
724	Whittinghame,	671	710	16	14	30	2	2	4	7	9	16	4
725	Yester (or Gifford),	1202	1033	12	10	22	—	1	1	11	10	21	4
	Total,	36363	37626	649	628	1277	60	62	122	352	377	729	223
	27. BERWICK.												
726	Abbey St Bathans,	155	179	3	1	4	—	—	—	—	—	—	1
727	Ayton,	1959	2014	35	40	75	2	4	6	14	11	25	8
728	Bunkle and Preston,	715	756	16	15	31	2	1	3	3	3	6	3
729	Channelkirk,	728	671	16	15	31	4	2	6	5	6	11	2
730	Chirnside,	1384	1502	16	25	41	2	4	6	12	18	30	9
731	Cockburnspath,	1196	1194	21	23	44	2	1	3	12	4	16	7
732	Coldingham,	3188	3241	51	54	105	6	3	9	28	46	74	12
733	Coldstream,	3245	2823	38	35	73	3	2	5	22	26	48	13
734	Cranshaws,	127	134	2	—	2	—	—	—	2	1	3	—
735	DUNSE (incl. Town),	3407	3595	63	53	116	9	5	14	34	37	71	20
736	Earlston,	1819	1825	46	26	72	7	2	9	14	14	28	9

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
737	Eccles,	1892	1861	33	25	58	6	1	7	13	14	27	9
738	Edrom,	1474	1592	25	23	48	4	2	6	8	12	20	15
739	Eyemouth,	1488	1804	47	46	93	1	—	1	20	16	36	7
740	Fogo,	604	559	6	8	14	—	2	2	1	4	5	2
741	Foulden,	430	431	5	4	9	—	—	—	1	1	2	2
742	Gordon,	983	931	14	14	28	2	2	4	7	8	15	6
743	Greenlaw,	1378	1370	22	26	48	2	3	5	15	13	28	12
744	Hume,	406	420	6	6	12	—	—	—	1	3	4	—
745	Hutton,	1102	1067	15	11	26	2	1	3	9	10	19	6
746	Ladykirk,	561	564	4	7	11	—	—	—	4	6	10	3
747	Langton,	434	502	13	15	28	1	2	3	3	5	8	1
748	LAUDER (incl. Burgh),	2154	2198	40	35	75	6	6	12	14	15	29	9
749	Legerwood,	587	599	13	11	24	—	1	1	6	3	9	5
750	Longformacus,	411	448	6	5	11	1	1	2	5	4	9	2
751	Merton,	692	729	8	10	18	1	—	1	2	4	6	3
752	Mordington,	427	377	7	5	12	1	—	1	2	3	5	3
753	Nenthorn,	441	461	9	7	16	—	1	1	2	5	7	3
754	Polwarth,	331	251	3	2	5	1	—	1	2	—	2	1
755	Swinton,	994	964	11	21	32	1	2	3	9	4	13	4
756	Westruther,	791	786	18	19	37	1	3	4	6	5	11	5
757	Whitsome,	612	640	12	6	18	1	—	1	9	8	17	4
Total,		36165	36488	624	593	1217	63	51	119	285	309	594	186
28. PEEBLES.													
758	Broughton,	284	297	5	1	6	—	—	—	4	2	6	2
759	Drumelzier,	244	209	3	2	5	1	—	1	2	1	3	1
760	Eddlestone,	790	753	9	12	21	1	—	1	3	5	8	4
761	Glenholm,	252	198	2	2	4	—	—	—	—	—	—	—
762	Innerleithen,	1236	1823	39	42	81	4	1	5	20	19	39	12
763	Kilbucho,	345	228	4	5	9	—	1	1	2	2	4	2
764	Kirkurd,	326	362	5	5	10	—	—	—	6	5	11	3
765	Lyne, etc.—(1) Lyne,	95	81	3	3	6	—	1	1	1	—	1	—
	(2) Meggat,	63	53	—	3	3	—	—	—	1	—	1	1
766	Manor,	256	247	7	4	11	—	—	—	1	1	2	—
767	Newlands,	950	987	19	16	35	1	4	5	10	5	15	9
768	PEEBLES (incl. Burgh),	2673	2850	51	44	95	6	2	8	32	26	58	20
769	Skirling,	316	317	6	5	11	1	—	1	3	2	5	2
770	Stobo,	478	478	11	10	21	—	—	—	1	—	1	2
771	Traquair,	646	687	12	15	27	2	3	5	3	7	10	4
772	Tweedsmuir,	220	196	2	3	5	2	—	2	3	—	3	2
773	West Linton,	1630	1534	26	28	54	3	3	6	24	14	38	9
Total,		10804	11300	204	200	404	21	15	36	116	89	205	73
29. SELKIRK.													
774	Ettrick,	477	454	9	7	16	2	1	3	2	1	3	2
775	GALASHIELS (incl. part of Town),	3014	3379	80	56	136	6	5	11	49	42	91	34
776	Kirkhope, c.	600	555	11	12	23	1	2	3	4	6	10	3
777	Roberton,	670	640	13	7	20	1	2	3	3	7	10	1
778	SELKIRK (incl. Burgh),	4347	4739	92	81	173	10	6	16	41	37	73	30
779	Yarrow, c.	694	643	14	13	27	—	2	2	3	4	7	7
Total,		9802	10410	219	176	395	20	18	38	102	97	199	77
VIII. SOUTHERN.													
30. ROXBURGH.													
780	Ancrum,	1554	1511	19	27	46	2	3	5	10	10	20	5
781	Ashkirk,	578	578	9	8	17	1	—	1	7	4	11	2

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
782	Bedrule,	240	222	7	8	15	1	—	1	1	—	1	2
783	Bowden,	981	864	18	13	31	3	1	4	8	6	14	4
784	Castleton,	2130	3688	48	36	84	2	6	8	18	23	41	11
785	Cavers,	1495	1824	28	29	57	4	4	8	15	17	32	15
786	Crailling,	734	673	2	16	18	—	—	—	3	5	8	8
787	Eckford,	1073	957	17	7	24	1	—	1	8	5	13	7
787	Edgerston,	373	359	4	5	9	—	—	—	1	1	2	1
788	Ednam,	658	599	9	12	21	—	2	2	7	3	10	5
789	HAWICK (incl. part of Town),	7801	8726	166	170	336	20	13	33	94	99	193	76
790	Hobkirk,	720	771	11	12	23	—	1	1	7	7	14	6
791	Hownam,	252	289	4	1	5	1	—	1	4	2	6	—
792	JEDBURGH (incl. Burgh),	5220	5011	86	65	151	13	7	20	53	59	112	25
793	KELSO (incl. Town),	5634	5192	70	80	150	6	10	16	55	55	110	27
794	Kirktown,	282	421	2	4	6	—	—	—	—	—	—	2
795	Lilliesleaf,	798	772	12	16	28	1	2	3	8	7	15	6
796	Linton,	630	608	6	8	14	—	2	2	2	6	8	4
797	Makerston,	345	380	6	4	10	—	—	—	2	2	4	—
798	Maxton,	550	497	6	8	14	—	1	1	9	4	13	4
799	Melrose— (1) Melrose,	3592	3557	59	61	120	4	5	9	28	35	63	19
	(2) Ladhope (incl. part of GALASHIELS),	3773	4154	92	90	182	5	11	16	47	47	94	44
800	Minto,	467	430	8	4	12	2	—	2	1	4	5	1
801	Morebattle,	997	1031	14	14	28	2	—	2	7	5	12	7
802	Oxnam,	632	592	13	9	22	—	1	1	6	5	11	2
803	Roxburgh,	1141	1178	26	15	41	5	1	6	15	10	25	1
804	St Boswells,	884	865	11	18	29	1	3	4	4	7	11	7
805	Smailholm,	617	554	7	4	11	—	1	1	3	3	6	1
806	Southdean,	765	687	12	10	22	3	1	4	3	1	4	2
807	Sprouston,	1424	1305	19	25	44	3	6	9	7	10	17	15
808	Stitchel,	426	425	4	1	5	1	—	1	1	5	6	1
809	Teviothead,	550	438	6	9	15	3	—	3	1	3	4	5
810	WILTON (incl. Town and part of HAWICK),	2557	3357	60	83	143	7	10	17	27	42	69	17
811	Yetholm,	1352	1207	14	11	25	3	1	4	5	15	20	9
	Total,	51225	53722	875	883	1758	94	92	186	467	507	974	341
	31. DUMFRIES.												
812	ANNAN (incl. part of Burgh),	5128	5113	82	73	155	14	6	20	52	64	116	25
813	Applegarth,	918	935	12	15	27	2	2	4	7	8	15	4
813	Brydekirk (incl. part of ANNAN),	864	779	15	12	27	3	—	3	7	4	11	5
814	Canonbie,	3163	3219	57	68	125	14	12	26	20	26	46	10
815	Carlaverock,	1418	1248	13	20	33	2	2	4	14	14	28	8
816	Closeburn,	1732	1651	14	21	35	1	5	6	16	10	26	15
817	Cummertrees,	1334	1184	17	22	39	3	3	6	10	9	19	5
818	Dalton,	761	679	11	8	19	2	1	3	6	6	12	3
819	Dornock,	936	856	10	11	21	2	1	3	14	8	22	1
820	Dryfesdale,	2409	2509	41	45	86	6	5	11	31	30	61	22
821	DUMFRIES (incl. part of Burgh),	12298	13523	260	232	492	43	34	77	208	143	351	100
822	Dunscore,	1578	1554	21	26	47	3	3	6	14	15	29	2
823	Durrisdeer,	1795	1320	28	22	50	3	5	8	12	10	22	12
824	Eskdalemuir,	672	590	4	5	9	—	1	1	6	4	10	1
825	Ewes,	354	356	4	2	6	—	—	—	5	3	8	1
826	Glencairn,	1980	1867	29	27	56	4	2	6	16	20	36	15

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
827	Graitney (or Gretna), . . .	1830	1620	15	26	41	5	8	13	9	7	16	5
828	Halfmorton, . . .	687	713	12	10	22	2	—	2	2	2	4	4
829	Hoddam, . . .	c. 1705	1568	33	19	52	3	4	7	14	19	33	8
830	Holywood, . . .	1060	1115	19	13	32	1	2	3	8	8	16	8
831	Hutton, . . .	836	876	12	11	23	3	2	5	3	6	9	3
832	Johnstone, . . .	1261	1149	19	17	36	1	3	4	10	16	26	4
833	Keir, . . .	960	849	9	16	25	—	4	4	9	7	16	1
834	Kirkconnel, . . .	1245	996	14	8	22	1	1	2	9	6	15	3
835	Kirkmahoe, . . .	1553	1462	15	20	35	3	—	3	10	16	26	6
836	Kirkmichael, . . .	1124	1026	15	17	32	2	6	8	4	12	16	6
837	Kirkpatrick-Fleming, . . .	1829	1925	33	23	56	7	5	12	20	16	36	12
838	Kirkpatrick-Juxta, . . .	1097	1025	13	23	36	1	1	2	6	13	19	7
839	Langholm, . . .	2990	2979	55	58	113	12	10	22	38	36	74	24
840	LOCHMABEN (includ. Burgh), . . .	3127	3087	57	45	102	8	10	18	40	37	77	17
841	Middlebie, . . .	2163	2004	33	35	68	3	7	10	17	17	34	6
842	Moffat, . . .	2304	2232	29	36	65	2	5	7	20	17	37	12
843	Morton, . . .	2482	2253	34	30	64	3	6	9	18	29	47	9
844	Mousewald, . . .	686	633	6	12	18	—	3	3	5	1	6	7
845	Penpont, . . .	1411	1326	21	17	38	4	1	5	19	16	35	16
846	Ruthwell, . . .	1110	1046	16	19	35	3	4	7	6	11	17	6
847	St Mungo, . . .	645	686	4	8	12	2	2	4	3	5	8	1
848	SANQUHAR (including Burgh), . . .	c. 3155	2758	34	37	71	8	5	13	21	23	44	15
849	Tinwald, . . .	1080	1079	27	18	45	5	1	6	12	12	24	7
850	Torthorwald, . . .	1313	1254	25	21	46	7	5	12	9	14	23	8
851	Tundergarth, . . .	577	507	7	8	15	—	1	1	8	3	11	—
852	Tynron, . . .	482	446	6	6	12	1	2	3	7	4	11	2
853	Wamphray, . . .	523	559	4	14	18	1	1	2	8	3	11	1
853	Wanlockhead, . . .	c. 916	811	14	13	27	2	—	2	2	8	10	8
854	Westerkirk, . . .	658	537	13	8	21	2	2	4	4	1	5	3
Total,		78149	75904	1212	1197	2409	194	183	377	779	739	1518	438
32. KIRKCUDBRIGHT.													
855	Anwoth, . . .	900	899	17	19	36	2	5	7	9	3	12	6
856	Balmaclellan, . . .	c. 938	890	20	15	35	3	1	4	8	15	23	5
857	Balmaghie, . . .	1217	1225	17	19	36	2	3	5	20	14	34	9
858	Borgue, . . .	1043	1162	17	22	39	4	4	8	9	3	12	3
859	Buittle, . . .	1042	1165	22	16	38	3	—	3	7	8	15	4
860	Carsphairn, . . .	855	553	8	12	20	2	1	3	6	5	11	1
861	Colvend, . . .	1398	1366	14	19	33	1	—	1	7	9	16	5
862	Corsock-Bridge, . . .	c. 550	544	4	10	14	1	3	4	5	4	9	3
863	Crossmichael, . . .	1362	1536	28	29	57	8	3	11	18	18	36	10
864	Dalbeattie, . . .	c. 1927	2054	40	30	70	6	5	11	17	21	38	13
865	Dalry, . . .	1238	1149	13	17	30	2	3	5	4	6	10	10
866	Girthon, . . .	1787	1702	32	23	55	6	—	6	11	20	31	14
867	Irongray, . . .	918	913	11	7	18	1	1	2	10	11	21	2
868	Kells (incl. NEW GAL-LOWAY), . . .	1091	1170	17	17	34	1	2	3	16	8	24	9
869	Kelton, . . .	3186	3436	53	77	130	9	12	21	22	36	58	20
870	Kirkbean, . . .	982	942	15	26	41	6	4	10	3	3	6	7
871	KIRKCUDBRIGHT (including Burgh), . . .	3555	3407	56	48	104	10	7	17	41	46	87	22
872	Kirkgunzeon, . . .	734	793	4	22	26	1	5	6	5	7	12	5
873	Kirkmabreck, . . .	2266	1851	26	31	57	1	6	7	8	12	20	8
874	Kirkpatrick-Durham, . . .	c. 1349	1323	22	20	42	3	6	9	17	13	30	5
875	Lochrutton, . . .	726	677	9	17	26	1	3	4	6	6	12	6
876	Minnigaff, . . .	2054	1804	29	12	41	3	—	3	18	21	39	10
877	New Abbey, . . .	1098	1063	17	14	31	2	4	6	9	9	18	5

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
878	Parton,	c. 547	572	10	8	18	—	—	—	8	6	14	6
879	Rerrick,	1725	1738	22	25	47	3	6	9	11	14	25	14
880	Terregles (incl. part of DUMFRIES),	566	580	10	9	19	2	—	2	3	4	7	1
881	Tongland,	924	892	12	8	20	1	3	4	8	9	17	5
882	Troqueer (incl. part of DUMFRIES),	4925	4743	84	82	166	14	11	25	46	53	99	29
883	Twynholm,	782	815	13	17	30	2	1	3	3	5	8	—
884	Urr,	c. 1436	1531	30	28	58	7	4	11	12	10	22	8
	Total,	43121	42495	672	699	1371	107	103	210	367	399	766	245
	33. WIGTOWN.												
885	Glasserton,	1487	1472	22	18	40	3	1	4	5	10	15	8
886	Inch,	2579	2460	36	26	62	5	2	7	11	23	34	12
887	Kirkcolm,	2018	1860	27	26	53	7	3	10	10	11	21	14
888	Kirkcowan,	1541	1434	11	18	29	2	6	8	15	21	36	7
889	Kirkinner,	1914	1716	25	26	51	2	5	7	14	19	33	5
890	Kirkmaiden,	2681	2333	39	38	77	7	7	14	16	18	34	15
891	Leswalt,	1703	1417	22	23	45	4	4	8	9	9	18	6
892	Mochrum,	2946	2694	47	46	93	11	10	21	25	33	58	23
893	New Luce,	791	731	9	16	25	1	3	4	5	7	12	—
894	Old Luce (or Glenluce), .	2841	2800	49	30	79	12	7	19	29	23	52	12
895	Penninghame (incl. NEW- TON-STEWART),	4155	4061	42	58	100	9	11	20	20	44	64	29
896	Portpatrick,	1963	2189	40	26	66	7	7	14	22	15	37	13
897	Sorbie,	1886	1814	28	17	45	2	3	5	19	19	38	7
898	Stoneykirk,	3321	3228	49	30	79	3	10	13	21	15	36	18
899	STRANRAER (incl. Burgh)	5738	6315	110	104	214	16	13	29	71	81	152	36
900	WHITHORN (incl. Burgh)	3001	2934	45	46	91	10	5	15	26	41	67	16
901	WIGTOWN (incl. Burgh)	2824	2637	40	47	87	7	3	10	15	25	40	10
	Total,	43389	42095	641	595	1236	108	100	208	333	414	747	231

SUMMARY.

DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1851.	1861.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
INSULAR,	166,487	1,60733	2242	2098	4340	125	108	233	1283	1437	2720	775
MAINLAND-RURAL,	1,711,717	1,762,576	30980	29692	60672	3287	3146	6433	17679	18040	35719	10819
TOWN,	1,010,538	1,138,985	24152	23169	47321	2318	2213	4531	18048	17929	35977	11131
SCOTLAND,	2,888,742	3,062,294	57374	54959	112333	5730	5467	11197	37010	37406	74416	22725

MARRIAGES registered in SCOTLAND in 1864, and the Number of Persons who signed the Register by Marks.

COUNTY.	Regular Marriages according to the Rites of								Irregular Marriages.	Signed the Register by Marks.		
	Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholics.	Other Denominations.	Not stated.	TOTAL.		Males.	Females.	TOTAL.
Shetland	101	20	8	-	-	21	5	155	-	22	48	70
Orkney	74	37	38	-	-	11	-	160	-	2	10	12
Caithness	48	114	6	-	1	10	-	179	-	10	21	31
Sutherland.....	8	84	-	-	-	-	-	92	-	13	32	45
Ross and Cromarty	59	305	12	1	3	6	-	386	-	127	190	317
Inverness	200	202	14	5	49	6	-	476	-	121	229	350
Nairn	15	21	6	1	1	3	-	47	-	1	8	9
Elgin	130	91	23	4	3	7	-	258	-	11	35	46
Banff.....	193	96	17	2	18	10	-	336	-	15	43	58
Aberdeen	898	416	63	48	27	110	-	1562	-	36	145	181
Kincardine.....	171	48	8	9	-	-	-	236	-	3	19	22
Forfar	766	314	302	103	262	98	2	1847	1	224	554	778
Perth.....	393	205	108	10	32	18	11	777	-	40	71	111
Fife.....	556	161	177	5	17	34	4	954	1	30	94	124
Kinross	20	8	12	-	-	-	1	41	-	2	1	3
Clackmannan.....	56	40	48	3	-	5	2	154	-	11	20	31
Stirling.....	290	140	116	5	62	34	2	649	1	87	162	249
Dumbarton	166	41	40	4	54	10	-	315	-	62	90	152
Argyll	206	86	24	7	10	12	-	345	-	37	77	114
Bute	44	40	6	1	6	1	-	98	-	7	17	24
Renfrew	772	301	203	39	298	58	-	1671	-	290	575	865
Ayr.....	768	290	187	18	99	81	3	1446	-	192	391	583
Lanark	1750	1430	1039	103	1012	492	71	5897	12	937	1982	2919
Linlithgow	138	94	36	-	45	15	1	329	-	70	118	188
Edinburgh.....	1095	589	405	87	193	109	5	2483	3	161	322	483
Haddington	132	52	24	-	12	3	-	223	-	25	42	67
Berwick.....	88	41	51	-	3	3	-	186	-	5	9	14
Peebles.....	35	10	21	1	3	3	-	73	-	2	2	4
Selkirk	37	10	26	3	-	1	-	77	-	-	5	5
Roxburgh	168	46	76	3	16	32	-	341	-	13	26	39
Dumfries.....	224	92	63	5	19	26	5	434	4	16	32	48
Kirkcudbright	171	42	13	2	13	4	-	245	-	14	19	33
Wigtown	135	41	26	-	18	8	3	231	-	19	38	57
SCOTLAND.....	9907	5507	3198	469	2276	1231	115	22703	22	2605	5427	8032

CONDITION and AGE of Persons married in SCOTLAND in 1864.

CONDITION.	TOTAL.	AGES.																			Age not stated.		
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80		85	90
BACHELORS with SPINSTERS.	19383	-	-	1	17	122	448	1075	7763	6249	2172	845	370	181	72	30	14	4	2	-	-	-	18
	19383	-	9	73	282	862	1581	2030	8119	4584	1250	376	127	44	11	3	1	-	1	-	-	-	30
BACHELORS with WIDOWS.	497	-	-	-	-	2	5	8	73	139	94	79	50	29	10	3	3	1	-	-	-	-	1
	497	-	-	-	-	-	-	2	42	133	147	98	50	15	7	2	-	-	-	-	-	-	1
WIDOWERS with SPINSTERS.	1922	-	-	-	-	-	1	-	33	232	366	379	320	239	143	95	70	26	15	1	1	-	1
	1922	-	1	-	3	19	23	43	292	506	400	313	178	99	27	12	2	1	1	-	-	-	2
WIDOWERS with WIDOWS.	631	-	-	-	-	-	-	-	2	26	61	93	126	112	93	55	30	23	6	1	1	-	2
	631	-	-	-	-	-	-	1	7	69	105	155	128	85	42	29	7	1	1	-	-	-	1
{ MEN. WOMEN.	292	-	-	-	-	3	3	10	96	70	48	23	17	3	3	5	1	-	-	2	-	-	8
	292	-	-	-	2	12	18	28	98	74	26	8	8	3	3	-	-	-	-	-	-	-	12
TOTAL MEN.....	22725	-	-	1	17	127	457	1093	7967	6716	2741	1419	983	564	321	188	118	54	23	4	2	-	30
TOTAL WOMEN.....	22725	-	10	73	287	893	1622	2104	8558	5366	1923	950	491	246	90	46	10	2	3	-	-	-	46

AGES of MALES married in Scotland in 1864.

AGES OF MALES MARRIED IN SCOTLAND IN 1864.																							
Total Males.	Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.	
Scotland . . .	-	-	1	17	127	457	1093	7967	6716	2741	1419	883	564	321	188	118	54	23	4	2	-	30	
DISTRICTS.																							
INSULAR . . .	-	-	-	-	1	5	17	146	271	158	70	43	27	15	5	7	2	2	-	-	-	6	
MAINLAND-RURAL	-	-	1	9	48	188	496	3856	3232	1295	667	427	261	135	94	52	22	13	2	1	-	20	
TOWN . . .	-	-	-	8	78	264	580	3965	3213	1288	682	413	276	171	89	59	30	8	2	1	-	4	
DIVISIONS.																							
1. NORTHERN . .	-	-	-	-	1	3	15	142	203	100	44	26	17	9	8	5	3	3	-	-	-	7	
2. NORTH-WESTERN	-	-	-	-	3	4	14	160	290	196	90	46	16	18	9	9	3	1	-	1	-	2	
3. NORTH-EASTERN	-	-	-	3	12	27	95	786	735	349	162	120	74	36	15	11	6	6	-	-	-	2	
4. EAST-MIDLAND .	-	-	-	1	19	90	162	1361	1091	432	233	149	90	63	40	21	15	2	-	-	-	6	
5. WEST-MIDLAND	-	-	-	1	5	26	74	455	432	190	85	63	41	19	9	6	1	1	-	-	-	-	
6. SOUTH-WESTERN	-	-	1	8	67	235	532	3429	2572	933	472	317	228	109	61	34	16	2	1	1	-	8	
7. SOUTH-EASTERN	-	-	-	4	16	60	140	1200	1015	391	227	125	72	50	33	22	7	6	3	-	-	3	
8. SOUTHERN . .	-	-	-	-	4	12	61	434	378	150	106	37	26	17	13	10	3	2	-	-	-	2	
COUNTIES.																							
Shetland . . .	-	-	-	-	-	-	5	46	46	26	9	7	5	1	2	2	-	1	-	-	-	5	
Orkney . . .	-	-	-	-	-	1	5	34	57	28	13	10	4	3	-	3	1	-	-	-	-	1	
Caithness . . .	-	-	-	-	-	1	4	44	70	31	12	3	4	-	5	-	2	2	-	-	-	1	
Sutherland . .	-	-	-	-	1	1	1	18	30	15	10	6	4	5	1	-	-	-	-	-	-	-	
Ross and Cromarty	-	-	-	-	-	1	8	70	136	85	39	23	5	9	3	4	1	1	-	1	-	-	
Inverness . .	-	-	-	-	3	3	6	90	154	111	51	23	11	9	6	5	2	-	-	-	-	2	

AGES of MALES married in Scotland in 1864.

[illegible]

AGES of FEMALES married in Scotland in 1864.

AGES OF FEMALES MARRIED IN SCOTLAND IN 1864.																							
Total FEMALES.	Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.	
		15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland.	.	22725																					46
DISTRICTS.																							
INSULAR	.	775																					7
MAINLAND-RURAL	.	10819																					30
TOWN	.	11131																					9
DIVISIONS.																							
1. NORTHERN	.	586																					6
2. NORTH-WESTERN	.	862																					2
3. NORTH-EASTERN	.	2439																					3
4. EAST-MIDLAND	.	3775																					8
5. WEST-MIDLAND	.	1408																					3
6. SOUTH-WESTERN	.	9026																					11
7. SOUTH-EASTERN	.	3374																					11
8. SOUTHERN	.	1255																					2
COUNTIES.																							
Shetland	.	155																					6
Orkney	.	160																					-
Caithness	.	179																					-
Sutherland	.	92																					-
Ross and Cromarty	.	386																					-
Inverness	.	476																					2

DEATHS at Different Ages in SCOTLAND during the YEAR 1864.—BOTH SEXES.

	POPULATION.		BOTH SEXES.												
			ALL AGES.	AGE UNDER											
	1851.	1861.		MONTHS.			2	3	4	5	10	15	20	25	30
				3	6	12									
SCOTLAND .	2888742	3062294	74416	6926	2434	4820	6531	3466	2478	1720	4118	1957	2429	2929	2557
Insular . .	166487	160733	2720	217	58	95	173	85	60	49	108	66	88	102	86
Mainland .	1711717	1762576	35719	3297	1055	1915	2543	1496	1112	818	2054	1063	1203	1330	1141
Towns . .	1010538	1138985	35977	3412	1321	2810	3815	1885	1306	853	1956	828	1138	1497	1330
Shetland . .	31073	31670	493	27	8	11	14	12	7	4	15	10	22	15	20
Orkney . .	31455	32395	503	28	5	14	6	6	9	7	13	15	22	25	12
Caithness .	39782	42200	928	73	27	28	62	84	47	43	99	43	24	32	17
Sutherland .	24720	24157	423	23	6	17	16	10	7	7	17	8	13	17	14
Ross & Cromarty	83781	82427	1465	130	31	49	90	44	30	22	65	30	47	41	47
Inverness .	91954	84902	1695	160	43	63	129	56	43	32	59	30	42	67	56
Nairn . .	8076	8347	188	18	6	8	9	3	—	4	6	11	1	7	6
Elgin . .	40532	44218	834	74	23	31	59	35	17	18	35	18	24	29	25
Banff . .	51353	56020	1015	112	35	39	40	34	21	14	60	37	42	46	42
Aberdeen .	213461	223344	4589	433	157	216	243	135	111	77	240	110	174	184	172
Kincardine .	34944	34854	650	52	16	20	21	16	12	11	27	20	13	28	23
Forfar . .	193627	206750	5507	578	197	389	462	277	205	139	326	139	160	224	167
Perth . .	137369	133193	3041	237	84	104	177	117	99	50	162	63	90	136	110
Fife . .	153789	155021	3280	274	88	166	251	154	123	93	215	99	101	114	103
Kinross . .	9626	8731	157	6	2	4	7	7	2	1	4	1	5	5	4
Clackmannan .	21555	20122	483	42	15	46	42	25	15	16	21	19	14	27	11
Stirling . .	83802	88138	1986	182	67	151	192	97	66	45	109	61	66	70	62
Dumbarton .	46995	54179	1423	121	60	116	124	84	56	45	74	44	35	49	48
Argyll . .	94042	83859	1602	98	34	58	95	56	38	23	71	37	54	58	70
Bute . .	16608	16331	387	20	6	15	31	10	9	7	23	13	9	22	16
Renfrew . .	157950	168746	5480	508	203	432	610	309	226	157	332	133	181	227	183
Ayr . .	189973	199063	4465	380	129	317	427	218	167	113	320	152	173	168	129
Lanark . .	533169	640444	20129	1932	776	1751	2379	1144	792	545	1116	522	704	846	739
Linlithgow .	30590	39045	883	103	36	70	99	38	40	15	58	29	29	24	25
Edinburgh .	259193	274093	7078	705	228	461	627	313	194	131	363	151	183	257	272
Haddington .	36363	37626	729	76	22	37	35	30	24	16	42	17	18	27	18
Berwick . .	36165	36488	594	69	15	22	32	17	14	11	28	20	21	18	18
Peebles . .	10804	11300	205	19	7	14	7	7	7	5	10	7	14	9	4
Selkirk . .	9802	10410	199	36	5	5	14	9	4	5	10	5	8	11	6
Roxburgh .	51225	53722	974	122	30	35	64	39	25	18	48	25	29	26	30
Dumfries .	78149	75904	1518	144	39	61	88	45	40	23	94	43	53	55	53
Kirkcudbright	43121	42495	766	86	20	30	37	16	12	8	36	19	29	35	26
Wigtown .	43389	42095	747	58	14	40	42	19	16	15	20	26	29	30	29

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1864.—BOTH SEXES.

Inverness	16496	16162	532	43	15	22	52	28	15	16	23	10	13	21	23
Aberdeen	71973	73900	2139	173	80	130	148	74	57	39	96	44	81	93	74
Arbroath	17238	17831	482	43	21	38	34	23	22	12	33	10	13	19	9
Dundee	80027	91664	3105	362	122	263	318	176	122	82	183	80	85	120	101
Forfar	11009	10838	252	20	12	13	20	8	8	2	8	6	6	14	13
Montrose	16037	15668	388	25	9	21	19	10	8	5	19	7	12	22	16
Perth	24670	26094	871	79	30	41	75	48	33	15	47	14	29	43	41
Dunfermline	13836	13506	397	28	8	23	30	34	21	20	45	15	7	14	13
Kirkcaldy	10636	11117	265	20	12	19	23	10	15	8	13	5	8	8	9
Stirling	12401	14012	304	30	12	23	27	5	8	7	11	3	13	12	9
Greenock	37436	43894	1929	172	72	163	221	95	81	54	111	42	62	92	80
Paisley	48071	47427	1521	133	53	111	175	85	73	33	86	40	39	57	40
Ayr	18845	19659	541	31	11	33	43	34	24	15	55	14	23	18	10
Kilmarnock	21287	23556	584	73	19	42	69	35	24	17	41	24	12	17	19
Glasgow	329097	395503	13674	1286	551	1214	1685	798	520	349	723	318	469	614	516
Barony	16050	22559	1015	73	34	86	78	41	34	20	37	19	45	42	46
Govan	14996	28584	875	101	39	85	110	55	42	24	46	34	27	32	26
Hamilton	11740	14047	330	35	9	19	34	17	5	9	25	11	9	7	13
Airdrie	14435	12922	319	34	9	34	34	23	13	12	21	11	16	11	9
Coatbridge, etc.	13168	13303	398	45	18	35	62	18	21	8	27	15	9	16	12
Edinburgh	161648	170444	4678	432	133	306	412	208	125	80	230	81	125	192	207
Leith	32219	36029	928	120	39	70	103	48	27	19	43	14	21	22	20
Dumfries	17223	18266	450	54	13	19	43	12	8	7	28	11	14	11	24

DEATHS at Different Ages in SCOTLAND during the YEAR 1864.—BOTH SEXES.

	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
SCOTLAND	2335	2390	2423	2360	2516	2479	3277	2918	3478	3027	2636	1439	502	151	32	88	
Insular	83	75	71	89	88	98	119	128	176	191	200	127	47	15	8	18	
Mainland	1012	1023	998	964	1078	1214	1624	1622	2035	1920	1698	971	352	106	17	58	
Towns	1240	1292	1354	1307	1350	1167	1534	1168	1267	916	738	341	103	30	7	12	
Shetland	18	11	10	18	9	15	24	24	36	43	51	39	17	3	1	9	
Orkney	16	13	13	21	15	25	30	37	36	49	46	29	7	4	—	—	
Caithness	26	18	8	20	16	19	34	40	33	35	45	25	16	7	1	6	
Sutherland	13	12	9	15	19	18	22	25	30	36	36	17	13	2	1	—	
Ross and Cromarty . .	34	42	32	37	47	65	68	67	106	110	169	68	34	12	4	4	
Inverness	54	54	50	57	66	51	84	75	120	106	98	60	19	7	9	5	
Nairn	7	2	3	7	6	5	11	18	20	10	11	8	1	—	—	—	
Elgin	31	26	21	24	20	26	31	49	51	60	53	33	12	6	—	3	
Banff	26	37	24	13	17	27	43	47	60	65	70	33	20	4	—	2	
Aberdeen	138	155	143	148	179	178	227	222	284	230	235	135	48	8	3	4	
Kincardine	26	15	26	17	20	17	31	45	62	35	49	33	11	4	—	—	
Forfar	177	183	182	175	166	184	268	213	221	183	175	81	22	7	1	6	
Perth	108	87	99	94	108	97	136	155	214	181	180	99	36	13	1	4	
Fife	82	89	96	81	78	118	157	161	204	187	131	78	25	7	—	5	
Kinross	5	8	7	8	2	9	5	11	18	21	8	6	—	1	—	—	
Clackmannan	9	17	15	15	14	12	24	22	22	21	7	7	3	1	—	1	
Stirling	49	55	54	43	59	82	92	77	85	90	70	34	19	5	—	4	
Dumbarton	45	47	60	48	46	47	76	49	42	50	32	14	10	—	—	1	
Argyll	48	44	51	53	62	59	83	68	115	118	113	60	24	7	1	4	
Bute	16	13	13	15	15	14	11	24	23	18	23	15	4	1	—	1	
Renfrew	188	187	201	160	176	171	213	139	200	148	126	51	11	5	1	2	
Ayr	129	133	105	119	155	123	194	169	209	157	154	80	30	10	2	3	
Lanark	689	703	735	701	716	604	720	517	579	419	284	152	42	14	1	7	
Linlithgow	29	26	21	24	23	24	27	33	33	32	28	10	6	—	—	1	
Edinburgh	228	233	276	279	279	271	373	317	317	266	187	102	26	7	1	1	
Haddington	19	18	9	26	30	33	31	43	52	44	30	18	8	—	—	6	
Berwick	14	15	17	18	12	20	40	29	40	39	40	21	—	1	—	3	
Peebles	6	7	6	7	6	6	7	12	11	11	10	4	—	1	1	—	
Selkirk	7	7	3	3	6	5	5	12	15	12	3	3	—	—	—	—	
Roxburgh	23	27	33	35	29	34	61	52	53	51	45	25	8	6	1	—	
Dumfries	39	37	45	39	55	53	90	83	90	97	95	43	7	2	1	4	
Kirkcudbright	20	21	22	15	29	32	34	46	35	62	48	28	16	2	2	—	
Wigtown	16	18	34	20	36	35	25	37	62	41	44	28	7	4	—	2	

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1864.—BOTH SEXES.

Inverness	21	21	17	23	21	14	20	24	34	17	24	10	4	—	1	—
Aberdeen	66	86	79	87	106	99	108	98	120	75	70	37	17	—	2	—
Arbroath	12	14	21	11	13	22	18	17	26	18	24	7	2	—	—	—
Dundee	190	107	112	106	105	96	132	103	75	66	56	18	8	3	—	4
Forfar	7	8	9	5	11	9	13	11	17	7	19	5	1	—	—	—
Montrose	19	17	14	15	14	17	28	17	27	20	12	9	2	4	—	—
Perth	32	23	29	26	33	19	33	38	41	39	34	21	6	2	—	—
Dunfermline	4	9	15	18	6	14	21	13	14	10	8	5	1	1	—	—
Kirkcaldy	8	9	6	10	7	5	10	20	18	7	8	7	—	—	—	—
Stirling	8	13	9	13	12	19	18	6	12	16	9	6	2	1	—	—
Greenock	72	65	93	75	70	50	78	49	55	32	26	11	3	3	—	2
Paisley	57	52	51	43	55	44	68	38	72	52	47	13	4	—	—	—
Ayr	15	13	7	20	26	13	31	30	19	20	25	4	5	1	1	—
Kilmarnock	17	13	11	6	14	14	28	20	29	14	18	12	3	2	—	—
Glasgow	501	495	547	505	517	411	501	336	341	230	149	64	20	7	—	2
Barony	36	56	37	42	43	43	54	36	50	29	19	10	3	1	1	—
Govan	32	28	26	24	18	22	29	20	29	11	8	6	—	1	—	—
Hamilton	7	10	9	11	10	8	11	15	20	12	17	4	2	—	—	1
Airdrie	4	10	4	13	11	8	9	6	5	11	8	1	—	—	—	2
Coatbridge, etc. . . .	11	11	10	14	11	9	11	9	5	8	5	5	3	—	—	—
Edinburgh	158	184	199	195	199	183	249	205	204	167	120	66	13	4	1	—
Leith	38	35	35	36	31	28	37	40	40	35	18	7	1	—	—	1
Dumfries	15	13	14	9	17	20	27	17	23	20	14	13	3	—	1	—

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1864.—MALES.

	MALE POPULATION.		MALES.												
			ALL AGES.	AGE UNDER											
	1851.	1861.		MONTHS.			2	3	4	5	10	15	20	25	30
				3	6	12									
SCOTLAND .	1375479	1449848	37010	3847	1341	2598	3355	1761	1283	898	2130	978	1218	1528	1216
Insular . .	76760	73409	1283	117	29	46	84	36	28	26	49	40	40	60	55
Mainland .	828852	848998	17679	1836	591	1030	1300	768	569	433	1052	517	596	715	535
Towns . .	469867	527441	18048	1894	721	1522	1971	957	686	439	1029	421	582	753	626
Shetland . .	13145	13053	226	12	5	7	9	5	4	4	10	6	10	11	15
Orkney . .	14350	14924	251	15	3	10	3	4	3	4	6	7	9	14	7
Caithness .	18809	19846	437	36	10	15	28	38	22	25	54	21	17	13	10
Sutherland .	11437	11058	190	12	2	11	5	7	6	2	11	5	8	11	8
Ross & Cromarty	39489	38462	701	73	19	27	40	23	16	13	35	17	21	23	25
Inverness .	42814	39479	828	81	24	33	66	22	27	16	26	20	19	41	34
Nairn . .	3831	3976	95	14	3	4	2	1	—	3	4	4	1	5	3
Elgin . .	18943	20737	415	40	9	22	32	18	16	10	18	11	16	16	11
Banff . .	24195	26401	486	66	23	17	15	15	11	8	36	15	19	24	24
Aberdeen .	100935	105322	2223	251	83	123	138	75	55	43	127	55	78	83	83
Kincardine .	17188	16939	304	19	6	6	11	5	7	4	16	6	8	17	9
Forfar . .	89408	93280	2679	333	94	214	249	118	105	64	173	73	68	107	70
Perth . .	65697	63169	1477	126	46	57	92	60	55	33	75	26	44	80	53
Fife . .	73305	72714	1594	143	53	83	126	83	63	43	97	51	42	57	53
Kinross . .	4660	4150	81	4	1	1	5	4	1	1	2	—	1	2	3
Clackmannan .	10634	9742	228	23	9	15	26	13	8	9	11	8	8	8	6
Stirling . .	41113	43487	1019	100	40	88	105	45	32	24	54	40	35	33	33
Dumbarton .	23340	26455	720	66	37	62	64	47	25	15	42	18	16	30	23
Argyll . .	46197	40914	812	57	20	31	47	28	25	10	36	23	29	36	36
Bute . .	7518	7208	162	11	2	3	12	5	3	3	6	7	4	11	9
Renfrew . .	74224	79380	2783	272	106	246	324	165	130	86	161	67	96	132	85
Ayr . .	92933	97035	2189	196	78	183	198	112	75	57	159	67	81	81	59
Lanark . .	258449	308263	10342	1105	434	937	1223	586	405	289	601	264	376	426	338
Linlithgow .	15422	20069	442	56	19	33	52	22	20	7	28	13	20	13	13
Edinburgh .	119428	126429	3525	382	141	261	323	161	97	68	196	75	95	139	124
Haddington .	17592	17866	352	39	12	13	21	19	11	12	27	6	8	13	8
Berwick . .	17367	17354	285	46	4	9	18	6	7	5	10	9	9	12	9
Peebles . .	5400	5603	116	11	4	4	5	4	5	2	6	3	9	5	3
Selkirk . .	4836	5069	102	24	3	2	5	7	1	4	1	4	3	5	3
Roxburgh .	25002	26593	467	69	13	15	29	19	11	12	29	12	19	13	14
Dumfries .	37200	35687	779	80	24	32	51	25	22	11	48	21	22	35	26
Kirkcudbright .	20223	19789	367	53	9	17	14	10	7	4	16	11	13	20	10
Wigtown .	20335	19395	333	32	5	17	17	9	8	7	9	13	14	12	9

MALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1864.

Inverness . .	7401	7261	259	18	9	12	23	11	8	11	9	5	8	13	15
Aberdeen . .	31746	32554	1021	100	41	75	85	34	30	19	48	22	35	39	37
Arbroath . .	7866	7770	225	27	9	19	13	14	13	3	14	5	3	10	3
Dundee . .	36364	40395	1539	213	66	144	177	74	58	39	97	42	37	50	46
Forfar . .	5017	4735	113	11	4	5	12	5	4	1	3	5	4	6	5
Montrose . .	7061	6736	183	14	2	14	14	3	3	4	11	4	5	11	6
Perth . .	11689	11947	414	47	14	21	37	24	18	10	25	5	12	26	23
Dunfermline . .	6901	6147	186	13	6	13	13	22	9	8	18	8	2	8	8
Kirkcaldy . .	4906	5074	130	6	9	6	9	4	12	5	6	1	6	5	5
Stirling . .	5908	6814	160	15	8	16	15	2	7	5	6	2	7	5	6
Greenock . .	17905	21567	1015	83	32	88	116	49	54	31	52	28	38	63	41
Paisley . .	22608	21913	733	70	27	64	86	47	37	18	40	15	18	29	19
Ayr . .	8675	9094	253	15	3	21	13	19	15	5	27	5	10	9	5
Kilmarnock . .	10163	11398	255	37	11	22	32	16	7	5	17	12	5	9	5
Glasgow . .	154930	185556	6988	739	303	638	867	416	268	180	400	162	250	295	235
Barony . .	8090	11221	541	44	17	50	45	24	14	8	24	11	24	19	23
Govan . .	7286	13603	449	60	22	45	57	26	23	18	22	18	14	19	9
Hamilton . .	5576	6798	159	17	6	12	17	4	3	6	15	4	4	5	8
Airdrie . .	7333	6242	165	21	6	18	17	10	7	5	7	4	12	4	6
Coatbridge, etc. .	7084	8155	212	19	12	19	36	13	12	5	15	8	3	7	6
Edinburgh . .	72067	76013	2327	222	78	177	217	104	65	40	135	37	65	105	92
Leith . .	15482	17894	467	73	24	30	47	28	13	10	21	11	14	10	12
Dumfries . .	7809	8254	254	30	9	13	23	8	6	3	17	7	6	6	11

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1864.—MALES.

	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
SCOTLAND	1128	1094	1232	1190	1270	1249	1591	1390	1537	1315	1055	548	175	35	10	38	
Insular	40	36	39	39	40	47	58	60	77	89	77	44	17	4	1	5	
Mainland	464	463	489	476	557	622	812	789	922	856	713	384	133	24	7	26	
Towns	624	595	704	675	673	580	721	541	538	370	265	120	25	7	2	7	
Shetland	6	9	5	5	5	7	14	7	19	22	15	8	4	—	—	2	
Orkney	10	7	9	10	6	12	13	19	17	28	19	13	1	2	—	—	
Caithness	12	9	4	8	7	5	16	19	15	16	18	8	6	1	1	3	
Sutherland	3	5	2	6	9	13	6	15	5	12	13	9	3	1	—	—	
Ross and Cromarty . .	18	20	14	15	21	31	27	31	48	49	42	33	15	2	2	1	
Inverness	31	25	29	26	32	24	42	34	49	48	40	23	12	1	1	2	
Nairn	3	1	1	5	3	3	5	7	9	5	4	4	1	—	—	—	
Elgin	17	15	8	13	11	11	18	22	27	21	14	13	4	—	—	2	
Banff	9	14	12	9	10	14	21	20	25	29	29	13	5	2	—	1	
Aberdeen	56	69	69	59	86	79	114	103	121	99	104	45	17	4	2	2	
Kincardine	13	6	14	11	14	13	18	21	30	16	23	8	3	—	—	—	
Forfar	71	85	90	80	83	92	134	102	92	68	62	37	8	3	—	4	
Perth	43	32	43	53	51	41	64	75	93	96	79	39	17	2	1	1	
Fife	36	44	40	36	39	64	78	85	102	81	50	29	10	3	—	3	
Kinross	3	4	5	2	1	7	3	5	11	8	5	2	—	—	—	—	
Clackmannan	6	11	6	8	4	7	15	8	9	6	2	—	1	—	—	1	
Stirling	25	23	32	21	34	53	48	34	35	42	20	13	7	2	—	1	
Dumbarton	27	26	31	23	24	22	42	15	19	22	12	8	4	—	—	—	
Argyll	23	18	32	19	33	28	40	40	58	51	50	26	11	4	—	1	
Bute	8	5	6	8	6	7	4	11	9	6	9	5	2	—	—	—	
Renfrew	90	74	107	86	78	81	101	67	91	67	47	19	4	1	—	—	
Ayr	64	59	47	70	80	70	94	76	103	70	68	32	7	2	1	—	
Lanark	353	313	392	372	381	322	348	244	244	197	113	61	11	3	—	4	
Linlithgow	14	12	12	12	11	13	16	19	7	12	12	3	2	—	—	1	
Edinburgh	123	132	142	147	142	143	170	148	128	91	58	34	5	—	—	—	
Haddington	7	9	3	17	11	15	15	19	30	19	8	4	2	—	—	4	
Berwick	5	6	6	11	7	6	21	14	21	17	19	5	—	—	—	3	
Peebles	2	6	3	5	5	4	3	10	3	6	6	2	—	—	—	—	
Selkirk	5	3	2	1	5	4	1	5	8	4	2	—	—	—	—	—	
Roxburgh	10	12	16	15	12	13	31	22	21	20	25	11	3	1	—	—	
Dumfries	20	20	24	20	30	21	40	49	41	44	47	20	3	1	1	1	
Kirkcudbright	9	9	9	8	13	11	18	26	15	26	21	12	5	—	1	—	
Wigtown	6	11	17	9	16	13	11	18	32	17	19	9	2	—	—	1	

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1864.—MALES.

Inverness	13	11	11	14	13	5	6	10	15	3	10	4	2	—	—	—
Aberdeen	36	36	39	34	45	42	52	47	50	29	29	9	4	—	1	—
Arbroath	6	6	11	7	7	10	8	8	9	6	11	3	—	—	—	—
Dundee	38	48	61	52	50	48	64	50	31	22	16	7	4	1	—	4
Forfar	3	4	4	3	4	4	5	6	2	4	6	3	—	—	—	—
Montrose	6	10	2	2	9	10	15	7	16	6	5	2	—	2	—	—
Perth	10	10	13	13	13	7	12	15	23	18	7	8	3	—	—	—
Dunfermline	—	4	7	6	3	8	7	6	8	4	3	1	—	1	—	—
Kirkcaldy	3	2	2	6	5	4	5	11	9	4	2	3	—	—	—	—
Stirling	6	6	4	7	6	11	8	3	2	8	3	2	—	—	—	—
Greenock	40	29	52	40	27	25	45	24	28	15	10	4	1	—	—	—
Paisley	28	21	30	24	23	12	26	18	34	24	15	6	2	—	—	—
Ayr	4	6	3	13	11	8	17	19	8	6	11	—	—	—	—	—
Kilmarnock	6	5	4	4	7	6	14	8	11	4	6	2	—	—	—	—
Glasgow	260	226	293	259	266	210	236	151	136	96	63	29	6	2	—	2
Barony	16	30	19	28	29	23	30	14	22	17	5	4	—	1	—	—
Govan	17	8	9	11	10	14	11	8	11	10	4	3	—	—	—	—
Hamilton	3	4	4	4	6	7	4	7	8	5	6	—	—	—	—	—
Airdrie	1	5	3	9	4	5	5	4	2	7	2	—	—	—	—	1
Coatbridge, etc. . . .	6	7	9	7	7	5	3	4	2	4	2	1	—	—	—	—
Edinburgh	91	93	101	105	102	93	121	91	81	56	35	19	2	—	—	—
Leith	21	15	16	20	19	12	13	20	19	10	6	3	—	—	—	—
Dumfries	10	9	7	7	7	11	14	10	11	12	8	7	1	—	1	—

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1864.—FEMALES.

	FEMALE POPULATION.		FEMALES.												
			ALL AGES.	AGE UNDER											
	1851.	1861.		MONTHS.			2	3	4	5	10	15	20	25	30
				3	6	12									
SCOTLAND .	1513263	1612416	37406	3079	1093	2222	3176	1705	1195	822	1988	979	1211	1401	1341
Insular . .	89727	87324	1437	100	29	49	89	49	32	23	59	26	48	42	31
Mainland .	882865	913578	18040	1461	464	885	1243	728	543	385	1002	546	607	615	606
Towns . .	540671	611544	17929	1518	600	1288	1844	923	620	414	927	407	556	744	704
Shetland . .	17933	18617	267	15	3	4	5	7	3	—	5	4	12	4	5
Orkney . .	17105	17471	252	13	2	4	3	2	6	3	7	8	13	11	5
Caithness .	20973	22354	491	37	17	13	34	46	25	18	45	22	7	19	7
Sutherland .	13283	13099	233	11	4	6	11	3	1	5	6	3	5	6	6
Ross & Cromarty	44292	43965	764	57	12	22	50	21	14	9	30	13	26	18	22
Inverness .	49140	45523	867	79	19	30	63	34	16	16	33	10	23	26	22
Nairn . .	4245	4371	93	4	3	4	7	2	—	1	2	7	—	2	3
Elgin . .	21589	23481	419	34	14	9	27	17	1	8	17	7	8	13	14
Banff . .	27158	29619	529	46	12	22	25	19	10	6	24	22	23	22	18
Aberdeen .	112526	118022	2366	182	74	93	105	60	56	34	113	55	96	101	89
Kincardine .	17756	17915	346	33	10	14	10	11	5	7	11	14	5	11	14
Forfar . .	104219	113470	2828	245	103	175	213	159	100	75	153	66	92	177	97
Perth . .	71672	70029	1564	111	38	47	85	57	44	17	87	37	46	56	57
Fife . .	80484	82307	1686	131	35	83	125	71	60	50	118	48	59	57	50
Kinross . .	4966	4581	76	2	1	3	2	3	1	—	2	1	4	3	1
Clackmannan .	10921	10380	255	19	6	31	16	12	7	7	10	11	6	19	5
Stirling . .	42689	44651	967	82	27	63	87	52	34	21	55	21	31	37	29
Dumbarton .	23655	27724	703	55	23	54	60	37	31	30	32	26	19	19	25
Argyll . .	47845	42945	790	41	14	27	48	28	13	13	35	14	25	22	34
Bute . .	9090	9123	225	9	4	12	19	5	6	4	17	6	5	11	7
Renfrew . .	83726	89366	2697	236	97	186	286	144	96	71	171	66	85	95	98
Ayr . .	96980	102028	2276	184	51	134	229	106	92	56	161	85	92	87	70
Lanark . .	274420	332181	9787	827	342	814	1156	558	387	256	515	258	328	420	401
Linlithgow .	15168	18976	441	47	17	37	47	16	20	8	30	16	9	11	12
Edinburgh .	140065	147664	3553	323	87	200	304	152	97	63	167	76	88	118	148
Haddington .	18771	19760	377	37	10	24	14	11	13	4	15	11	10	14	10
Berwick . .	18798	19134	309	23	11	13	14	11	7	6	18	11	12	6	9
Peebles . .	5404	5697	89	8	3	10	2	3	2	3	4	4	5	4	1
Selkirk . .	4966	5341	97	12	2	3	9	2	3	1	9	1	5	6	3
Roxburgh .	26223	27129	507	53	17	20	35	20	14	6	19	13	10	13	16
Dumfries .	40949	42217	739	64	15	29	37	20	13	12	46	22	31	20	27
Kirkcudbright	22898	22706	399	33	11	13	23	6	5	4	20	8	16	15	16
Wigtown .	23054	22700	414	26	9	23	25	10	8	8	11	13	15	18	20

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1864.—FEMALES.

Inverness	9095	8901	273	25	6	10	29	17	7	5	14	5	5	8	8
Aberdeen	40227	41346	1118	73	36	55	63	40	27	20	48	22	46	54	37
Arbroath	9372	10061	257	16	12	19	21	9	9	9	19	5	10	9	6
Dundee	43663	51269	1566	149	56	119	141	102	64	43	86	38	48	70	55
Forfar	5992	6103	139	9	8	8	8	3	4	1	5	1	2	3	8
Montrose	8976	8932	205	11	7	7	5	7	5	1	8	3	7	11	10
Perth	12981	14147	457	32	16	20	38	24	15	5	22	9	17	17	18
Dunfermline	6935	7059	211	15	2	10	17	12	12	12	27	7	5	6	5
Kirkcaldy	5730	6043	135	14	3	13	14	6	3	3	7	4	2	3	4
Stirling	6493	7198	144	15	4	7	12	3	1	2	5	1	6	7	3
Greenock	19531	22327	914	89	40	75	105	46	27	23	59	14	24	29	39
Paisley	25463	25514	788	63	26	47	89	38	36	15	46	25	21	28	21
Ayr	10170	10565	288	16	8	12	30	15	9	10	28	9	13	9	5
Kilmarnock	11124	12158	329	36	8	20	37	19	17	12	24	12	7	8	14
Glasgow	174167	209947	6686	547	248	576	818	382	252	169	328	156	219	319	281
Barony	7960	11338	474	29	17	36	33	17	20	12	13	8	21	23	23
Govan	7710	14981	426	41	17	40	53	29	19	6	24	16	13	13	17
Hamilton	6164	7249	171	18	3	7	17	13	2	3	10	7	5	2	5
Airdrie	7102	6680	154	13	3	16	17	13	6	7	14	7	4	7	3
Coatbridge, etc.	6084	7148	186	26	6	16	26	5	9	3	12	7	6	9	6
Edinburgh	89581	94431	2351	210	55	129	195	104	60	40	95	44	60	87	115
Leith	16737	18135	461	47	15	40	56	20	14	9	22	3	7	12	8
Dumfries	9414	10012	196	24	4	6	20	4	2	4	11	4	8	5	13

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1864.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	1207	1296	1191	1170	1246	1230	1686	1528	1941	1712	1581	891	327	116	22	50
Insular	43	39	32	50	48	51	61	68	99	102	123	83	30	11	7	13
Mainland	548	560	509	488	521	592	812	833	1113	1064	985	587	219	82	10	32
Towns	616	697	650	632	677	587	813	627	729	546	473	221	78	23	5	5
Shetland	12	2	5	13	4	8	10	17	17	21	36	31	13	3	1	7
Orkney	6	6	4	11	9	13	17	18	19	21	27	16	6	2	—	—
Caithness	14	9	4	12	9	14	18	21	18	19	27	17	10	6	—	3
Sutherland	10	7	7	9	10	5	16	10	25	24	23	8	10	1	1	—
Ross and Cromarty	16	22	18	22	26	34	41	36	58	61	67	35	19	10	2	3
Inverness	23	29	21	31	34	27	42	41	71	58	58	37	7	6	8	3
Nairn	4	1	2	2	3	2	6	11	11	5	7	4	—	—	—	—
Elgin	14	11	13	11	9	15	13	27	24	39	39	20	8	6	—	1
Banff	17	23	12	9	7	13	22	27	35	36	41	20	15	2	—	1
Aberdeen	82	86	74	89	93	99	113	119	163	131	131	90	31	4	1	2
Kincardine	13	9	12	6	6	4	13	24	32	19	26	25	8	4	—	—
Forfar	106	98	92	95	83	92	134	111	129	115	113	44	14	4	1	2
Perth	65	55	56	41	57	56	72	80	121	85	101	60	19	11	—	3
Fife	46	45	56	45	39	54	79	76	102	106	81	49	15	4	—	2
Kinross	2	4	2	6	1	2	2	6	7	13	3	4	—	1	—	—
Clackmannan	3	6	9	7	10	5	9	14	13	15	5	7	2	1	—	—
Stirling	24	32	22	22	25	29	44	43	50	48	50	21	12	3	—	3
Dumbarton	18	21	29	25	22	25	34	34	23	28	20	6	6	—	—	1
Argyll	25	26	19	34	29	31	43	28	57	67	63	34	13	3	1	3
Bute	8	8	7	7	9	7	7	13	14	12	14	10	2	1	—	1
Renfrew	98	113	94	74	98	90	112	72	109	81	79	32	7	4	1	2
Ayr	65	74	58	49	75	53	100	93	106	87	86	48	23	8	1	3
Lanark	336	390	343	329	335	282	372	273	335	222	171	91	31	11	1	3
Linlithgow	15	14	9	12	12	11	11	14	26	20	16	7	4	—	—	—
Edinburgh	105	131	134	132	137	128	203	169	189	175	129	68	21	7	1	1
Haddington	12	9	6	9	19	18	16	24	22	25	22	14	6	—	—	2
Berwick	9	9	11	7	5	14	19	15	19	22	21	16	—	1	—	—
Peebles	4	1	3	2	1	2	4	2	8	5	4	2	—	1	1	—
Selkirk	2	4	1	2	1	1	4	7	7	8	1	3	—	—	—	—
Roxburgh	13	15	17	20	17	21	30	30	32	31	20	14	5	5	1	—
Dumfries	19	17	21	19	25	32	50	34	49	53	48	23	4	1	—	3
Kirkcudbright	11	12	13	7	16	21	16	20	20	36	27	16	11	2	1	—
Wigtown	10	7	17	11	20	22	14	19	30	24	25	19	5	4	—	1

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1864.—FEMALES.

Inverness	8	10	6	9	8	9	14	14	19	14	14	6	2	—	1	—
Aberdeen	30	50	40	53	61	57	56	51	70	46	41	28	13	—	1	—
Arbroath	6	8	10	4	6	12	10	9	17	12	13	4	2	—	—	—
Dundee	62	59	51	54	55	48	63	53	44	44	40	11	4	2	—	—
Forfar	4	4	5	2	7	5	8	5	15	3	13	2	1	—	—	—
Montrose	13	7	12	13	5	7	13	10	11	14	7	7	2	2	—	—
Perth	22	13	16	13	20	12	21	23	18	21	27	13	3	2	—	—
Dunfermline	4	5	8	12	3	6	14	7	6	6	5	4	1	—	—	—
Kirkcaldy	5	7	4	4	2	1	5	9	9	3	6	4	—	—	—	—
Stirling	2	7	5	6	6	8	10	3	10	8	6	4	2	1	—	—
Greenock	32	36	41	35	43	25	33	25	27	17	16	7	2	3	—	2
Paisley	29	31	21	19	32	32	42	20	38	28	32	7	2	—	—	—
Ayr	11	7	4	7	15	5	14	11	11	14	14	4	5	1	1	—
Kilmarnock	11	8	7	2	7	8	14	12	9	10	12	10	3	2	—	—
Glasgow	241	269	254	246	251	201	265	185	205	134	86	35	14	5	—	—
Barony	20	26	18	14	14	20	24	22	28	12	14	6	3	—	1	—
Govan	15	20	17	13	8	8	18	12	18	1	4	3	—	1	—	—
Hamilton	4	6	5	7	4	1	7	8	12	7	11	4	2	—	—	1
Airdrie	3	5	1	4	7	3	4	2	3	4	6	1	—	—	—	1
Coatbridge, etc.	5	4	1	7	4	4	8	5	3	4	3	4	3	—	—	—
Edinburgh	67	91	98	90	97	90	128	114	123	111	85	47	11	4	1	—
Leith	17	20	19	16	12	16	24	20	21	25	12	4	1	—	—	1
Dumfries	5	4	7	2	10	9	13	7	12	8	6	6	2	—	—	—

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1864.—BOTH SEXES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	74416	493	503	928	423	1465	1695	188	834	1015	4589	650	5507	3041	3280	157
SPECIFIED CAUSES	71126	378	453	858	363	1233	1499	175	782	964	4406	625	5366	2920	3086	152
I. Zymotic Class	19090	43	63	369	70	262	410	28	222	231	1102	178	1571	761	869	16
II. Diseases of Uncer. Seat	2523	15	23	27	17	46	52	4	31	46	192	28	196	120	131	7
III. Tubercular Class	11445	52	69	81	55	146	156	23	101	112	647	70	846	381	399	15
IV. Brain and Nervous Sys. . . .	5116	19	27	38	15	73	86	10	69	90	393	52	383	228	250	12
V. Organs of Circulation	2975	7	17	15	5	28	35	10	36	32	239	35	282	144	128	14
VI. Respiratory Organs	10070	22	35	70	22	101	136	18	64	131	535	51	694	321	366	25
VII. Organs of Digestion	5165	16	39	44	25	62	124	15	49	80	379	44	350	221	215	11
VIII. Urinary Organs	916	1	6	11	3	24	23	9	17	25	83	20	59	33	48	4
IX. Organs of Generation	560	4	5	12	9	18	18	1	6	10	36	4	44	27	31	2
X. Organs of Locomotion	419	4	3	4	1	9	16	1	5	3	23	3	31	22	22	—
XI. Skin, etc.	93	—	1	1	—	2	3	—	1	—	9	—	13	8	6	—
XII. Malformation	175	—	—	2	—	—	—	2	4	2	5	3	17	6	7	—
XIII. Premature Debility	3242	5	11	29	9	27	51	8	24	43	172	17	306	121	131	3
XIV. Atrophy	502	2	4	2	3	10	18	—	—	3	25	—	33	24	27	4
XV. Age	6418	175	135	125	117	367	322	41	132	112	442	98	371	410	351	29
XVI. Sudden Deaths	126	1	—	—	3	2	2	1	—	—	3	1	14	12	16	2
XVII. Violent Deaths	2291	12	15	28	9	56	47	4	21	44	128	21	156	81	89	8
I. Small Pox	1741	2	1	2	1	12	109	—	91	17	89	27	201	76	63	1
Measles	1102	—	—	—	2	19	55	4	32	8	27	1	29	18	10	—
Scarlatina	3411	3	8	170	12	22	5	—	14	18	47	7	314	146	249	—
Diphtheria	1740	3	1	102	17	57	26	5	27	49	223	40	136	90	133	—
Hooping Cough	1993	7	—	10	1	—	39	—	—	—	79	9	224	54	81	6
Croup	1416	3	8	12	11	61	28	5	19	22	63	13	127	51	71	1
Thrush	36	—	—	—	—	1	3	—	—	1	4	—	10	—	2	—
Diarrhœa	1244	1	—	2	1	11	18	—	8	17	77	7	105	58	31	3
Dysentery	317	—	1	3	2	3	2	—	2	2	24	1	39	21	18	—
Cholera	67	—	—	—	—	3	1	—	—	—	—	—	13	1	5	—
Influenza	243	1	11	7	1	5	17	1	—	10	31	5	11	12	8	—
Purpura	44	—	1	—	—	—	—	1	1	—	7	—	2	2	1	1
Ague	17	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—
Worms	24	—	—	—	1	—	—	—	—	—	—	—	—	1	1	—
Infantile Fever	53	—	—	3	—	—	—	—	—	—	2	3	7	2	—	—
Typhus	4804	19	26	47	13	55	92	9	13	68	372	54	278	202	156	2
Metria	254	—	1	6	3	5	7	—	4	5	18	4	19	8	7	—
Rheumatic Fever	101	3	2	—	4	1	1	1	2	2	5	3	11	6	5	2
Erysipelas	345	1	2	4	1	6	6	1	7	11	26	4	28	12	24	—
Syphilis	125	—	1	1	—	1	1	1	2	1	6	—	16	1	—	—
Noma	13	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	81	—	—	2	1	1	2	—	—	2	3	1	7	1	3	1
Dropsy	768	12	10	7	4	19	14	1	11	11	43	3	63	36	51	3
Abscess	149	—	—	1	—	3	2	—	2	3	12	4	5	4	12	—
Ulcer	50	1	1	—	1	1	3	1	—	1	3	2	3	3	1	—
Fistula	18	—	—	—	—	—	1	—	—	1	2	—	—	—	1	—
Mortification	142	—	—	2	2	2	5	—	3	2	17	2	17	5	6	—
Cancer	1300	2	12	14	9	20	25	2	15	26	111	16	100	70	56	3
Gout	15	—	—	1	—	—	—	—	—	—	1	—	1	1	1	—
III. Scrofula	657	1	9	6	8	8	6	—	6	9	71	8	39	27	18	2
Tabes Mesenterica	875	—	—	4	2	1	6	—	4	3	35	1	37	29	29	2
Phthisis	8083	49	52	56	42	128	135	21	79	89	446	53	629	297	291	9
Hydrocephalus	1830	2	8	15	3	9	9	2	12	11	95	8	141	28	61	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1864.—BOTH SEXES.

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	483	1986	1423	1602	387	5480	4465	20129	883	7078	729	594	205	199	974	1518	766	747
SPECIFIED CAUSES . . .	454	1848	1358	1420	359	5264	4246	19656	851	6971	682	575	200	196	935	1419	725	707
Zymotic Class . . .	105	447	433	265	83	1761	1271	5515	271	1618	173	131	61	43	198	265	105	150
Uncertain Seat . . .	22	84	47	52	13	143	129	525	27	312	36	24	8	6	34	57	28	41
Tubercular Class . . .	91	305	261	206	65	884	831	3564	141	1117	79	67	22	27	150	231	136	115
Brain, etc.	30	129	96	105	30	344	300	1230	36	629	44	53	13	15	100	110	61	46
Heart, etc.	23	56	60	64	21	161	143	627	40	438	56	31	15	16	70	66	34	36
Respiratory Organs . . .	62	283	148	178	41	721	480	3636	117	1098	76	66	18	37	112	206	107	93
Digestive Organs . . .	31	167	86	109	20	370	296	1423	67	450	33	42	30	11	82	151	64	59
Urinary Organs . . .	8	25	9	22	6	41	55	166	8	119	12	12	1	4	11	24	12	13
Generative Organs . . .	2	16	2	13	5	25	32	130	4	67	4	5	2	—	4	9	7	6
Locomotive Organs . . .	1	8	10	12	—	24	23	83	1	66	3	6	2	1	8	11	7	6
Skin	—	2	1	1	—	8	2	19	1	10	—	1	—	—	—	2	1	1
Malformation	1	8	9	2	1	7	12	40	3	22	—	4	1	—	3	3	10	1
Premature Debility . . .	21	77	46	43	13	275	157	1037	44	334	40	25	3	20	55	52	29	14
Atrophy	5	8	5	8	1	52	25	168	3	37	16	1	—	3	3	9	2	1
Age	42	170	88	287	46	304	334	843	49	392	81	72	15	5	85	181	99	98
Sudden Deaths . . .	3	3	2	—	—	6	3	34	1	12	1	2	—	—	—	—	1	1
Violent Deaths . . .	7	60	55	53	14	138	153	616	38	250	28	33	9	8	20	42	22	26
Small Pox	26	19	29	9	3	204	77	478	76	20	2	2	4	16	52	7	6	19
Measles	6	40	71	26	10	114	57	530	10	31	2	—	—	—	—	—	—	—
Scarlatina	18	76	52	41	11	393	231	1004	50	330	44	14	21	1	8	81	10	11
Diphtheria	12	38	17	22	18	77	89	278	9	131	15	20	7	7	22	21	32	16
Whooping Cough . . .	10	47	20	28	6	178	137	690	16	310	16	2	5	—	9	6	1	2
Croup	16	53	24	29	3	97	109	281	28	150	13	38	3	3	17	25	13	19
Thrush	—	1	—	—	—	3	—	8	—	1	—	—	—	—	—	1	—	1
Diarrhoea	2	49	20	18	2	94	136	377	14	128	16	6	4	3	8	13	8	7
Dysentery	—	1	6	9	1	26	28	64	1	32	7	2	1	—	1	11	7	2
Cholera	—	5	1	1	1	2	8	7	1	13	1	1	—	3	—	—	—	—
Influenza	—	12	—	11	—	10	19	35	1	10	2	—	1	1	6	5	1	9
Purpura	—	1	1	—	—	3	5	10	—	6	—	—	—	—	—	1	—	1
Ague	—	1	2	—	—	3	2	5	—	—	—	—	—	—	—	—	—	—
Worms	—	1	1	1	—	1	5	3	—	1	—	1	—	—	3	—	1	3
Infantile Fever . . .	—	1	—	2	—	2	7	13	1	6	—	2	—	—	1	—	—	1
Typhus	9	80	165	52	23	500	315	1538	51	351	52	39	11	8	60	76	16	52
Metria	4	8	7	8	1	17	10	65	7	27	1	1	2	1	3	2	3	—
Rheumatic Fever . . .	1	—	3	3	2	4	9	13	1	8	1	1	—	—	2	1	1	3
Erysipelas	1	11	11	4	1	23	20	80	4	34	—	—	2	—	4	11	4	2
Syphilis	—	3	3	1	1	10	6	30	1	27	1	2	—	—	1 ²	4	2	2
Noma	—	—	—	—	—	—	1	6	—	2	—	—	—	—	1	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	2	—	3	—	6	3	21	—	11	1	2	—	—	2	2	2	1
Dropsy	11	38	12	16	2	60	39	212	3	46	7	2	2	—	10	9	5	6
Abscess	—	—	2	3	—	3	13	43	2	23	—	1	1	—	1	3	2	4
Ulcer	1	1	—	1	—	5	3	9	—	7	—	—	—	1	—	—	—	1
Fistula	—	1	—	—	—	—	—	8	—	4	—	—	—	—	—	—	—	—
Mortification	—	4	5	2	1	11	5	19	2	16	2	1	—	1	3	3	3	1
Cancer	9	37	28	27	10	58	65	211	20	202	26	18	5	4	18	40	14	27
Gout	—	1	—	—	—	—	1	2	—	3	—	—	—	—	—	—	2	1
Scrofula	1	13	12	16	4	44	72	152	21	54	4	3	—	—	9	10	13	6
Tabes Mesenterica . . .	6	15	17	13	3	78	63	318	12	134	6	8	2	4	19	16	4	4
Phthisis	70	210	182	161	46	604	553	2488	77	712	57	49	16	17	97	175	96	97
Hydrocephalus	14	62	50	16	12	158	143	606	31	217	12	7	4	6	25	30	23	8

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1864.—BOTH SEXES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	368	2	2	7	3	10	5	-	1	12	33	3	20	14	25	2
Apoplexy	1160	5	5	8	1	13	13	3	22	15	82	12	85	66	53	3
Paralysis	1550	6	12	8	9	27	32	3	24	28	104	21	116	84	107	1
Delirium Tremens . . .	51	-	-	-	-	-	1	-	1	1	4	2	2	2	5	-
Chorea	10	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Epilepsy	198	2	2	2	1	3	12	1	1	1	17	2	8	12	5	-
Tetanus	36	1	-	-	-	4	-	-	-	-	1	1	2	-	5	1
Insanity	46	-	-	1	-	3	2	-	1	-	7	-	2	2	2	-
Convulsions	838	1	2	8	-	7	11	2	6	19	84	6	79	19	18	1
Brain Disease	859	2	4	4	1	6	10	1	13	13	61	5	68	29	30	4
V. Pericarditis	68	-	-	1	-	-	2	-	1	2	4	-	2	4	2	-
Aneurism	197	-	-	1	-	-	1	-	-	-	5	2	12	2	2	1
Heart Disease	2810	7	17	13	5	28	32	10	35	30	221	33	268	138	124	13
VI. Laryngitis	144	-	-	1	1	1	-	-	1	3	12	-	5	6	9	-
Bronchitis	6383	7	18	41	6	40	59	9	39	75	342	38	457	213	239	12
Pleurisy	284	-	5	3	-	6	20	-	2	7	16	-	16	9	19	-
Pneumonia	2268	6	6	17	1	16	22	5	13	30	117	9	144	57	56	10
Asthma	656	8	3	8	14	36	28	4	7	10	25	3	48	29	30	-
Lung Disease	335	1	3	-	-	2	7	-	2	6	23	1	24	7	13	3
VII. Teething	1124	2	3	4	3	6	30	4	15	13	99	3	87	39	32	2
Quinsey	72	-	1	-	-	4	4	-	-	2	6	-	3	2	1	-
Gastritis	200	1	1	5	-	1	3	-	4	2	10	5	14	8	17	2
Enteritis	953	-	1	9	1	11	15	-	5	12	42	4	39	28	28	3
Peritonitis	331	-	1	3	-	2	9	2	1	6	25	2	18	21	11	-
Ascites	68	-	1	-	-	-	1	-	1	3	8	-	11	2	3	1
Ulceration of Intestines	174	-	-	2	-	1	3	2	2	3	17	1	14	6	13	1
Hernia	90	1	3	-	-	1	2	-	2	-	11	2	9	6	5	-
Ileus	303	2	3	2	5	5	6	1	5	5	35	6	20	20	14	-
Intussusception . . .	40	-	1	1	2	1	-	-	-	-	5	3	4	-	2	-
Stricture of Intestines	30	-	1	-	-	-	1	-	-	1	4	-	1	1	4	-
Stomach Disease . . .	754	7	18	7	6	17	19	2	5	13	52	9	52	32	36	-
Pancreas Disease . . .	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	162	-	-	6	-	4	3	-	1	1	8	2	7	10	4	-
Jaundice	217	2	1	1	2	4	10	1	-	10	23	1	23	11	15	-
Liver Disease	620	1	4	3	6	5	17	3	8	9	33	5	46	31	28	2
Spleen Disease	26	-	-	-	-	-	1	-	-	-	1	1	2	4	2	-
VIII. Nephritis	73	-	-	3	-	5	1	-	-	-	1	1	2	1	5	-
Nephria	220	-	-	1	1	6	5	4	4	5	20	3	17	6	7	1
Ischuria	60	1	1	-	-	3	4	1	1	1	4	-	4	1	1	1
Diabetes	82	-	2	1	-	-	2	-	1	3	5	2	6	2	7	1
Stone	65	-	-	4	2	7	3	2	1	2	18	2	1	3	-	-
Cystitis	50	-	-	-	-	-	1	-	1	2	5	1	4	3	4	-
Stricture of Urethra .	22	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-
Kidney Disease	344	-	3	2	-	3	7	2	8	12	30	9	25	17	24	1
IX. Paramenia	38	1	1	-	-	3	-	-	-	1	2	-	2	2	2	-
Ovarian Dropsy	79	-	3	1	1	2	4	1	2	-	8	1	3	3	3	-
Childbirth	374	3	1	7	7	13	13	-	2	5	20	2	28	22	22	2
Organs of Generation .	69	-	-	4	1	-	1	-	2	4	6	1	11	-	4	-
X. Arthritis	32	-	-	-	-	2	-	-	-	1	3	-	3	4	-	-
Rheumatism	156	2	2	1	1	6	12	-	2	1	7	2	4	14	13	-
Joint and Bone Disease	231	2	1	3	-	1	4	1	3	1	13	1	24	4	9	-
XI. Carbuncle	24	-	-	1	-	1	1	-	-	-	1	-	5	4	2	-
Phlegmon	11	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
Skin Disease	58	-	1	-	-	1	2	-	1	-	6	-	6	4	4	-
XII. Cyanosis	59	-	-	-	-	-	-	-	1	1	2	-	7	4	4	-
Spina Bifida	29	-	-	-	-	-	-	-	1	-	1	1	2	2	1	-
Other Malformations .	87	-	-	2	-	-	-	2	2	1	2	2	8	-	2	-
XVII. Intemperance . .	77	-	-	-	-	-	3	-	-	2	8	1	5	1	-	1
Privation	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk .	91	-	-	1	-	-	-	-	-	1	11	-	1	-	3	-
Neglect	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Cold	41	-	-	1	-	2	5	-	1	-	1	-	-	4	2	-
Poison	40	-	-	-	-	-	-	-	-	-	1	1	5	3	1	-
Burns and Scalds . . .	310	2	1	4	3	9	3	-	2	5	14	3	13	9	8	3
Hanging, etc. . . .	29	-	1	-	-	-	-	-	-	-	1	-	6	1	2	-
Suffocation	108	-	1	-	-	-	-	-	1	1	12	1	15	-	1	-
Drowning	557	10	10	18	1	31	16	3	5	19	33	5	33	20	32	1
Fracture and Contusion	829	-	2	4	3	10	15	1	8	12	37	7	55	30	34	2
Wounds	94	-	-	-	1	-	3	-	3	3	4	3	8	6	4	1
Other Violent Causes .	104	-	-	-	1	4	2	-	1	1	6	-	14	6	2	-
Not Specified	3290	115	50	70	60	232	196	13	52	51	183	25	141	121	194	5

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1864.—BOTH SEXES. (Continued.)

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis	3	4	5	5	1	15	25	92	3	52	1	4	1	1	2	7	7	1
Apoplexy	5	29	27	29	12	92	68	261	11	132	8	19	4	3	16	26	23	9
Paralysis	12	48	28	33	13	87	108	269	10	185	21	17	2	4	48	49	15	19
Delirium Tremens .	1	—	—	—	—	5	3	10	1	7	2	—	—	—	—	2	—	—
Chorea	—	—	—	—	—	1	—	2	1	1	1	1	—	—	—	1	—	—
Epilepsy	1	3	3	5	—	18	6	48	—	24	4	3	1	1	3	4	4	1
Tetanus	—	2	—	5	—	—	1	6	1	4	—	—	—	—	—	—	1	1
Insanity	—	—	1	1	—	3	1	10	1	6	—	—	—	—	—	2	1	—
Convulsions	5	16	19	13	—	56	37	279	6	110	3	4	2	1	10	6	3	5
Brain Disease . . .	3	27	11	14	4	67	51	253	2	108	4	5	3	5	21	13	7	10
Pericarditis	1	—	1	4	—	6	5	23	—	7	—	—	1	—	1	—	1	—
Aneurism	2	1	2	2	—	4	2	19	1	27	3	2	—	—	2	3	—	1
Heart Disease . . .	20	55	57	58	21	151	136	585	39	404	53	29	14	16	67	63	33	35
Laryngitis	3	5	1	2	1	6	10	39	2	24	—	—	1	1	1	4	4	1
Bronchitis	45	151	89	111	25	491	296	2415	76	713	38	35	11	24	52	111	48	57
Pleurisy	—	7	6	9	1	15	17	48	7	36	1	4	3	2	9	9	5	2
Pneumonia	13	70	36	41	10	153	93	850	28	218	28	23	3	9	40	74	44	26
Asthma	1	26	15	14	2	26	50	180	2	54	7	3	—	—	7	7	5	4
Lung Disease	—	24	1	1	2	30	14	104	2	53	2	1	—	1	3	1	1	3
Teething	14	39	18	18	2	134	72	384	16	48	5	2	3	—	6	13	2	6
Quinsey	—	1	1	9	—	5	1	17	—	4	1	1	—	—	1	6	—	2
Gastritis	—	8	8	5	2	5	5	59	1	16	—	—	—	—	3	7	6	2
Enteritis	4	27	7	10	8	88	67	353	23	70	3	12	7	2	17	27	20	10
Peritonitis	2	12	5	5	—	21	11	98	8	35	—	2	3	2	5	13	4	4
Ascites	—	2	1	3	—	4	—	19	—	3	1	1	—	1	—	1	—	1
Ulceration of Intestines	2	3	6	2	1	10	4	26	—	26	2	4	3	—	4	6	2	8
Hernia	—	1	—	1	—	3	5	17	1	14	2	—	1	—	1	1	1	—
Ileus	3	9	7	12	1	14	19	53	3	24	4	3	3	1	6	8	3	1
Intussusception . .	—	1	—	1	—	—	5	3	—	7	—	—	—	1	—	2	1	—
Stricture of Intestines	—	1	—	1	—	2	1	2	—	5	1	1	—	—	—	2	—	1
Stomach Disease . .	2	36	13	18	3	27	53	167	2	72	6	3	4	2	17	31	9	14
Pancreas Disease . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	1	3	5	—	14	12	44	4	14	2	1	—	—	4	7	2	3
Jaundice	3	5	2	2	—	9	7	34	2	26	2	4	1	—	7	5	1	3
Liver Disease	1	19	15	14	3	34	32	147	7	83	4	7	5	1	11	21	12	3
Spleen Disease . . .	—	2	—	3	—	—	2	—	—	3	—	1	—	1	—	1	1	1
Nephritis	1	3	2	2	—	4	4	18	1	7	3	1	—	—	—	6	1	1
Nephria	6	7	—	7	2	7	13	44	4	37	2	1	—	3	—	2	4	1
Ischuria	1	—	1	2	1	3	9	8	—	7	—	3	—	—	—	1	—	1
Diabetes	—	4	3	1	1	5	3	17	—	9	1	1	—	—	2	2	—	1
Stone	—	2	—	3	—	2	1	7	—	4	—	—	—	—	—	—	—	1
Cystitis	—	1	—	3	1	3	6	5	1	3	—	1	—	—	1	1	—	3
Stricture of Urethra .	—	—	—	—	—	—	1	8	—	6	—	1	—	—	—	—	—	1
Kidney Disease . . .	—	8	3	4	1	17	18	59	2	46	6	4	1	1	8	12	7	4
Paramenia	2	3	—	1	—	—	2	9	—	2	—	—	—	—	—	3	2	—
Ovarian Dropsy . . .	—	2	1	—	—	—	8	6	—	26	—	1	—	—	—	3	—	—
Childbirth	—	9	1	10	3	22	19	102	3	34	4	3	2	—	3	3	3	6
Organs of Generation	—	2	—	2	2	3	3	13	1	5	—	1	—	—	1	—	2	—
Arthritis	—	—	1	1	—	2	2	7	—	3	1	—	—	—	1	1	—	—
Rheumatism	—	4	1	8	—	10	6	30	1	12	1	3	1	—	4	3	5	—
Joint Disease	1	4	8	3	—	12	15	46	—	51	1	3	1	1	3	7	2	6
Carbuncle	—	—	—	—	—	2	—	6	—	1	—	—	—	—	—	—	—	—
Phlegmon	—	1	—	—	—	1	—	1	—	4	—	—	—	—	—	—	—	—
Skin Disease	—	1	1	1	—	5	2	12	1	5	—	1	—	—	—	2	1	1
Cyanosis	1	4	8	—	—	3	2	10	1	8	—	1	—	—	—	1	1	—
Spina Bifida	—	1	1	—	—	1	2	6	—	6	—	—	1	—	1	1	1	—
Other Malformations	—	3	—	2	1	3	8	24	2	8	—	3	—	—	2	1	8	1
Intemperance	—	—	4	2	—	5	4	23	1	9	1	—	—	1	—	4	—	2
Privation	—	—	—	—	—	—	—	7	1	—	—	—	—	—	—	1	—	—
Want of Breast Milk .	1	—	—	—	—	4	2	44	1	15	—	—	2	1	1	3	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	3	—	4	1	2	5	5	1	2	—	—	1	—	—	—	—	1
Poison	—	—	1	2	—	2	5	14	—	3	—	—	—	—	2	—	—	—
Burns and Scalds . .	3	15	6	7	1	21	20	85	8	37	6	2	—	—	5	7	2	6
Hanging, etc.	—	1	—	—	—	3	3	7	—	2	1	1	—	—	—	—	—	—
Suffocation	—	2	4	—	—	5	6	24	3	23	—	2	—	—	2	4	—	1
Drowning	—	10	19	25	10	37	17	118	9	19	5	15	1	2	2	6	17	8
Fracture and Contusion	3	23	16	9	1	44	85	246	12	112	8	11	5	2	8	13	3	8
Wounds	—	2	1	2	1	8	4	18	—	12	4	1	—	2	—	3	—	—
Other Violent Causes	—	4	4	2	—	7	2	25	2	16	3	1	—	—	—	1	—	—
Not Specified	29	138	65	182	28	216	219	473	32	107	47	19	5	3	39	99	41	49

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1864.—MALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	37010	226	251	437	190	701	828	95	415	486	2223	304	2679	1477	1594	81
SPECIFIED CAUSES	35368	168	219	402	162	590	741	87	387	466	2125	397	2617	1418	1491	79
I. Zymotic Class	9410	17	26	172	36	129	209	10	124	101	536	79	761	380	415	8
II. Diseases of Uncer. Seat	946	8	7	8	5	19	19	2	14	22	62	6	68	39	49	4
III. Tubercular Class	5634	33	36	42	30	70	91	13	56	57	296	43	381	197	195	6
IV. Brain and Nervous Sys.	2762	7	17	23	10	42	44	8	34	48	218	30	207	115	133	6
V. Organs of Circulation	1504	6	11	10	1	16	16	5	17	12	111	21	133	76	65	8
VI. Respiratory Organs	5288	12	20	33	8	47	72	9	31	62	273	27	355	160	188	16
VII. Organs of Digestion	2694	12	18	21	14	39	70	6	30	37	205	21	190	100	113	7
VIII. Urinary Organs	633	1	6	8	2	16	18	7	10	14	62	16	39	23	29	3
IX. Organs of Generation	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	224	2	2	2	—	5	11	1	5	2	9	2	21	10	12	—
XI. Skin, etc.	50	—	1	1	—	1	1	—	1	—	5	—	5	4	4	—
XII. Malformation	92	—	—	1	—	—	—	2	3	1	3	—	10	2	3	—
XIII. Premature Debility	1831	2	6	13	5	18	26	6	11	30	96	6	183	72	67	1
XIV. Atrophy	216	—	2	—	2	5	5	—	—	1	12	—	13	10	12	3
XV. Age	2295	56	52	43	42	137	118	14	38	46	151	30	133	163	128	10
XVI. Sudden Deaths	76	—	—	—	2	1	2	—	—	—	1	—	9	9	10	2
XVII. Violent Deaths	1711	12	15	24	5	45	39	4	13	33	85	16	109	58	68	5
I. Small Pox	949	1	—	—	—	9	62	—	53	6	57	14	110	43	28	—
Measles	565	—	—	—	1	9	30	—	15	4	14	1	16	10	6	—
Scarlatina	1788	2	4	84	5	10	2	—	9	7	23	4	159	81	131	—
Diphtheria	847	1	1	50	13	33	12	3	19	21	121	18	63	42	66	—
Hooping Cough	863	2	—	2	—	—	17	—	—	—	34	1	87	21	30	4
Croup	721	2	3	5	7	31	12	1	10	14	33	4	70	31	34	1
Thrush	19	—	—	—	—	—	3	—	—	—	3	—	3	—	1	—
Diarrhoea	611	—	—	—	—	5	9	—	7	10	39	2	44	28	15	2
Dysentery	170	—	—	1	1	1	1	—	2	1	15	—	20	9	9	—
Cholera	41	—	—	—	—	1	1	—	—	—	—	—	8	1	2	—
Influenza	100	—	5	3	1	1	8	—	—	1	14	3	5	6	5	—
Purpura	25	—	1	—	—	—	—	1	1	—	5	—	2	2	—	—
Ague	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	10	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	21	—	—	1	—	—	—	—	—	—	—	2	3	—	—	—
Typhus	2379	7	11	23	7	24	49	4	5	32	160	27	137	97	74	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	48	1	—	—	—	—	—	1	—	1	2	1	7	2	1	1
Erysipelas	180	1	1	3	—	4	3	—	3	3	14	2	15	6	12	—
Syphilis	57	—	—	—	—	1	—	—	—	1	2	—	11	1	—	—
Noma	4	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	36	—	—	—	—	1	2	—	—	2	1	—	2	—	2	—
Dropsy	328	6	2	3	1	8	6	1	2	4	16	1	21	18	24	1
Abscess	79	—	—	—	—	1	—	—	1	3	7	1	1	1	6	—
Ulcer	25	1	1	—	—	1	1	1	—	1	1	—	2	1	—	—
Fistula	15	—	—	—	—	—	—	—	—	1	2	—	—	—	1	—
Mortification	74	—	—	1	1	1	4	—	3	1	9	1	11	2	2	—
Cancer	379	1	4	3	3	7	6	—	8	10	26	3	31	16	14	3
Gout	10	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—
III. Scrofula	375	1	4	2	7	4	5	—	5	6	46	7	24	18	12	2
Tabes Mesenterica	469	—	—	2	1	1	2	—	3	2	15	1	15	16	19	—
Phthisis	3781	30	28	29	19	62	78	12	42	44	184	32	250	147	137	4
Hydrocephalus	1009	2	4	9	3	3	6	1	6	5	51	3	92	16	27	—

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1864.—MALES.

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	228	1019	720	812	162	2783	2189	10342	442	3525	352	285	116	102	467	779	367	333
SPECIFIED CAUSES . . .	209	952	695	723	148	2680	2077	10080	427	3473	326	277	111	101	446	737	338	319
Zymotic Class . . .	49	221	210	138	30	926	594	2786	138	786	87	60	33	22	93	130	50	54
Uncertain Seat . . .	5	35	22	27	5	50	50	201	9	118	10	8	4	2	12	26	10	20
Tubercular Class . . .	49	156	140	107	29	435	414	1700	67	599	36	28	11	14	70	127	58	48
Brain, etc.	17	72	45	60	12	191	158	694	22	334	19	28	7	5	48	58	32	18
Heart, etc.	14	32	35	30	11	74	69	325	19	223	25	13	6	5	34	34	24	23
Respiratory Organs . . .	32	151	83	96	15	381	251	1986	63	557	40	23	14	19	46	116	48	54
Digestive Organs . . .	7	96	43	60	9	196	142	756	32	235	21	26	16	8	41	73	25	25
Urinary Organs . . .	4	17	5	15	5	24	42	116	6	74	9	10	1	3	8	17	11	12
Generative Organs . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	1	4	3	7	—	11	13	46	—	37	—	2	2	1	5	4	1	3
Skin	—	2	—	—	—	7	—	11	—	5	—	1	—	—	—	1	—	—
Malformation	1	5	5	1	1	6	5	25	1	9	—	2	—	—	—	1	5	—
Premature Debility . . .	8	43	24	22	7	141	83	604	23	186	22	16	3	13	38	29	18	9
Atrophy	2	2	3	2	—	22	9	74	1	18	9	—	—	1	1	5	1	1
Age	13	63	33	113	13	109	126	282	15	119	27	29	6	1	35	85	36	29
Sudden Deaths . . .	2	2	2	—	—	3	2	20	1	7	—	—	—	—	—	—	1	—
Violent Deaths . . .	5	51	42	45	11	104	119	453	30	166	21	31	8	7	15	31	18	23
Small Pox	18	10	14	5	—	111	36	257	44	13	1	1	3	11	29	6	3	4
Measles	4	20	33	16	5	57	27	271	5	21	—	—	—	—	—	—	—	—
Scarlatina	7	40	20	28	5	232	110	524	25	176	28	6	10	—	4	39	8	5
Diphtheria	4	20	7	8	6	29	45	141	6	60	7	8	4	2	11	10	12	4
Whooping Cough . . .	4	19	12	10	4	86	57	319	6	136	5	1	2	—	2	2	—	—
Croup	5	30	13	12	1	46	50	149	15	74	7	18	3	2	9	15	6	8
Thrush	—	1	—	—	—	2	—	3	—	1	—	—	—	—	—	1	—	1
Diarrhœa	—	25	12	9	—	43	62	192	7	65	8	3	1	1	3	6	4	4
Dysentery	—	—	6	8	1	15	14	29	1	16	5	2	—	—	—	7	5	1
Cholera	—	5	—	1	—	2	5	5	1	7	—	1	—	1	—	—	—	—
Influenza	—	4	—	5	—	6	10	15	—	1	—	—	1	—	1	—	—	5
Purpura	—	1	1	—	—	1	3	4	—	2	—	—	—	—	—	1	—	—
Ague	—	1	1	—	—	3	2	5	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	—
Infantile Fever . . .	—	1	—	—	—	1	4	4	—	4	—	—	—	—	1	—	—	—
Typhus	5	38	84	31	6	273	151	787	25	178	25	18	7	5	28	35	6	20
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . .	1	—	3	1	1	—	5	9	—	5	1	1	—	—	2	—	1	1
Erysipelas	1	5	4	3	1	9	10	50	2	17	—	—	2	—	1	5	3	—
Syphilis	—	1	—	1	—	5	—	19	1	8	—	1	—	—	—	3	1	1
Noma	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	1	—	2	—	—	—	9	—	7	—	1	—	—	—	2	2	1
Dropsy	2	19	7	8	—	28	20	98	—	14	4	2	2	—	4	4	—	2
Abscess	—	—	1	1	—	1	9	29	—	13	—	—	1	—	1	1	—	1
Ulcer	1	—	—	1	—	1	—	7	—	3	—	—	—	1	—	—	—	1
Fistula	—	1	—	—	—	—	—	6	—	4	—	—	—	—	—	—	—	—
Mortification	—	1	2	2	—	4	3	8	1	9	1	1	—	—	2	2	2	—
Cancer	1	13	12	13	5	16	18	42	8	65	5	4	1	1	5	17	4	14
Gout	—	—	—	—	—	—	—	2	—	3	—	—	—	—	—	—	2	1
Scrofula	1	8	8	9	1	24	42	77	8	30	2	—	—	—	6	7	7	2
Tabes Mesenterica . . .	5	10	10	8	1	40	41	158	5	83	2	5	1	3	7	10	—	3
Phthisis	36	100	91	82	23	287	249	1137	36	363	25	22	9	7	42	97	38	39
Hydrocephalus	7	38	31	8	4	84	82	328	18	123	7	1	1	4	15	13	13	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1864.—MALES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis . . .	230	—	1	7	2	8	4	—	1	9	21	1	11	8	14	1
Apoplexy . . .	626	2	5	5	1	9	10	3	12	5	49	6	41	33	32	1
Paralysis . . .	747	2	6	5	6	13	17	2	9	13	52	11	54	41	50	—
Delirium Tremens . . .	45	—	—	—	—	—	1	—	1	1	3	2	2	2	4	—
Chorea . . .	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Epilepsy . . .	98	—	2	1	1	—	5	1	—	1	8	2	4	8	3	—
Tetanus . . .	17	—	—	—	—	2	—	—	—	—	1	1	—	—	2	—
Insanity . . .	20	—	—	—	—	1	—	—	—	—	4	—	1	1	2	—
Convulsions . . .	502	1	—	3	—	4	2	1	3	10	49	4	55	7	9	1
Brain Disease . . .	475	2	3	2	—	5	5	1	8	8	31	3	39	15	17	3
V. Pericarditis . . .	34	—	—	—	—	—	2	—	—	1	2	—	1	3	1	—
Aneurism . . .	63	—	—	1	—	—	1	—	—	—	3	1	5	2	1	—
Heart Disease . . .	1407	6	11	9	1	16	13	5	17	11	106	20	127	71	63	8
VI. Laryngitis . . .	82	—	—	1	1	—	—	—	1	2	9	—	5	1	4	—
Bronchitis . . .	3187	4	10	15	3	17	31	4	15	36	161	19	218	107	123	6
Pleurisy . . .	154	—	1	2	—	3	13	—	1	3	10	—	10	3	10	—
Pneumonia . . .	1351	5	4	12	—	8	15	3	10	16	69	5	93	33	29	9
Asthma . . .	334	2	3	3	4	18	9	2	3	3	15	2	16	12	13	—
Lung Disease . . .	180	1	2	—	—	1	4	—	1	2	9	1	13	4	9	1
VII. Teething . . .	596	1	2	3	1	3	18	1	10	6	58	3	53	18	16	1
Quinsey . . .	35	—	—	—	—	3	1	—	—	—	3	—	3	—	—	—
Gastritis . . .	97	1	1	4	—	—	2	—	1	—	6	1	6	5	8	1
Enteritis . . .	516	—	—	5	—	7	6	—	3	7	27	2	17	13	13	2
Peritonitis . . .	144	—	—	1	—	2	3	—	1	1	12	—	9	9	7	—
Ascites . . .	29	—	—	—	—	—	—	—	—	1	1	—	8	—	1	1
Ulceration of Intestines	83	—	—	—	—	—	2	—	1	3	10	—	7	3	6	1
Hernia . . .	45	—	2	—	—	—	2	—	1	—	5	2	5	4	3	—
Ileus . . .	167	2	2	1	2	3	4	1	4	3	20	3	9	9	9	—
Intussusception . . .	20	—	1	1	1	—	—	—	—	—	4	2	1	—	1	—
Stricture of Intestines	18	—	—	—	—	—	1	—	—	—	1	—	1	—	3	—
Stomach Disease . . .	403	5	7	2	4	12	11	2	4	6	25	6	29	14	20	—
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	79	—	—	3	—	3	2	—	—	—	6	—	4	5	1	—
Jaundice . . .	105	2	1	—	1	3	7	—	—	6	8	1	10	5	4	—
Liver Disease . . .	349	1	2	1	5	3	11	2	5	4	18	1	27	14	20	1
Spleen Disease . . .	8	—	—	—	—	—	—	—	—	—	1	—	1	1	1	—
VIII. Nephritis . . .	45	—	—	2	—	2	—	—	—	—	—	1	1	—	3	—
Nephria . . .	129	—	—	—	1	2	4	3	1	2	13	3	9	4	4	—
Ischuria . . .	52	1	1	—	—	3	4	1	1	1	3	—	3	1	1	1
Diabetes . . .	51	—	2	—	—	—	2	—	1	2	3	1	4	1	5	1
Stone . . .	59	—	—	4	1	7	3	2	1	1	16	2	1	3	—	—
Cystitis . . .	38	—	—	—	—	—	1	—	1	1	4	—	4	2	2	—
Stricture of Urethra . . .	22	—	—	—	—	—	—	—	1	—	2	2	—	—	—	—
Kidney Disease . . .	237	—	3	2	—	2	4	1	4	7	21	7	17	12	14	1
IX. Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis . . .	18	—	—	—	—	2	—	—	—	—	1	—	3	2	—	—
Rheumatism . . .	68	1	1	—	—	2	7	—	2	1	1	1	1	7	6	—
Joint and Bone Disease	138	1	1	2	—	1	4	1	3	1	7	1	17	1	6	—
XI. Carbuncle . . .	10	—	—	1	—	1	1	—	—	—	—	—	1	1	1	—
Phlegmon . . .	4	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Skin Disease . . .	36	—	1	—	—	—	—	—	1	—	5	—	3	3	3	—
XII. Cyanosis . . .	33	—	—	—	—	—	—	—	1	1	1	—	3	2	1	—
Spina Bifida . . .	9	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
Other Malformations	50	—	—	1	—	—	—	2	2	—	2	—	6	—	1	—
XVII. Intemperance . . .	47	—	—	—	—	—	2	—	—	1	1	1	2	—	—	1
Privation . . .	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	50	—	—	1	—	—	—	—	—	1	8	—	—	—	1	—
Neglect . . .	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Cold . . .	29	—	—	1	—	1	3	—	—	—	—	—	—	2	2	—
Poison . . .	23	—	—	—	—	—	—	—	—	—	1	1	2	3	1	—
Burns and Scalds . . .	158	2	1	1	1	4	2	—	—	3	9	1	8	4	2	—
Hanging, etc. . .	23	—	1	—	—	—	—	—	—	—	1	—	4	1	1	—
Suffocation . . .	52	—	1	—	—	—	—	—	—	1	7	1	5	—	1	—
Drowning . . .	483	10	10	18	1	28	16	3	3	17	24	4	27	13	29	1
Fracture and Contusion	683	—	2	3	2	8	12	1	7	8	27	5	45	23	26	2
Wounds . . .	74	—	—	—	1	—	3	—	2	2	4	3	6	6	4	1
Other Violent Causes	78	—	—	—	—	4	1	—	1	—	3	—	9	6	1	—
Not Specified . . .	1642	58	32	35	28	111	87	8	28	20	98	7	62	59	103	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1864.—MALES. (Continued.)

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis	1	3	3	3	—	8	14	60	1	35	1	—	1	1	2	2	6	1
Apoplexy	3	14	9	16	6	52	32	148	8	66	3	13	3	1	10	15	11	2
Paralysis	6	28	13	17	5	39	55	133	6	89	7	9	—	1	20	27	5	6
Delirium Tremens . .	1	—	1	—	—	5	2	9	1	6	2	—	—	—	—	2	—	—
Chorea	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Epilepsy	1	2	1	1	—	6	3	25	—	12	1	2	—	1	1	3	2	1
Tetanus	—	—	—	4	—	—	1	2	—	2	—	—	—	—	—	—	1	1
Insanity	—	—	—	1	—	2	1	4	1	2	—	—	—	—	—	—	—	—
Convulsions	3	9	13	9	—	38	19	177	3	63	2	3	1	—	5	3	2	3
Brain Disease	2	16	5	9	1	41	31	136	2	58	3	1	2	1	10	6	5	4
Pericarditis	1	—	—	2	—	3	3	11	—	4	—	—	—	—	—	—	—	—
Aneurism	2	1	2	2	—	4	1	13	1	15	1	2	—	—	2	2	—	1
Heart Disease	11	31	33	26	11	67	65	301	18	204	24	11	6	5	32	32	24	22
Laryngitis	3	2	—	1	1	4	5	24	2	11	—	—	1	—	—	2	2	—
Bronchitis	21	74	50	57	8	246	145	1258	39	346	18	11	8	11	21	55	22	28
Pleurisy	—	5	3	4	—	13	7	22	4	22	1	—	3	2	4	4	3	1
Pneumonia	8	40	21	27	5	91	53	509	14	129	16	12	2	6	18	49	20	20
Asthma	—	16	9	6	—	13	32	111	2	25	4	—	—	—	2	6	—	3
Lung Disease	—	14	—	1	1	14	9	62	2	24	1	—	—	—	1	—	1	2
Teething	2	17	10	7	—	78	30	194	11	30	3	1	3	—	4	8	1	3
Quinsey	—	1	1	4	—	3	—	9	—	2	—	1	—	—	1	2	—	1
Gastritis	—	6	5	3	1	1	1	29	1	8	—	—	—	—	—	2	2	2
Enteritis	2	18	3	8	4	49	39	197	9	37	2	7	2	1	5	18	7	6
Peritonitis	—	8	3	4	—	9	3	44	3	13	—	2	1	—	1	6	1	1
Ascites	—	1	—	1	—	3	—	11	—	—	—	—	—	1	—	—	—	—
Ulceration of Intestines	1	—	1	2	—	6	2	14	—	12	1	2	1	—	3	1	—	4
Hernia	—	—	—	—	—	1	2	9	—	5	2	—	1	—	—	1	—	—
Ileus	—	8	3	8	—	7	7	32	1	13	2	2	2	1	3	4	1	1
Intussusception . . .	—	1	—	1	—	—	1	—	—	3	—	—	—	1	—	1	1	—
Stricture of Intestines	—	1	—	1	—	2	1	1	—	2	1	1	—	—	—	2	—	—
Stomach Disease . . .	—	19	7	8	2	12	29	98	1	36	6	3	2	2	10	12	5	4
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	1	4	—	4	7	23	2	8	—	1	—	—	1	4	—	—
Jaundice	1	3	—	—	—	5	3	17	1	15	1	1	1	—	6	2	—	1
Liver Disease	1	12	9	8	2	16	17	78	3	50	3	5	3	1	7	10	7	2
Spleen Disease	—	1	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—
Nephritis	—	3	1	1	—	2	4	11	1	4	2	—	—	—	—	6	—	1
Nephria	4	2	—	4	2	1	8	28	2	21	2	1	—	2	—	1	4	1
Ischuria	—	—	1	2	1	2	9	5	—	7	—	2	—	—	—	1	—	1
Diabetes	—	4	1	—	—	3	2	11	—	5	—	1	—	—	—	1	—	1
Stone	—	2	—	2	—	2	1	7	—	3	—	—	—	—	—	—	—	1
Cystitis	—	1	—	2	1	3	4	4	1	2	—	1	—	—	1	—	—	3
Stricture of Urethra .	—	—	—	—	—	—	1	8	—	6	—	1	—	—	—	—	—	1
Kidney Disease	—	5	2	4	1	11	13	42	2	26	5	4	1	1	7	8	7	3
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Arthritis	—	—	1	—	—	1	1	5	—	2	—	—	—	—	—	—	—	—
Rheumatism	—	1	—	5	—	5	2	14	—	4	—	1	1	—	4	—	1	—
Joint Disease	1	3	2	2	—	5	10	27	—	31	—	1	1	1	1	4	—	3
Carbuncle	—	—	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Skin Disease	—	1	—	—	—	5	—	8	—	4	—	1	—	—	—	1	—	—
Cyanosis	1	2	5	—	—	3	2	6	1	2	—	—	—	—	—	1	1	—
Spina Bifida	—	—	—	—	—	1	1	3	—	2	—	—	—	—	—	—	—	—
Other Malformations .	—	3	—	1	1	2	2	16	—	5	—	2	—	—	—	—	4	—
Intemperance	—	—	3	1	—	3	2	16	1	6	1	—	—	1	—	3	—	2
Privation	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—	1	—	—
Want of Breast Milk .	1	—	—	—	—	2	1	23	1	6	—	—	2	1	—	2	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	3	—	4	1	1	2	4	1	2	—	—	1	—	—	—	—	1
Poison	—	—	1	2	—	1	3	5	—	2	—	—	—	—	1	—	—	—
Burns and Scalds . . .	1	10	3	4	—	11	10	49	2	16	2	2	—	—	2	4	1	3
Hanging, etc. . . .	—	1	—	—	—	2	3	5	—	2	1	1	—	—	—	—	—	—
Suffocation	—	1	2	—	—	2	4	10	2	9	—	2	—	—	2	1	—	1
Drowning	—	10	13	23	9	33	15	101	8	15	5	15	1	1	2	5	15	8
Fracture and Contusion	3	20	16	8	1	37	74	207	12	86	7	9	4	2	8	13	2	8
Wounds	—	2	1	1	—	8	3	11	—	10	2	1	—	2	—	1	—	—
Other Violent Causes .	—	4	3	2	—	4	2	19	2	12	3	1	—	—	—	1	—	—
Not Specified	19	67	25	89	14	103	112	262	15	52	26	8	5	1	21	42	29	14

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1864.—FEMALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	37406	267	252	491	233	764	867	93	419	529	2366	346	2828	1564	1686	76
SPECIFIED CAUSES	35758	210	234	456	201	643	758	88	395	498	2281	328	2749	1502	1595	73
I. Zymotic Class	9680	26	37	197	34	133	201	18	98	130	566	99	810	381	454	8
II. Diseases of Uncer. Seat	1577	7	16	19	12	27	33	2	17	24	130	22	128	81	82	3
III. Tubercular Class	5811	19	33	39	25	76	65	10	45	55	351	27	465	184	204	9
IV. Brain and Nervous Sys.	2354	12	10	15	5	31	42	2	35	42	175	22	176	113	117	6
V. Organs of Circulation	1471	1	6	5	4	12	19	5	19	20	119	14	149	63	63	6
VI. Respiratory Organs	4782	10	15	37	14	54	64	9	33	69	262	24	339	161	178	9
VII. Organs of Digestion	2471	4	21	23	11	23	54	9	19	43	174	23	160	121	102	4
VIII. Urinary Organs	283	—	—	3	1	8	5	2	7	11	23	4	20	10	19	1
IX. Organs of Generation	558	4	5	11	9	18	18	1	6	10	36	4	44	27	31	2
X. Organs of Locomotion	195	2	1	2	1	4	5	—	—	1	14	1	10	12	10	—
XI. Skin, etc.	43	—	—	—	—	1	2	—	—	—	4	—	8	4	2	—
XII. Malformation	83	—	—	1	—	—	—	—	1	1	2	3	7	4	4	—
XIII. Premature Debility	1411	3	5	16	4	9	25	2	13	13	76	11	123	49	64	2
XIV. Atrophy	286	2	2	2	1	5	13	—	—	2	13	—	20	14	15	1
XV. Age	4123	119	83	82	75	230	204	27	94	66	291	68	238	247	223	19
XVI. Sudden Deaths	50	1	—	—	1	1	—	1	—	—	2	1	5	3	6	—
XVII. Violent Deaths	580	—	—	4	4	11	8	—	8	11	43	5	47	23	21	3
I. Small Pox	792	1	1	2	1	3	47	—	38	11	32	13	91	33	35	1
Measles	537	—	—	—	1	10	25	4	17	4	13	—	13	8	4	—
Scarlatina	1623	1	4	86	7	12	3	—	5	11	24	3	155	65	118	—
Diphtheria	893	2	—	52	4	24	14	2	8	20	102	22	73	48	67	—
Hooping Cough	1130	5	—	8	1	—	22	—	—	—	45	8	137	33	51	2
Croup	695	1	5	7	4	30	16	4	9	8	30	9	57	20	37	—
Thrush	17	—	—	—	—	1	—	—	—	1	1	—	7	—	1	—
Diarrhoea	633	1	—	2	1	6	9	—	1	7	38	5	61	30	16	1
Dysentery	147	—	1	2	1	2	1	—	—	1	9	1	19	12	9	—
Cholera	26	—	—	—	—	2	—	—	—	—	—	—	5	—	3	—
Influenza	143	1	6	4	—	4	9	1	—	9	17	2	6	6	3	—
Purpura	19	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1
Ague	5	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—
Worms	14	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
Infantile Fever	32	—	—	2	—	—	—	—	—	—	2	1	4	2	—	—
Typhus	2425	12	15	24	6	31	43	5	8	36	212	27	141	105	82	2
Metria	254	—	1	6	3	5	7	—	4	5	18	4	19	8	7	—
Rheumatic Fever	53	2	2	—	4	1	1	—	2	1	3	2	4	4	4	1
Erysipelas	165	—	1	1	1	2	3	1	4	8	12	2	13	6	12	—
Syphilis	68	—	1	1	—	—	1	1	2	—	4	—	5	—	—	—
Noma	9	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Haemorrhage	45	—	—	2	1	—	—	—	—	—	2	1	5	1	1	1
Dropsy	440	6	8	4	3	11	8	—	9	7	27	2	42	18	27	2
Abscess	70	—	—	1	—	2	2	—	1	—	5	3	4	3	6	—
Ulcer	25	—	—	—	1	—	2	—	—	—	2	2	1	2	1	—
Fistula	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Mortification	68	—	—	1	1	1	1	—	—	1	8	1	6	3	4	—
Cancer	921	1	8	11	6	13	19	2	7	16	85	13	69	54	42	—
Gout	5	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—
III. Scrofula	282	—	5	4	1	4	1	—	1	3	25	1	15	9	6	—
Tabes Mesenterica	406	—	—	2	1	—	4	—	1	1	20	—	22	13	10	2
Phthisis	4302	19	24	27	23	66	57	9	37	45	262	21	379	150	154	5
Hydrocephalus	821	—	4	6	—	6	3	1	6	6	44	5	49	12	34	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1864.—FEMALES.

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	255	967	703	790	225	2697	2276	9787	441	3553	377	309	89	97	507	739	399	414
SPECIFIED CAUSES . .	245	896	663	697	211	2584	2169	9576	424	3498	356	298	89	95	489	682	387	388
Zymotic Class . . .	56	226	223	127	53	835	677	2729	133	832	86	71	28	21	105	135	55	96
Uncertain Seat . . .	17	49	25	25	8	93	79	324	18	194	26	16	4	4	22	31	18	21
Tubercular Class . .	42	149	121	99	36	449	417	1864	74	518	43	39	11	13	80	104	78	67
Brain, etc.	13	57	51	45	18	153	142	536	14	295	25	25	6	10	52	52	29	28
Heart, etc.	9	24	25	34	10	87	74	302	21	215	31	18	9	11	36	32	10	13
Respiratory Organs .	30	132	65	82	26	340	229	1650	54	541	36	43	4	18	66	90	59	39
Digestive Organs . .	24	71	43	49	11	174	154	667	35	215	12	16	14	3	41	78	39	34
Urinary Organs . . .	4	8	4	7	1	17	13	50	2	45	3	2	—	1	3	7	1	1
Generative Organs . .	2	16	2	13	5	25	32	129	4	67	4	5	2	—	4	9	7	6
Locomotive Organs .	—	4	7	5	—	13	10	37	1	29	3	4	—	—	3	7	6	3
Skin	—	—	1	1	—	1	2	8	1	5	—	—	—	—	—	1	1	1
Malformation	—	3	4	1	—	1	7	15	2	13	—	2	1	—	3	2	5	1
Premature Debility .	13	34	22	21	6	134	74	433	21	148	18	9	—	7	17	23	11	5
Atrophy	3	6	2	6	1	30	16	94	2	19	7	1	—	2	2	4	1	—
Age	29	107	55	174	33	195	208	561	34	273	54	43	9	4	50	96	63	69
Sudden Deaths . . .	1	1	—	—	—	3	1	14	—	5	1	2	—	—	—	—	—	1
Violent Deaths . . .	2	9	13	8	3	34	34	163	8	84	7	2	1	1	5	11	4	3
Small Pox	8	9	15	4	3	93	41	221	32	7	1	1	1	5	23	1	3	15
Measles	2	20	38	10	5	57	30	259	5	10	2	—	—	—	—	—	—	—
Scarlatina	11	36	32	13	6	161	121	480	25	154	16	8	11	1	4	42	2	6
Diphtheria	8	18	10	14	12	48	44	137	3	71	8	12	3	5	11	11	20	12
Whooping Cough . .	6	28	8	18	2	92	80	371	10	174	11	1	3	—	7	4	1	2
Croup	11	23	11	17	2	51	59	132	13	76	6	20	—	1	8	10	7	11
Thrush	—	—	—	—	—	1	—	5	—	—	—	—	—	—	—	—	—	—
Diarrhoea	2	24	8	9	2	46	74	185	7	63	8	3	3	2	5	7	4	3
Dysentery	—	1	—	1	—	11	14	35	—	16	2	—	1	—	1	4	2	1
Cholera	—	—	1	—	1	—	3	2	—	6	1	—	—	2	—	—	—	—
Influenza	—	8	—	6	—	4	9	20	1	9	2	—	—	1	5	5	1	4
Purpura	—	—	—	—	—	2	2	6	—	4	—	—	—	—	—	—	—	1
Ague	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	1	1	1	—	1	2	1	—	—	—	1	—	—	1	—	—	3
Infantile Fever . . .	—	—	—	2	—	1	3	9	1	2	—	2	—	—	—	—	—	1
Typhus	4	42	81	21	17	227	164	751	26	173	27	21	4	3	32	41	10	32
Metria	4	8	7	8	1	17	10	65	7	27	1	1	2	1	3	2	3	—
Rheumatic Fever . .	—	—	—	2	1	4	4	4	1	3	—	—	—	—	—	1	—	2
Erysipelas	—	6	7	1	—	14	10	30	2	17	—	—	—	—	3	6	1	2
Syphilis	—	2	3	—	1	5	6	11	—	19	1	1	—	—	1	1	1	1
Noma	—	—	—	—	—	—	1	5	—	1	—	—	—	—	1	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	1	—	1	—	6	3	12	—	4	1	1	—	—	2	—	—	—
Dropsy	9	19	5	8	2	32	19	114	3	32	3	—	—	—	6	5	5	4
Abscess	—	—	1	2	—	2	4	14	2	10	—	1	—	—	—	2	2	3
Ulcer	—	1	—	—	—	4	3	2	—	4	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Mortification	—	3	3	—	1	7	2	11	1	7	1	—	—	1	1	1	1	1
Cancer	8	21	16	14	5	42	47	169	12	137	21	14	4	3	13	23	10	13
Gout	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Scrofula	—	10	4	7	3	20	30	75	13	24	2	3	—	—	3	3	6	4
Tabes Mesenterica . .	1	5	7	5	2	38	22	160	7	51	4	3	1	1	12	6	4	1
Phthisis	34	110	91	79	23	317	304	1351	41	349	32	27	7	10	55	78	58	58
Hydrocephalus	7	24	19	8	8	74	61	278	13	94	5	6	3	2	10	17	10	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1864.—FEMALES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis . . .	138	2	1	—	1	2	1	—	—	3	12	2	9	6	11	1
Apoplexy . . .	534	3	—	3	—	4	3	—	10	10	33	6	44	33	21	2
Paralysis . . .	803	4	6	3	3	14	15	1	15	15	52	10	62	43	57	1
Delirium Tremens . . .	6	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
Chorea . . .	8	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Epilepsy . . .	100	2	—	1	—	3	7	—	1	—	9	—	4	4	2	—
Tetanus . . .	19	1	—	—	—	2	—	—	—	—	—	—	2	—	3	1
Insanity . . .	26	—	—	1	—	2	2	—	1	—	3	—	1	1	—	—
Convulsions . . .	336	—	2	5	—	3	9	1	3	9	35	2	24	12	9	—
Brain Disease . . .	384	—	1	2	1	1	5	—	5	5	30	2	29	14	13	1
V. Pericarditis . . .	34	—	—	1	—	—	—	—	1	1	2	—	1	1	1	—
Aneurism . . .	34	—	—	—	—	—	—	—	—	—	2	1	7	—	1	1
Heart Disease . . .	1403	1	6	4	4	12	19	5	18	19	115	13	141	67	61	5
VI. Laryngitis . . .	62	—	—	—	—	1	—	—	—	1	3	—	—	5	5	—
Bronchitis . . .	3196	3	8	26	3	23	28	5	24	39	181	19	239	106	116	6
Pleurisy . . .	130	—	4	1	—	3	7	—	1	4	6	—	6	6	9	—
Pneumonia . . .	917	1	2	5	1	8	7	2	3	14	48	4	51	24	27	1
Asthma . . .	322	6	—	5	10	18	19	2	4	7	10	1	32	17	17	—
Lung Disease . . .	155	—	1	—	—	1	3	—	1	4	14	—	11	3	4	2
VII. Teething . . .	528	1	1	1	2	3	12	3	5	7	41	—	34	21	16	1
Quinsey . . .	37	—	1	—	—	1	3	—	—	2	3	—	—	2	1	—
Gastritis . . .	103	—	—	1	—	1	1	—	3	2	4	4	8	3	9	1
Enteritis . . .	437	—	1	4	1	4	9	—	2	5	15	2	22	15	15	1
Peritonitis . . .	187	—	1	2	—	—	6	2	—	5	13	2	9	12	4	—
Ascites . . .	39	—	1	—	—	—	1	—	1	2	7	—	3	2	2	—
Ulceration of Intestines	91	—	—	2	—	1	1	2	1	—	7	1	7	3	7	—
Hernia . . .	45	1	1	—	—	1	—	—	1	—	6	—	4	2	2	—
Ileus . . .	136	—	1	1	3	2	2	—	1	2	15	3	11	11	5	—
Intussusception . . .	20	—	—	—	1	1	—	—	—	—	1	1	3	—	1	—
Stricture of Intestines	12	—	1	—	—	—	—	—	—	1	3	—	—	1	1	—
Stomach Disease . . .	351	2	11	5	2	5	8	—	1	7	27	3	23	18	16	—
Pancreas Disease . . .	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	83	—	—	3	—	1	1	—	1	1	2	2	3	5	3	—
Jaundice . . .	112	—	—	1	1	1	3	1	—	4	15	—	13	6	11	—
Liver Disease . . .	271	—	2	2	1	2	6	1	3	5	15	4	19	17	8	1
Spleen Disease . . .	18	—	—	—	—	—	1	—	—	—	—	1	1	3	1	—
VIII. Nephritis . . .	28	—	—	1	—	3	1	—	—	—	1	—	1	1	2	—
Nephria . . .	91	—	—	1	—	4	1	1	3	3	7	—	8	2	3	1
Ischuria . . .	8	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
Diabetes . . .	31	—	—	1	—	—	—	—	—	1	2	1	2	1	2	—
Stone . . .	6	—	—	—	1	—	—	—	—	1	2	—	—	—	—	—
Cystitis . . .	12	—	—	—	—	—	—	—	—	1	1	1	—	1	2	—
Stricture of Urethra . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	107	—	—	—	—	1	3	1	4	5	9	2	8	5	10	—
IX. Paramenia . . .	38	1	1	—	—	3	—	—	—	1	2	—	2	2	2	—
Ovarian Dropsy . . .	79	—	3	1	1	2	4	1	2	—	8	1	3	3	3	—
Childbirth . . .	374	3	1	7	7	13	13	—	2	5	20	2	28	22	22	2
Organs of Generation . . .	67	—	—	3	1	—	1	—	2	4	6	1	11	—	4	—
X. Arthritis . . .	14	—	—	—	—	—	—	—	—	1	2	—	—	2	—	—
Rheumatism . . .	88	1	1	1	1	4	5	—	—	—	6	1	3	7	7	—
Joint and Bone Disease	93	1	—	1	—	—	—	—	—	—	6	—	7	3	3	—
XI. Carbuncle . . .	14	—	—	—	—	—	—	—	—	—	1	—	4	3	1	—
Phlegmon . . .	7	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—
Skin Disease . . .	22	—	—	—	—	1	2	—	—	—	1	—	3	1	1	—
XII. Cyanosis . . .	26	—	—	—	—	—	—	—	—	—	1	—	4	2	3	—
Spina Bifida . . .	20	—	—	—	—	—	—	—	1	—	1	1	1	2	—	—
Other Malformations . . .	37	—	—	1	—	—	—	—	—	1	—	2	—	—	1	—
XVII. Intemperance . . .	30	—	—	—	—	—	1	—	—	1	7	—	3	1	—	—
Privation . . .	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	41	—	—	—	—	—	—	—	—	—	3	—	1	—	2	—
Neglect . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cold . . .	12	—	—	—	—	1	2	—	1	—	1	—	—	2	—	—
Poison . . .	17	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—
Burns and Scalds . . .	152	—	—	3	2	5	1	—	2	2	5	2	5	5	6	3
Hanging, etc. . .	6	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—
Suffocation . . .	56	—	—	—	—	—	—	—	1	—	5	—	10	—	—	—
Drowning . . .	74	—	—	—	—	3	—	—	2	2	9	1	6	7	3	—
Fracture and Contusion . . .	141	—	—	1	1	2	3	—	1	4	10	2	10	7	8	—
Wounds . . .	20	—	—	—	—	—	—	—	1	1	—	—	2	—	—	—
Other Violent Causes . . .	26	—	—	—	1	—	1	—	—	1	3	—	5	—	1	—
Not Specified . . .	1618	57	18	35	32	121	109	5	24	31	85	18	79	62	91	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1864.—FEMALES. (Continued.)

DISEASES.	Clack- mann.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis	2	1	2	2	1	7	11	32	2	17	—	4	—	—	—	5	1	—
Apoplexy	2	15	18	13	6	40	36	113	3	66	5	6	1	2	6	11	12	7
Paralysis	6	20	15	16	8	48	53	136	4	96	14	8	2	3	28	22	10	13
Delirium Tremens . .	—	—	1	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	1	—	2	1	—	1	1	—	—	—	1	—	—
Epilepsy	—	1	2	4	—	12	3	23	—	12	3	1	1	—	2	1	2	—
Tetanus	—	2	—	1	—	—	—	4	1	2	—	—	—	—	—	—	—	—
Insanity	—	—	1	—	—	1	—	6	—	4	—	—	—	—	—	2	1	—
Convulsions	2	7	6	4	—	18	18	102	3	47	1	1	1	1	5	3	1	2
Brain Disease	1	11	6	5	3	26	20	117	—	50	1	4	1	4	11	7	2	6
Pericarditis	—	—	1	2	—	3	2	12	—	3	—	—	1	—	1	—	1	—
Aneurism	—	—	—	—	—	—	1	6	—	12	2	—	—	—	—	1	—	—
Heart Disease	9	24	24	32	10	84	71	284	21	200	29	18	8	11	35	31	9	13
Laryngitis	—	3	1	1	—	2	5	15	—	13	—	—	—	1	1	2	2	1
Bronchitis	24	77	39	54	17	245	151	1157	37	367	20	24	3	13	31	56	26	29
Pleurisy	—	2	3	5	1	2	10	26	3	14	—	4	—	—	5	5	2	1
Pneumonia	5	30	15	14	5	62	40	341	14	89	12	11	1	3	22	25	24	6
Asthma	1	10	6	8	2	13	18	69	—	29	3	3	—	—	5	1	5	1
Lung Disease	—	10	1	—	1	16	5	42	—	29	1	1	—	1	2	1	—	1
Teething	12	22	8	11	2	56	42	190	5	18	2	1	—	—	2	5	1	3
Quinsey	—	—	—	5	—	2	1	8	—	2	1	—	—	—	—	4	—	1
Gastritis	—	2	3	2	1	4	4	30	—	8	—	—	—	—	3	5	4	—
Enteritis	2	9	4	2	4	39	28	156	14	33	1	5	5	1	12	9	13	4
Peritonitis	2	4	2	1	—	12	8	54	5	22	—	—	2	2	4	7	3	3
Ascites	—	1	1	2	—	1	—	8	—	3	1	1	—	—	—	1	—	1
Ulceration of Intestines	1	3	5	—	1	4	2	12	—	14	1	2	2	—	1	5	2	4
Hernia	—	1	—	1	—	2	3	8	1	9	—	—	—	—	1	—	1	—
Ileus	3	1	4	4	1	7	12	21	2	11	2	1	1	—	3	4	2	—
Intussusception . . .	—	—	—	—	—	—	4	3	—	4	—	—	—	—	—	1	—	—
Stricture of Intestines	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	—	1
Stomach Disease . . .	2	17	6	10	1	15	24	69	1	36	—	—	2	—	7	19	4	10
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	1	2	1	—	10	5	21	2	6	2	—	—	—	3	3	2	3
Jaundice	2	2	2	2	—	4	4	17	1	11	1	3	—	—	1	3	1	2
Liver Disease	—	7	6	6	1	18	15	69	4	33	1	2	2	—	4	11	5	1
Spleen Disease	—	1	—	2	—	—	2	—	—	2	—	1	—	—	—	1	1	1
Nephritis	1	—	1	1	—	2	—	7	—	3	1	1	—	—	—	—	1	—
Nephria	2	5	—	3	—	6	5	16	2	16	—	—	—	1	—	1	—	—
Ischuria	1	—	—	—	—	1	—	3	—	—	—	1	—	—	—	—	—	—
Diabetes	—	—	2	1	1	2	1	6	—	4	1	—	—	—	2	1	—	—
Stone	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Cystitis	—	—	—	1	—	—	2	1	—	1	—	—	—	—	—	1	—	—
Stricture of Urethra .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	3	1	—	—	6	5	17	—	20	1	—	—	—	1	4	—	1
Paramenia	2	3	—	1	—	—	2	9	—	2	—	—	—	—	—	3	2	—
Ovarian Dropsy	—	2	1	—	—	—	8	6	—	26	—	1	—	—	—	3	—	—
Childbirth	—	9	1	10	3	22	19	102	3	34	4	3	2	—	3	3	3	6
Organs of Generation .	—	2	—	2	2	3	3	12	1	5	—	1	—	—	1	—	2	—
Arthritis	—	—	—	1	—	1	1	2	—	1	1	—	—	—	1	1	—	—
Rheumatism	—	3	1	3	—	5	4	16	1	8	1	2	—	—	—	3	4	—
Joint Disease	—	1	6	1	—	7	5	19	—	20	1	2	—	—	2	3	2	3
Carbuncle	—	—	—	—	—	1	—	3	—	1	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	—	—
Skin Disease	—	—	1	1	—	—	2	4	1	1	—	—	—	—	—	1	1	1
Cyanosis	—	2	3	—	—	—	—	4	—	6	—	1	—	—	—	—	—	—
Spina Bifida	—	1	1	—	—	—	1	3	—	4	—	—	1	—	1	1	1	—
Other Malformations .	—	—	—	1	—	1	6	8	2	3	—	1	—	—	2	1	4	1
Intemperance	—	—	1	1	—	2	2	7	—	3	—	—	—	—	—	1	—	—
Privation	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk .	—	—	—	—	—	2	1	21	—	9	—	—	—	—	1	1	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	1	3	1	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	1	2	9	—	1	—	—	—	—	1	—	—	—
Burns and Scalds . . .	2	5	3	3	1	10	10	36	6	21	4	—	—	—	3	3	1	3
Hanging, etc. . . .	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—
Suffocation	—	1	2	—	—	3	2	14	1	14	—	—	—	—	—	3	—	—
Drowning	—	—	6	2	1	4	2	17	1	4	—	—	—	1	—	1	2	—
Fracture and Contusion	—	3	—	1	—	7	11	39	—	26	1	2	1	—	—	—	1	—
Wounds	—	—	—	1	1	—	1	7	—	2	2	—	—	—	—	2	—	—
Other Violent Causes .	—	—	1	—	—	3	—	6	—	4	—	—	—	—	—	—	—	—
Not Specified	10	71	40	93	14	113	107	211	17	55	21	11	—	2	18	57	12	26

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1864.—BOTH SEXES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	13674	1015	875	4678	3105	2139	1521	1929	928	871
SPECIFIED CAUSES	13503	950	855	4652	3035	2129	1475	1876	913	864
I. Zymotic Class	3766	255	224	993	950	610	455	711	244	264
II. Diseases of Uncertain Seat	357	23	14	233	98	86	42	50	41	20
III. Tubercular Class	2500	158	183	823	505	300	254	309	104	117
IV. Brain and Nervous System	834	72	74	414	195	192	117	100	88	56
V. Organs of Circulation	445	32	34	299	145	118	37	56	49	36
VI. Respiratory Organs	2650	202	126	739	438	278	218	244	156	102
VII. Organs of Digestion	939	54	61	287	192	176	115	109	61	59
VIII. Urinary Organs	114	8	4	88	28	48	6	15	15	13
IX. Organs of Generation	85	4	8	45	25	13	6	8	10	7
X. Organs of Locomotion	43	4	4	47	10	10	6	7	6	4
XI. Skin, etc.	12	1	3	8	7	3	2	4	1	1
XII. Malformation	28	1	2	17	10	2	1	2	1	—
XIII. Premature Debility	736	37	45	218	179	76	73	94	52	51
XIV. Atrophy	120	10	6	24	21	6	15	26	12	9
XV. Age	451	63	28	253	148	134	103	83	33	97
XVI. Sudden Deaths	25	1	—	4	6	2	—	2	—	2
XVII. Violent Deaths	398	25	39	155	78	75	25	56	40	26
I. Small Pox	300	11	39	14	145	54	78	45	2	27
Measles	432	25	9	24	21	2	21	65	2	1
Scarlatina	582	32	38	212	227	43	86	148	34	65
Diphtheria	129	3	15	68	45	56	14	11	20	10
Hooping Cough	571	24	16	213	144	72	94	40	63	20
Croup	156	10	26	87	70	23	25	46	27	10
Thrush	3	—	1	—	3	2	3	—	—	—
Diarrhoea	239	36	17	65	57	41	17	37	23	33
Dysentery	40	1	3	17	23	6	8	10	3	3
Cholera	5	2	—	3	8	—	—	1	6	—
Influenza	20	—	1	6	8	13	1	3	2	1
Purpura	7	—	—	3	1	6	2	—	—	1
Ague	1	1	—	—	—	2	1	—	—	—
Worms	3	—	—	1	—	—	—	—	—	—
Infantile Fever	9	1	1	5	6	2	1	—	—	1
Typhus	1138	101	46	205	152	265	94	276	53	86
Metria	39	3	3	19	9	7	5	6	2	2
Rheumatic Fever	6	2	—	5	6	4	—	3	1	1
Erysipelas	60	1	6	22	13	7	3	13	3	2
Syphilis	21	1	3	22	12	5	2	7	3	1
Noma	5	1	—	2	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	16	—	—	8	7	2	3	1	2	—
Dropsy	136	11	7	33	38	17	19	21	10	3
Abscess	33	—	1	18	3	6	—	3	3	2
Ulcer	4	1	1	7	3	1	2	2	—	—
Fistula	5	—	—	2	—	1	—	—	1	—
Mortification	13	2	—	9	8	11	5	3	5	1
Cancer	149	9	5	153	39	43	13	20	20	14
Gout	1	—	—	3	—	—	—	—	—	—
III. Scrofula	88	11	6	39	20	30	14	17	6	11
Tabes Mesenterica	191	10	23	100	25	16	31	31	6	18
Phthisis	1767	120	111	536	373	202	178	207	54	78
Hydrocephalus	454	17	43	148	87	52	31	54	38	10

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1864.—BOTH SEXES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES . . .	532	482	252	388	397	265	304	541	584	330	319	398	450
SPECIFIED CAUSES . . .	528	479	247	380	382	251	301	528	580	305	308	382	440
Zymotic Class . . .	199	127	58	68	141	60	57	162	193	90	104	109	72
Uncertain Seat . . .	16	22	12	14	13	18	12	16	18	13	9	10	19
Tubercular Class . . .	38	77	41	83	53	38	50	97	92	50	56	67	83
Brain, etc.	40	45	19	37	33	16	35	39	45	14	15	23	26
Heart, etc.	19	29	21	25	14	12	17	16	21	12	4	3	20
Respiratory Organs . . .	55	59	22	44	51	33	40	57	88	47	42	66	84
Digestive Organs . . .	55	32	17	25	22	12	37	34	30	18	36	30	46
Urinary Organs . . .	11	2	4	2	4	6	4	6	6	4	1	2	7
Generative Organs . . .	6	4	1	2	7	1	1	2	2	2	1	3	3
Locomotive Organs . . .	3	2	4	5	2	—	1	4	2	1	3	3	1
Skin	1	—	—	—	1	—	—	1	—	—	—	—	1
Malformation	—	2	—	—	—	—	1	2	1	2	—	1	3
Premature Debility . . .	24	29	13	20	15	11	18	14	38	11	10	28	20
Atrophy	6	2	2	1	2	5	1	6	—	—	2	2	5
Age	43	34	25	39	23	31	22	53	28	36	18	17	37
Sudden Deaths	—	3	—	—	1	1	—	—	—	—	3	—	—
Violent Deaths	12	10	8	15	—	7	5	19	16	5	4	18	13
Small Pox	88	1	3	6	—	5	4	19	2	24	23	14	3
Measles	40	4	—	1	—	—	3	16	3	14	2	4	—
Scarlatina	1	6	1	1	97	20	5	34	54	8	22	11	18
Diphtheria	5	11	14	2	2	2	1	3	8	5	8	20	5
Hooping Cough	7	42	12	8	8	16	1	23	35	1	10	12	1
Croup	10	14	7	10	8	3	2	8	9	7	4	3	11
Thrush	1	—	—	—	—	—	1	—	—	—	—	—	—
Diarrhoea	9	11	6	8	4	3	17	9	31	7	7	11	8
Dysentery	—	3	2	3	3	—	—	1	4	6	—	—	3
Cholera	—	—	—	—	2	—	—	—	—	—	—	—	—
Influenza	1	1	—	—	3	—	1	4	—	—	2	1	—
Purpura	—	—	—	—	—	—	—	—	—	1	—	—	—
Ague	—	—	—	—	—	—	1	—	—	—	2	—	—
Worms	—	—	—	—	—	—	—	1	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	1	—	—	—	—
Typhus	36	24	11	20	11	7	18	37	34	14	19	26	15
Metria	—	—	1	6	—	—	—	2	3	—	3	4	—
Rheumatic Fever	1	3	—	—	—	—	—	1	—	1	—	1	—
Erysipelas	—	6	1	2	3	4	3	2	6	1	1	2	3
Syphilis	—	1	—	1	—	—	—	2	2	1	1	—	5
Noma	—	—	—	—	—	—	—	—	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	—	1	—	1	—	1	2	—	—	2
Dropsy	8	8	3	3	7	8	4	5	2	3	3	6	—
Abscess	—	—	1	—	1	4	—	1	4	1	—	—	3
Ulcer	—	—	—	—	1	—	—	—	1	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	2	—	—
Mortification	2	—	2	—	—	—	1	—	2	1	—	1	2
Cancer	6	14	6	11	3	6	6	9	8	6	4	3	12
Gout	—	—	—	—	—	—	—	1	—	—	—	—	—
Scrofula	2	4	1	2	2	3	1	16	6	4	4	2	4
Tabes Mesenterica	—	6	—	—	3	2	2	9	9	1	15	15	6
Phthisis	31	57	30	66	39	27	44	62	61	34	34	39	63
Hydrocephalus	5	10	10	15	9	6	3	10	16	11	3	11	10

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1864.—BOTH SEXES. (Contd.)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	64	4	3	35	15	13	3	2	2	2
Apoplexy	165	19	11	77	41	38	29	20	25	15
Paralysis	175	17	16	119	44	49	43	19	26	16
Delirium Tremens	8	1	—	5	2	2	—	3	1	1
Chorea	1	—	1	1	—	—	—	—	—	—
Epilepsy	28	5	5	15	4	8	11	4	2	3
Tetanus	4	1	—	—	1	—	—	—	3	—
Insanity	5	1	3	5	1	5	1	2	—	1
Convulsions	199	8	22	72	65	55	18	14	17	10
Brain Disease	185	16	13	85	22	22	12	36	12	8
V. Pericarditis	11	2	2	5	—	3	2	—	1	—
Aneurism	16	—	1	21	1	5	—	3	1	1
Heart Disease	418	30	31	273	144	110	35	53	47	35
VI. Laryngitis	28	1	2	14	3	5	2	1	2	2
Bronchitis	1775	125	80	488	290	197	161	162	90	83
Pleurisy	25	5	1	19	3	3	1	9	9	1
Pneumonia	631	55	31	133	95	50	38	56	45	8
Asthma	109	12	11	36	35	14	14	8	7	6
Lung Disease	82	4	1	49	12	9	2	8	3	2
VII. Teething	299	15	16	23	56	71	38	48	13	23
Quinsey	13	—	2	1	3	3	—	4	2	—
Gastritis	27	1	1	8	10	1	1	1	3	—
Enteritis	216	14	14	43	18	12	31	20	10	5
Peritonitis	52	4	2	23	10	12	6	5	6	5
Ascites	13	1	2	3	10	2	1	—	—	—
Ulceration of Intestines	15	1	—	19	5	10	2	4	—	2
Hernia	13	—	1	12	4	7	—	2	—	4
Ileus	36	2	4	18	11	10	3	2	3	3
Intussusception	1	—	—	3	3	1	—	—	1	—
Stricture of Intestines	—	—	—	5	1	2	1	—	—	1
Stomach Disease	108	3	14	47	23	15	8	4	10	3
Pancreas Disease	—	—	—	—	—	—	—	—	—	—
Hepatitis	26	4	1	5	2	1	9	1	2	1
Jaundice	19	2	—	21	14	12	4	2	2	5
Liver Disease	101	7	4	54	22	16	11	16	9	6
Spleen Disease	—	—	—	2	—	1	—	—	—	1
VIII. Nephritis	14	1	1	5	2	1	1	1	2	—
Nephria	31	1	1	26	7	12	1	4	3	1
Ischuria	7	—	—	7	3	2	3	—	—	—
Diabetes	10	2	—	8	3	3	—	2	1	2
Stone	4	—	—	4	—	5	—	—	—	2
Cystitis	4	1	—	1	1	3	—	2	—	1
Stricture of Urethra	8	—	—	6	—	1	—	—	—	—
Kidney Disease	36	3	2	31	12	21	1	6	9	7
IX. Paramenia	6	1	—	1	1	—	—	—	—	1
Ovarian Dropsy	3	—	1	23	1	6	—	—	—	1
Childbirth	69	3	6	18	17	4	5	8	9	5
Organs of Generation	7	—	1	3	6	3	1	—	1	—
X. Arthritis	4	—	—	2	2	1	—	—	—	—
Rheumatism	13	2	—	5	—	3	3	1	1	3
Joint and Bone Disease	26	2	4	40	8	6	3	6	5	1
XI. Carbuncle	5	—	—	1	4	1	1	—	—	1
Phlegmon	1	—	—	4	1	1	—	1	—	—
Skin Disease	6	1	3	3	2	1	1	3	1	—
XII. Cyanosis	4	1	1	5	3	2	—	1	—	—
Spina Bifida	5	—	—	4	2	—	1	—	1	—
Other Malformations	19	—	1	8	5	—	—	1	—	—
XVII. Intemperance	15	—	2	9	1	7	—	4	—	1
Privation	6	1	—	—	—	—	—	—	—	—
Want of Breast Milk	37	3	3	9	1	10	—	3	3	—
Neglect	—	—	—	—	1	—	—	—	—	1
Cold	2	—	—	1	—	—	—	—	—	—
Poison	12	—	—	1	2	1	1	1	1	1
Burns and Scalds	54	6	4	25	6	3	9	7	4	2
Hanging, etc.	6	—	—	1	2	1	1	1	1	—
Suffocation	19	—	2	14	8	8	—	3	3	—
Drowning	75	11	12	2	14	19	5	16	11	8
Fracture and Contusion	147	3	12	71	31	20	7	15	16	7
Wounds	11	—	—	9	4	3	2	4	1	3
Other Violent Causes	14	1	4	13	8	3	—	2	—	3
Not Specified	171	65	20	26	70	10	46	53	15	7

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1864.—BOTH SEXES. (Contd.)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	1	4	—	—	3	1	—	5	7	—	2	2	1
Apoplexy	4	10	2	15	11	3	5	8	7	6	2	8	11
Paralysis	16	15	3	14	10	6	14	17	15	2	4	2	8
Delirium Tremens	1	—	—	—	—	1	—	1	—	—	—	—	—
Chorea	—	1	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	6	—	1	2	1	—	2	1	—	1	—	2	2
Tetanus	—	—	—	—	—	—	—	1	—	—	—	—	—
Insanity	1	—	—	1	—	—	—	—	—	—	—	—	1
Convulsions	3	6	5	—	3	—	2	3	11	2	6	7	1
Brain Disease	8	9	8	5	5	5	12	3	5	3	1	2	2
Pericarditis	—	1	1	—	—	—	—	—	2	1	1	—	—
Aneurism	—	3	—	3	—	—	1	—	—	—	—	—	—
Heart Disease	19	25	20	22	14	12	16	16	19	11	3	3	20
Laryngitis	—	—	—	—	—	—	—	1	—	1	1	1	—
Bronchitis	26	39	17	26	33	25	20	30	72	37	16	43	56
Pleurisy	—	4	—	5	1	—	1	1	1	2	2	2	1
Pneumonia	10	11	3	11	11	6	16	15	6	5	9	16	24
Asthma	14	3	1	2	4	2	1	10	9	2	10	3	3
Lung Disease	5	2	1	—	2	—	2	—	—	—	4	1	—
Teething	19	10	2	6	5	3	12	17	6	3	6	8	1
Quinsey	1	—	—	—	—	—	—	—	—	—	—	—	2
Gastritis	—	—	—	—	2	1	1	2	1	2	6	3	2
Enteritis	11	6	—	4	3	—	7	1	6	—	12	9	5
Peritonitis	3	—	—	2	1	—	5	2	—	2	—	1	6
Ascites	1	—	—	—	—	—	1	—	—	1	—	—	—
Ulceration of Intestines	—	2	2	3	—	1	—	—	1	2	1	—	3
Hernia	—	—	1	1	1	2	—	—	—	—	—	—	—
Ileus	3	1	2	—	4	—	2	2	1	1	—	—	1
Intussusception	—	—	—	—	—	—	—	1	2	1	—	—	1
Stricture of Intestines	—	—	—	—	1	1	—	—	—	—	—	—	—
Stomach Disease	7	5	3	3	1	2	8	7	4	2	7	3	20
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	1	1	2	1	—	—	—	—	1	—	1	—
Jaundice	1	1	1	—	1	2	—	—	1	—	1	3	2
Liver Disease	9	6	5	3	2	—	1	2	8	3	3	2	3
Spleen Disease	—	—	—	1	—	—	—	—	—	—	—	—	—
Nephritis	—	—	—	—	—	—	—	2	—	—	—	—	—
Nephria	2	1	1	2	—	—	2	2	2	3	—	—	2
Ischuria	3	—	—	—	—	—	—	1	—	—	1	—	1
Diabetes	1	1	—	—	2	1	—	—	1	1	—	1	—
Stone	1	—	—	—	—	—	1	—	—	—	—	—	—
Cystitis	—	—	1	—	—	2	—	—	3	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	4	—	2	—	2	3	1	1	—	—	—	1	4
Paramenia	—	—	—	1	—	—	—	—	—	—	—	1	—
Ovarian Dropsy	1	—	—	—	1	—	—	—	1	—	—	—	1
Childbirth	4	2	1	1	5	—	1	1	1	2	—	1	2
Organs of Generation	1	2	—	—	1	1	—	1	—	—	1	1	—
Arthritis	—	—	—	1	—	—	—	—	—	—	—	1	—
Rheumatism	1	—	—	1	—	—	—	—	1	—	1	2	—
Joint Disease	2	2	4	3	2	—	1	4	1	1	2	—	1
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	—	1	—	—	1	—	—	—	—	1
Cyanosis	—	2	—	—	—	—	—	1	—	1	—	—	1
Spina Bifida	—	—	—	—	—	—	1	1	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	1	1	—	1	2
Intemperance	—	2	2	—	—	—	—	—	—	—	1	—	2
Privation	—	—	—	—	—	—	—	—	—	—	—	—	1
Want of Breast Milk	—	—	—	—	—	1	—	1	—	—	—	—	1
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	1	—	1	—	—	—	—
Poison	—	1	1	—	—	—	—	—	2	1	—	—	—
Burns and Scalds	—	1	1	—	—	2	1	6	2	1	—	2	3
Hanging, etc.	—	—	1	1	—	—	—	1	—	—	—	—	—
Suffocation	—	—	—	2	—	—	—	1	1	—	—	1	1
Drowning	2	2	—	4	—	2	2	3	1	1	—	3	2
Fracture and Contusion	6	3	2	5	—	2	—	7	9	2	2	9	2
Wounds	2	—	1	1	—	—	1	—	—	—	1	1	1
Other Violent Causes	2	1	—	2	—	—	—	—	—	—	—	2	—
Not Specified	4	3	5	8	15	14	3	13	4	25	11	16	10

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1864.—MALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	6988	541	449	2327	1539	1021	733	1015	467	414
SPECIFIED CAUSES	6889	503	438	2316	1500	1015	710	993	459	410
I. Zymotic Class	1899	145	109	480	472	299	226	383	120	130
II. Diseases of Uncertain Seat	140	8	5	90	35	26	11	19	15	8
III. Tubercular Class	1197	78	89	438	233	143	125	163	59	57
IV. Brain and Nervous System	470	39	43	232	108	104	67	63	42	32
V. Organs of Circulation	230	15	18	154	68	54	16	27	23	18
VI. Respiratory Organs	1407	110	65	374	225	118	107	125	77	52
VII. Organs of Digestion	496	31	32	149	102	99	53	56	29	25
VIII. Urinary Organs	76	5	2	56	15	34	3	9	6	8
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	25	2	2	27	5	4	3	5	4	—
XI. Skin, etc.	7	1	1	3	2	1	1	4	1	—
XII. Malformation	17	—	2	8	6	1	1	2	—	—
XIII. Premature Debility	429	22	24	119	110	42	37	48	30	33
XIV. Atrophy	56	5	4	14	9	5	7	14	4	3
XV. Age	145	21	13	73	49	37	35	31	14	32
XVI. Sudden Deaths	13	1	—	3	4	—	—	—	—	1
XVII. Violent Deaths	282	20	29	96	57	48	18	44	35	16
I. Small Pox	165	7	16	9	81	36	38	26	1	14
Measles	221	17	5	16	13	1	8	35	2	—
Scarlatina	299	20	22	121	117	20	46	92	19	38
Diphtheria	67	2	5	33	18	28	4	1	10	4
Hooping Cough	264	8	11	92	56	33	51	12	29	10
Croup	88	5	15	37	36	14	12	24	15	7
Thrush	1	—	—	—	2	2	2	—	—	—
Diarrhœa	119	22	7	33	30	20	10	19	11	13
Dysentery	16	1	2	8	10	5	4	5	1	1
Cholera	3	2	—	2	6	—	—	1	2	—
Influenza	9	—	1	1	3	7	1	1	—	1
Purpura	3	—	—	1	1	5	1	—	—	1
Ague	1	1	—	—	—	—	1	—	—	—
Worms	2	—	—	1	—	—	—	—	—	—
Infantile Fever	4	—	—	3	3	—	—	—	—	—
Typhus	580	58	19	104	76	124	47	159	27	39
Metria	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	4	1	—	3	3	2	—	—	1	—
Erysipelas	39	—	3	10	8	—	—	4	1	1
Syphilis	13	1	3	5	9	2	1	4	1	1
Noma	1	—	—	1	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	6	—	—	5	2	1	—	—	1	—
Dropsy	64	5	2	11	12	5	7	11	3	1
Abscess	23	—	1	9	1	4	—	1	3	1
Ulcer	3	1	1	3	2	—	—	—	—	—
Fistula	4	—	—	2	—	1	—	—	1	—
Mortification	6	1	—	6	5	5	1	1	2	—
Cancer	33	1	1	51	13	10	3	5	5	1
Gout	1	—	—	3	—	—	—	—	—	—
III. Scrofula	41	6	1	22	11	18	7	11	3	8
Tabes Mesenterica	97	3	14	60	11	8	14	17	5	9
Phthisis	808	58	50	273	155	87	89	102	31	36
Hydrcephalus	251	11	24	83	56	30	15	33	20	4

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1864.—MALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES . . .	259	225	113	183	186	130	160	253	255	159	165	212	254
SPECIFIED CAUSES . . .	257	223	110	180	178	123	158	246	254	148	159	203	247
Zymotic Class . . .	101	57	24	33	62	30	35	81	82	47	47	58	45
Uncertain Seat . . .	4	5	3	6	2	8	4	3	10	3	5	2	9
Tubercular Class . . .	25	27	19	29	29	23	23	46	42	19	28	34	47
Brain, etc.	19	19	10	23	17	12	19	20	21	9	10	12	16
Heart, etc.	7	13	10	10	5	5	10	8	5	8	4	1	12
Respiratory Organs . . .	26	33	9	24	29	18	22	30	38	25	25	44	48
Digestive Organs . . .	31	21	11	12	15	6	20	14	13	9	18	16	18
Urinary Organs . . .	8	1	3	2	1	4	2	5	3	3	—	2	6
Generative Organs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	3	2	4	4	2	—	1	3	1	1	2	2	1
Skin	—	—	—	—	1	—	—	—	—	—	—	—	1
Malformation	—	1	—	—	—	—	—	1	—	1	—	1	1
Premature Debility . . .	11	19	5	10	6	3	10	5	22	9	9	12	11
Atrophy	1	—	1	—	2	—	1	1	—	—	—	—	2
Age	10	14	7	16	6	8	7	13	6	11	5	3	19
Sudden Deaths	—	3	—	—	1	1	—	—	—	—	2	—	—
Violent Deaths	11	8	4	11	—	5	4	16	11	3	4	16	11
Small Pox	51	1	1	3	—	2	4	9	1	15	8	7	2
Measles	21	2	—	1	—	—	1	10	—	5	1	1	—
Scarlatina	1	1	—	1	46	11	4	14	23	4	11	8	11
Diphtheria	3	6	9	1	1	1	1	2	4	2	4	14	2
Hooping Cough	—	14	6	3	2	6	—	10	16	—	3	7	—
Croup	3	8	3	6	3	1	2	6	4	2	2	2	7
Thrush	1	—	—	—	—	—	1	—	—	—	—	—	—
Diarrhœa	4	4	2	1	1	2	11	4	14	4	4	6	5
Dysentery	—	1	—	3	1	—	—	1	1	4	—	—	2
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	1	—	—	1	—	—	2	—	—	1	1	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	1	—	—	—	2	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	1	—	—	—	—
Typhus	17	13	3	12	6	5	9	22	14	9	10	11	10
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	2	—	—	—	—	—	—	—	1	—	—	—
Erysipelas	—	3	—	1	1	2	1	1	4	1	1	1	2
Syphilis	—	1	—	1	—	—	—	—	—	—	—	—	4
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	—	—	—	—	—	—	1	—	—	2
Dropsy	2	2	1	2	1	6	3	2	1	1	3	2	—
Abscess	—	—	—	—	—	2	—	—	3	1	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	1	—	—
Mortification	1	—	2	—	—	—	1	—	1	—	—	—	2
Cancer	1	3	—	4	1	—	—	1	5	—	1	—	5
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	2	3	—	—	1	2	—	7	2	3	3	—	2
Tabes Mesenterica	—	1	—	—	3	1	1	4	6	1	5	10	4
Phthisis	21	18	12	20	22	15	20	30	24	10	19	18	35
Hydrocephalus	2	5	7	9	3	5	2	5	10	5	1	6	6

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1864.—MALES. (Contd.)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	45	2	2	25	8	6	1	1	-	1
Apoplexy	89	12	6	42	22	22	19	11	11	9
Paralysis	82	7	9	60	18	27	22	10	10	9
Delirium Tremens	7	1	-	4	2	1	-	3	1	1
Chorea	-	-	-	1	-	-	-	-	-	-
Epilepsy	14	3	2	8	2	4	4	2	-	3
Tetanus	2	-	-	-	-	-	-	-	2	-
Insanity	2	-	1	2	-	2	-	2	-	-
Convulsions	128	5	13	43	43	31	13	10	10	5
Brain Disease	101	9	10	47	13	11	8	24	8	4
V. Pericarditis	6	1	-	3	-	2	1	-	-	-
Aneurism	11	-	1	11	-	3	-	3	1	1
Heart Disease	213	14	17	140	68	49	15	24	22	17
VI. Laryngitis	16	1	1	5	3	4	2	-	1	-
Bronchitis	890	74	40	233	148	79	72	74	47	42
Pleurisy	14	2	-	14	2	3	1	8	5	1
Pneumonia	380	25	21	83	56	24	22	34	20	4
Asthma	60	7	2	16	11	6	8	4	4	4
Lung Disease	47	1	1	23	5	2	2	5	-	1
VII. Teething	150	6	8	12	33	45	20	28	8	11
Quinsey	7	-	1	-	3	2	-	3	2	-
Gastritis	12	1	-	6	3	-	1	-	1	-
Enteritis	122	10	8	22	8	6	14	10	6	3
Peritonitis	21	2	1	8	6	6	1	3	3	2
Ascites	9	-	1	-	7	1	-	-	-	-
Ulceration of Intestines	7	1	-	9	1	6	1	2	-	1
Hernia	7	-	-	4	2	3	-	1	-	2
Ileus	23	2	3	11	6	6	1	1	1	1
Intussusception	-	-	-	1	1	1	-	-	-	-
Stricture of Intestines	-	-	-	2	1	-	1	-	-	-
Stomach Disease	60	2	8	25	13	8	4	-	4	-
Pancreas Disease	-	-	-	-	-	-	-	-	-	-
Hepatitis	14	1	-	2	1	1	1	-	-	-
Jaundice	11	1	-	12	5	4	3	-	1	2
Liver Disease	53	5	2	35	12	9	6	8	3	3
Spleen Disease	-	-	-	-	-	1	-	-	-	-
VIII. Nephritis	9	1	-	3	1	-	-	1	1	-
Nephria	18	-	-	13	3	9	-	1	2	1
Ischuria	5	-	-	7	2	2	2	-	-	-
Diabetes	6	1	-	4	1	2	-	1	1	1
Stone	4	-	-	3	-	4	-	-	-	2
Cystitis	3	1	-	1	1	2	-	2	-	-
Stricture of Urethra	8	-	-	6	-	1	-	-	-	-
Kidney Disease	23	2	2	19	7	14	1	4	2	4
IX. Paramenia	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-
Organs of Generation	-	-	-	-	-	-	-	-	-	-
X. Arthritis	3	-	-	1	2	1	-	-	-	-
Rheumatism	7	-	-	1	-	-	2	1	1	-
Joint and Bone Disease	15	2	2	25	3	3	1	4	3	-
XI. Carbuncle	3	-	-	-	1	-	-	-	-	-
Phlegmon	-	-	-	1	-	-	-	1	-	-
Skin Disease	4	1	1	2	1	1	1	3	1	-
XII. Cyanosis	1	-	1	1	1	1	-	1	-	-
Spina Bifida	3	-	-	2	1	-	1	-	-	-
Other Malformations	13	-	1	5	4	-	-	1	-	-
XVII. Intemperance	12	-	2	6	1	-	-	2	-	-
Privation	3	-	-	-	-	-	-	-	-	-
Want of Breast Milk	19	1	2	1	-	8	-	1	3	-
Neglect	-	-	-	-	1	-	-	-	-	-
Cold	2	-	-	1	-	-	-	-	-	-
Poison	4	-	-	1	-	1	1	-	1	1
Burns and Scalds	30	5	-	9	5	1	4	4	2	1
Hanging, etc.	4	-	-	1	2	1	1	1	1	-
Suffocation	9	-	1	5	2	5	-	2	3	-
Drowning	64	10	11	1	13	13	5	16	10	4
Fracture and Contusion	117	3	10	53	26	15	5	12	14	4
Wounds	7	-	-	8	3	3	2	4	1	3
Other Violent Causes	11	1	3	10	4	1	-	2	-	3
Not Specified	99	38	11	11	39	6	23	22	8	4

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1864.—MALES. (Contd.)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	1	3	—	—	1	1	—	1	4	—	1	1	—
Apoplexy	3	1	—	8	6	3	1	3	4	5	2	5	6
Paralysis	8	7	2	8	7	4	7	11	7	1	3	—	5
Delirium Tremens	1	—	—	—	—	—	—	1	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	2	—	1	1	—	—	1	—	—	—	—	2	2
Tetanus	—	—	—	—	—	—	—	1	—	—	—	—	—
Insanity	—	—	—	1	—	—	—	—	—	—	—	—	—
Convulsions	1	4	5	—	1	—	1	1	3	2	4	2	1
Brain Disease	3	4	2	5	2	4	9	2	3	1	—	2	2
Pericarditis	—	—	1	—	—	—	—	—	—	1	1	—	—
Aneurism	—	1	—	2	—	—	1	—	—	—	—	—	—
Heart Disease	7	12	9	8	5	5	9	8	5	7	3	1	12
Laryngitis	—	—	—	—	—	—	—	—	—	1	—	—	—
Bronchitis	14	17	4	12	20	13	10	16	31	19	8	26	31
Pleurisy	—	3	—	2	1	—	1	1	—	—	1	—	—
Pneumonia	7	11	3	9	5	4	10	9	1	4	4	14	14
Asthma	3	1	1	1	1	1	—	4	6	1	9	3	3
Lung Disease	2	1	1	—	2	—	1	—	—	—	3	1	—
Teething	12	7	2	3	4	1	5	5	2	1	2	4	1
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	1
Gastritis	—	—	—	—	2	—	1	1	—	2	4	2	—
Enteritis	5	3	—	2	2	—	4	—	5	—	7	5	2
Peritonitis	1	—	—	—	—	—	4	1	—	2	—	1	3
Ascites	—	—	—	—	—	—	—	—	—	1	—	—	—
Ulceration of Intestines	—	1	1	3	—	1	—	—	—	1	—	—	—
Hernia	—	—	1	—	1	2	—	—	—	—	—	—	—
Ileus	2	1	—	—	3	—	1	1	—	1	—	—	1
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	1
Stricture of Intestines	—	—	—	—	—	1	—	—	—	—	—	—	—
Stomach Disease	4	3	3	2	1	1	4	5	2	—	5	2	7
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	1	1	1	—	—	—	—	—	—	—	—	—
Jaundice	1	—	1	—	—	—	—	—	—	—	—	1	1
Liver Disease	6	5	2	1	2	—	1	1	4	1	—	1	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	—	—	—	—	—	—	—	2	—	—	—	—	—
Nephria	1	—	—	2	—	—	—	1	2	3	—	—	1
Ischuria	3	—	—	—	—	—	—	1	—	—	—	—	1
Diabetes	1	1	—	—	1	1	—	—	—	—	—	1	—
Stone	1	—	—	—	—	—	1	—	—	—	—	—	—
Cystitis	—	—	1	—	—	1	—	—	1	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	—	2	—	—	2	1	1	—	—	—	1	4
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	—	—	—	1	—	—	—	—	—	—	—	1	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	1	1	—
Joint Disease	2	2	4	3	2	—	1	3	1	1	1	—	1
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	1	—	—	—	—	—	—	—	1
Cyanosis	—	1	—	—	—	—	—	1	—	1	—	—	1
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	1	—
Intemperance	—	1	—	—	—	—	—	—	—	—	1	—	2
Privation	—	—	—	—	—	—	—	—	—	—	—	—	1
Want of Breast Milk	—	—	—	—	—	1	—	1	—	—	—	—	1
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	1	—	1	—	—	—	—
Poison	—	1	1	—	—	—	—	—	2	—	—	—	—
Burns and Scalds	—	1	—	—	—	—	—	4	1	—	—	2	3
Hanging, etc.	—	—	—	—	—	—	—	1	—	—	—	—	—
Suffocation	—	—	—	1	—	—	—	1	—	—	—	—	—
Drowning	2	2	—	4	—	2	2	2	1	1	—	3	2
Fracture and Contusion	6	2	2	4	—	2	—	7	6	2	2	8	2
Wounds	2	—	1	—	—	—	1	—	—	—	1	1	—
Other Violent Causes	1	1	—	2	—	—	—	—	—	—	—	2	—
Not Specified	2	2	3	3	8	7	2	7	1	11	6	9	7

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1864.—FEMALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	6686	474	426	2351	1566	1118	788	914	461	457
SPECIFIED CAUSES	6614	447	417	2336	1535	1114	765	883	454	454
I. Zymotic Class	1867	110	115	513	478	311	229	328	124	134
II. Diseases of Uncertain Seat	217	15	9	143	63	60	31	31	26	17
III. Tubercular Class	1303	80	94	385	272	157	129	146	45	60
IV. Brain and Nervous System	364	33	31	182	87	88	50	37	46	24
V. Organs of Circulation	215	17	16	145	77	64	21	29	26	18
VI. Respiratory Organs	1243	92	61	365	213	160	111	119	79	50
VII. Organs of Digestion	443	23	29	138	90	77	62	53	32	34
VIII. Urinary Organs	38	3	2	32	13	14	3	6	9	5
IX. Organs of Generation	85	4	8	45	25	13	6	8	10	7
X. Organs of Locomotion	18	2	2	20	5	6	3	2	2	4
XI. Skin, etc.	5	—	2	5	5	2	1	—	—	1
XII. Malformation	11	1	—	9	4	1	—	—	1	—
XIII. Premature Debility	307	15	21	99	69	34	36	46	22	18
XIV. Atrophy	64	5	2	10	12	1	8	12	8	6
XV. Age	306	42	15	185	99	97	68	52	19	65
XVI. Sudden Deaths	12	—	—	1	2	2	—	2	—	1
XVII. Violent Deaths	116	5	10	59	21	27	7	12	5	10
I. Small Pox	135	4	23	5	64	18	40	19	1	13
Measles	211	8	4	8	8	1	13	30	—	1
Scarlatina	283	12	16	91	110	23	40	56	15	27
Diphtheria	62	1	10	35	27	28	10	10	10	6
Whooping Cough	307	16	5	121	88	39	43	28	34	10
Croup	68	5	11	50	34	9	13	22	12	3
Thrush	2	—	1	—	1	—	1	—	—	—
Diarrhoea	120	14	10	32	27	21	7	18	12	20
Dysentery	24	—	1	9	13	1	4	5	2	2
Cholera	2	—	—	1	2	—	—	—	4	—
Influenza	11	—	—	5	5	6	—	2	2	—
Purpura	4	—	—	2	—	1	1	—	—	—
Ague	—	—	—	—	—	2	—	—	—	—
Worms	1	—	—	—	—	—	—	—	—	—
Infantile Fever	5	1	1	2	3	2	1	—	—	1
Typhus	558	43	27	101	76	141	47	117	26	47
Metria	39	3	3	19	9	7	5	6	2	2
Rheumatic Fever	2	1	—	2	3	2	—	3	—	1
Erysipelas	21	1	3	12	5	7	3	9	2	1
Syphilis	8	—	—	17	3	3	1	3	2	—
Noma	4	1	—	1	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	10	—	—	3	5	1	3	1	1	—
Dropsy	72	6	5	22	26	12	12	10	7	2
Abscess	10	—	—	9	2	2	—	2	—	1
Ulcer	1	—	—	4	1	1	2	1	—	—
Fistula	1	—	—	—	—	—	—	—	—	—
Mortification	7	1	—	3	3	6	4	2	3	1
Cancer	116	8	4	102	26	38	10	15	15	13
Gout	—	—	—	—	—	—	—	—	—	—
III. Scrofula	47	5	5	17	9	12	7	6	3	3
Tabes Mesenterica	94	7	9	40	14	8	17	14	1	9
Phthisis	959	62	61	263	218	115	89	105	23	42
Hydrocephalus	203	6	19	65	31	22	16	21	18	6

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1864.—FEMALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES . . .	273	257	139	205	211	135	144	288	329	171	154	186	196
SPECIFIED CAUSES . .	271	256	137	200	204	128	143	282	326	157	149	179	193
Zymotic Class . . .	98	70	34	35	79	30	22	81	111	43	57	51	27
Uncertain Seat . . .	12	17	9	8	11	10	8	13	8	10	4	8	10
Tubercular Class . . .	13	50	22	54	24	15	27	51	50	31	28	33	36
Brain, etc.	21	26	9	14	16	4	16	19	24	5	5	11	10
Heart, etc.	12	16	11	15	9	7	7	8	16	4	—	2	8
Respiratory Organs . .	29	26	13	20	22	15	18	27	50	22	17	22	36
Digestive Organs . . .	24	11	6	13	7	6	17	20	17	9	18	14	28
Urinary Organs . . .	3	1	1	—	3	2	2	1	3	1	1	—	1
Generative Organs . .	6	4	1	2	7	1	1	2	2	2	1	3	3
Locomotive Organs . .	—	—	—	1	—	—	—	1	1	—	1	1	—
Skin	1	—	—	—	—	—	—	1	—	—	—	—	—
Malformation	—	1	—	—	—	—	1	1	1	1	—	—	2
Premature Debility . .	13	10	8	10	9	8	8	9	16	2	1	16	9
Atrophy	5	2	1	1	—	5	—	5	—	—	2	2	3
Age	33	20	18	23	17	23	15	40	22	25	13	14	18
Sudden Deaths . . .	—	—	—	—	—	—	—	—	—	—	1	—	—
Violent Deaths . . .	1	2	4	4	—	2	1	3	5	2	—	2	2
Small Pox	37	—	2	3	—	3	—	10	1	9	15	7	1
Measles	19	2	—	—	—	—	2	6	3	9	1	3	—
Scarlatina	—	5	1	—	51	9	1	20	31	4	11	3	7
Diphtheria	2	5	5	1	1	1	—	1	4	3	4	6	3
Hooping Cough . . .	7	28	6	5	6	10	1	13	19	1	7	5	1
Croup	7	6	4	4	5	2	—	2	5	5	2	1	4
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	5	7	4	7	3	1	6	5	17	3	3	5	3
Dysentery	—	2	2	—	2	—	—	—	3	2	—	—	1
Cholera	—	—	—	—	2	—	—	—	—	—	—	—	—
Influenza	1	—	—	—	2	—	1	2	—	—	1	—	—
Purpura	—	—	—	—	—	—	—	—	—	1	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	1	—	—	—	—	—
Infantile Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	19	11	8	8	5	2	9	15	20	5	9	15	5
Metria	—	—	1	6	—	—	—	2	3	—	3	4	—
Rheumatic Fever . . .	1	1	—	—	—	—	—	1	—	—	—	1	—
Erysipelas	—	3	1	1	2	2	2	1	2	—	—	1	1
Syphilis	—	—	—	—	—	—	—	2	2	1	1	—	1
Noma	—	—	—	—	—	—	—	—	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	—	1	—	1	—	1	1	—	—	—
Dropsy	6	6	2	1	6	2	1	3	1	2	—	4	—
Abscess	—	—	1	—	1	2	—	1	1	—	—	—	3
Ulcer	—	—	—	—	1	—	—	—	1	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	1	—	—
Mortification	1	—	—	—	—	—	—	—	1	1	—	1	—
Cancer	5	11	6	7	2	6	6	8	3	6	3	3	7
Gout	—	—	—	—	—	—	—	1	—	—	—	—	—
Scrofula	—	1	1	2	1	1	1	9	4	1	1	2	2
Tabes Mesenterica . .	—	5	—	—	—	1	1	5	3	—	10	5	2
Phthisis	10	39	18	46	17	12	24	32	37	24	15	21	28
Hydrocephalus	3	5	3	6	6	1	1	5	6	6	2	5	4

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1864.—FEMALES. (Contd.)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	19	2	1	10	7	7	2	1	2	1
Apoplexy	76	7	5	35	19	16	10	9	14	6
Paralysis	93	10	7	59	26	22	21	9	16	7
Delirium Tremens	1	—	—	1	—	1	—	—	—	—
Chorea	1	—	1	—	—	—	—	—	—	—
Epilepsy	14	2	3	7	2	4	7	2	2	—
Tetanus	2	1	—	—	1	—	—	—	1	—
Insanity	3	1	2	3	1	3	1	—	—	1
Convulsions	71	3	9	29	22	24	5	4	7	5
Brain Disease	84	7	3	38	9	11	4	12	4	4
V. Pericarditis	5	1	2	2	—	1	1	—	1	—
Aneurism	5	—	—	10	1	2	—	—	—	—
Heart Disease	205	16	14	133	76	61	20	29	25	18
VI. Laryngitis	12	—	1	9	—	1	—	1	1	2
Bronchitis	885	51	40	255	142	118	89	88	43	41
Pleurisy	11	3	1	5	1	—	—	1	4	—
Pneumonia	251	30	10	50	39	26	16	22	25	4
Asthma	49	5	9	20	24	8	6	4	3	2
Lung Disease	35	3	—	26	7	7	—	3	3	1
VII. Teething	149	9	8	11	23	26	18	20	5	12
Quinsey	6	—	1	1	—	1	—	1	—	—
Gastritis	15	—	1	2	7	1	—	1	2	—
Enteritis	94	4	6	21	10	6	17	10	4	2
Peritonitis	31	2	1	15	4	6	5	2	3	3
Ascites	4	1	1	3	3	1	1	—	—	—
Ulceration of Intestines	8	—	—	10	4	4	1	2	—	1
Hernia	6	—	1	8	2	4	—	1	—	2
Ileus	13	—	1	7	5	4	2	1	2	2
Intussusception	1	—	—	2	2	—	—	—	1	—
Stricture of Intestines	—	—	—	3	—	2	—	—	—	1
Stomach Disease	48	1	6	22	10	7	4	4	6	3
Pancreas Disease	—	—	—	—	—	—	—	—	—	—
Hepatitis	12	3	1	3	1	—	8	1	2	1
Jaundice	8	1	—	9	9	8	1	2	1	3
Liver Disease	48	2	2	19	10	7	5	8	6	3
Spleen Disease	—	—	—	2	—	—	—	—	—	1
VIII. Nephritis	5	—	1	2	1	1	1	—	1	—
Nephria	13	1	1	13	4	3	1	3	1	—
Ischuria	2	—	—	—	1	—	1	—	—	—
Diabetes	4	1	—	4	2	1	—	1	—	1
Stone	—	—	—	1	—	1	—	—	—	—
Cystitis	1	—	—	—	—	1	—	—	—	1
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—
Kidney Disease	13	1	—	12	5	7	—	2	7	3
IX. Paramenia	6	1	—	1	1	—	—	—	—	1
Ovarian Dropsy	3	—	1	23	1	6	—	—	—	1
Childbirth	69	3	6	18	17	4	5	8	9	5
Organs of Generation	7	—	1	3	6	3	1	—	1	—
X. Arthritis	1	—	—	1	—	—	—	—	—	—
Rheumatism	6	2	—	4	—	3	1	—	—	3
Joint and Bone Disease	11	—	2	15	5	3	2	2	2	1
XI. Carbuncle	2	—	—	1	3	1	1	—	—	1
Phlegmon	1	—	—	3	1	1	—	—	—	—
Skin Disease	2	—	2	1	1	—	—	—	—	—
XII. Cyanosis	3	1	—	4	2	1	—	—	—	—
Spina Bifida	2	—	—	2	1	—	—	—	1	—
Other Malformations	6	—	—	3	1	—	—	—	—	—
XVII. Intemperance	3	—	—	3	—	7	—	2	—	1
Privation	3	1	—	—	—	—	—	—	—	—
Want of Breast Milk	18	2	1	8	1	2	—	2	—	—
Neglect	—	—	—	—	—	—	—	—	—	1
Cold	—	—	—	—	—	—	—	—	—	—
Poison	8	—	—	—	2	—	—	1	—	—
Burns and Scalds	24	1	4	16	1	2	5	3	2	1
Hanging, etc.	2	—	—	—	—	—	—	—	—	—
Suffocation	10	—	1	9	6	3	—	1	—	—
Drowning	11	1	1	1	1	6	—	—	1	4
Fracture and Contusion	30	—	2	18	5	5	2	3	2	3
Wounds	4	—	—	1	1	—	—	—	—	—
Other Violent Causes	3	—	1	3	4	2	—	—	—	—
Not Specified	72	27	9	15	31	4	23	31	7	3

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1864.—FEMALES. (Contd.)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	—	1	—	—	2	—	—	4	3	—	1	1	1
Apoplexy	1	9	2	7	5	—	4	5	3	1	—	3	5
Paralysis	8	8	1	6	3	2	7	6	8	1	1	2	3
Delirium Tremens	—	—	—	—	—	1	—	—	—	—	—	—	—
Chorea	—	1	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	4	—	—	1	1	—	1	1	—	1	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	1
Convulsions	2	2	—	—	2	—	1	2	8	—	2	5	—
Brain Disease	5	5	6	—	3	1	3	1	2	2	1	—	—
Pericarditis	—	1	—	—	—	—	—	—	2	—	—	—	—
Aneurism	—	2	—	1	—	—	—	—	—	—	—	—	—
Heart Disease	12	13	11	14	9	7	7	8	14	4	—	2	8
Laryngitis	—	—	—	—	—	—	—	1	—	—	1	1	—
Bronchitis	12	22	13	14	13	12	10	14	41	18	8	17	25
Pleurisy	—	1	—	3	—	—	—	—	1	2	1	2	1
Pneumonia	3	—	—	2	6	2	6	6	5	1	5	2	10
Asthma	11	2	—	1	3	1	1	6	3	1	1	—	—
Lung Disease	3	1	—	—	—	—	1	—	—	—	1	—	—
Teething	7	3	—	3	1	2	7	12	4	2	4	4	—
Quinsey	1	—	—	—	—	—	—	—	—	—	—	—	1
Gastritis	—	—	—	—	—	1	—	1	1	—	2	1	2
Enteritis	6	3	—	2	1	—	3	1	1	—	5	4	3
Peritonitis	2	—	—	2	1	—	1	1	—	—	—	—	3
Ascites	1	—	—	—	—	—	1	—	—	—	—	—	—
Ulceration of Intestines	—	1	1	—	—	—	—	—	1	1	1	—	3
Hernia	—	—	—	1	—	—	—	—	—	—	—	—	—
Ileus	1	—	2	—	1	—	1	1	1	—	—	—	—
Intussusception	—	—	—	—	—	—	—	1	2	1	—	—	—
Stricture of Intestines	—	—	—	—	1	—	—	—	—	—	—	—	—
Stomach Disease	3	2	—	1	—	1	4	2	2	2	2	1	13
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	1	1	—	—	—	—	1	—	1	—
Jaundice	—	1	—	—	1	2	—	—	1	—	1	2	1
Liver Disease	3	1	3	2	—	—	—	1	4	2	3	1	2
Spleen Disease	—	—	—	1	—	—	—	—	—	—	—	—	—
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	1	1	1	—	—	—	2	1	—	—	—	—	1
Ischuria	—	—	—	—	—	—	—	—	—	—	1	—	—
Diabetes	—	—	—	—	1	—	—	—	1	1	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	1	—	—	2	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	—	—	—	2	1	—	—	—	—	—	—	—
Paramenia	—	—	—	1	—	—	—	—	—	—	—	1	—
Ovarian Dropsy	1	—	—	—	1	—	—	—	1	—	—	—	1
Childbirth	4	2	1	1	5	—	1	1	1	2	—	1	2
Organs of Generation	1	2	—	—	1	1	—	1	—	—	1	1	—
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	1	—	—	—	—	1	—	—	1	—
Joint Disease	—	—	—	—	—	—	—	1	—	—	1	—	—
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	—	—	—	—	1	—	—	—	—	—
Cyanosis	—	1	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	1	1	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	1	1	—	—	2
Intemperance	—	1	2	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	1	—	—	—
Burns and Scalds	—	—	1	—	—	2	1	2	1	1	—	—	—
Hanging, etc.	—	—	1	1	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	1	—	—	—	—	1	—	—	1	1
Drowning	—	—	—	—	—	—	—	1	—	—	—	—	—
Fracture and Contusion	—	1	—	1	—	—	—	—	3	—	—	1	—
Wounds	—	—	—	1	—	—	—	—	—	—	—	—	1
Other Violent Causes	1	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	2	1	2	5	7	7	1	6	3	14	5	7	3

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1864.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	74416	6926	2434	4820	6531	3466	2478	1720	4118	1957	2429	2929	2557
SPECIFIED CAUSES	71126	5907	2172	4537	6229	3318	2383	1658	3973	1858	2369	2849	2476
I. Zymotic Class	19090	784	586	1575	2834	1943	1554	1121	2382	673	624	679	545
II. Diseases of Uncertain Seat	2523	34	12	16	33	33	29	19	64	42	39	46	54
III. Tubercular Class	11445	173	287	675	980	447	311	210	690	591	1098	1308	1020
IV. Brain and Nervous System	5116	420	139	217	214	117	87	63	203	98	85	105	106
V. Organs of Circulation	2975	14	3	6	9	6	1	4	51	62	83	74	108
VI. Respiratory Organs	10070	746	576	1182	1208	483	242	142	253	90	99	175	197
VII. Organs of Digestion	5165	555	255	642	698	156	54	38	111	85	102	117	131
VIII. Urinary Organs	916	1	1	4	8	8	12	8	20	21	15	39	51
IX. Organs of Generation	560	-	-	-	-	-	-	-	-	3	22	81	88
X. Organs of Locomotion	419	1	-	2	5	1	4	1	35	54	38	20	23
XI. Skin, etc.	93	16	11	18	5	4	3	-	1	-	-	2	1
XII. Malformation	175	150	10	9	3	-	-	1	1	-	-	-	-
XIII. Premature Debility	3242	2860	226	156	-	-	-	-	-	-	-	-	-
XIV. Atrophy	502	-	-	-	144	43	22	14	32	12	4	9	11
XV. Age	6418	-	-	-	-	-	-	-	-	-	-	-	-
XVI. Sudden Deaths	126	12	17	5	1	-	1	1	-	1	1	1	3
XVII. Violent Deaths	2291	141	49	30	87	77	63	36	130	126	159	193	138
I. Small Pox	1741	139	106	168	227	148	103	92	181	50	68	136	92
Measles	1102	14	25	177	413	200	104	57	78	15	6	4	2
Scarlatina	3411	22	44	178	459	559	515	452	906	151	48	33	17
Diphtheria	1740	46	25	97	302	247	227	165	394	100	40	27	12
Hooping Cough	1993	125	131	440	596	268	201	94	128	6	1	1	1
Croup	1416	50	24	155	422	275	209	114	156	11	-	-	-
Thrush	36	26	2	4	1	1	-	-	1	-	-	1	-
Diarrhoea	1244	166	133	203	215	57	17	10	23	14	8	8	10
Dysentery	317	9	17	17	20	11	3	7	4	5	1	5	10
Cholera	67	9	3	13	6	3	2	-	9	-	-	-	2
Influenza	243	6	3	7	10	2	7	3	5	1	4	2	1
Purpura	44	4	-	1	3	1	-	1	5	2	1	5	4
Ague	17	-	1	1	-	2	2	4	3	1	-	1	-
Worms	24	-	-	2	2	3	5	3	8	1	-	-	-
Infantile Fever	53	12	7	11	8	9	2	2	2	-	-	-	-
Typhus	4804	21	21	74	127	148	149	110	456	297	409	366	311
Metria	254	-	-	-	-	-	-	-	-	-	13	60	68
Rheumatic Fever	101	1	-	-	-	-	2	-	8	9	11	20	3
Erysipelas	345	88	12	13	17	5	6	4	13	10	14	6	5
Syphilis	125	46	32	14	3	1	-	-	-	-	-	4	6
Noma	13	-	-	-	3	3	-	3	2	-	-	-	1
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Hæmorrhage	81	14	1	1	2	-	1	-	2	1	3	3	6
Dropsy	768	2	2	4	15	21	22	13	44	22	16	15	15
Abscess	149	8	7	7	11	5	2	-	8	10	9	8	9
Ulcer	50	3	-	1	-	-	-	-	1	-	1	2	-
Fistula	18	-	-	-	-	-	-	-	1	1	-	1	1
Mortification	142	6	2	1	4	5	3	4	2	2	3	5	2
Cancer	1300	1	-	2	1	2	1	2	6	6	7	12	21
Gout	15	-	-	-	-	-	-	-	-	-	-	-	-
III. Scrofula	657	13	17	39	63	22	20	13	82	70	57	57	39
Tabes Mesenterica	875	50	64	117	247	93	67	34	87	55	18	11	5
Phthisis	8083	24	52	111	214	138	81	69	297	419	1013	1235	973
Hydrocephalus	1830	86	154	408	456	194	143	94	224	47	10	5	3

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1864.—BOTH SEXES. (Contd.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	368	9	14	35	31	21	23	17	62	30	15	24	22
Apoplexy	1160	18	11	23	32	8	12	4	29	7	13	13	13
Paralysis	1550	—	1	1	—	2	3	1	9	5	5	9	14
Delirium Tremens	51	—	—	—	—	—	—	—	—	—	—	1	3
Chorea	10	—	—	—	—	—	—	—	1	2	2	—	—
Epilepsy	198	—	—	—	1	1	—	—	1	17	14	20	16
Tetanus	36	14	1	1	1	1	—	—	6	1	—	1	1
Insanity	46	—	—	—	—	—	—	—	1	—	1	1	3
Convulsions	838	367	99	129	112	60	27	16	27	—	—	1	—
Brain Disease	859	12	13	28	37	24	22	25	67	36	35	35	34
V. Pericarditis	68	—	—	—	—	2	—	—	4	7	6	8	3
Aneurism	97	—	—	—	—	—	—	—	—	—	4	—	6
Heart Disease	2810	14	3	6	9	4	1	4	47	55	73	66	99
VI. Laryngitis	144	7	4	18	24	12	9	6	9	4	1	5	7
Bronchitis	6383	536	459	887	891	345	147	97	150	30	34	58	73
Pleurisy	284	11	5	7	12	7	9	2	7	5	10	15	13
Pneumonia	2268	163	103	257	263	108	69	34	82	40	48	72	71
Asthma	656	1	—	—	—	—	—	1	—	1	1	2	12
Lung Disease	335	28	5	13	18	11	8	2	5	10	5	23	21
VII. Teething	1124	11	60	443	533	75	2	—	—	—	—	—	—
Quinsey	72	5	7	9	10	8	6	1	7	3	6	2	—
Gastritis	200	13	12	7	12	5	3	4	9	4	6	10	11
Enteritis	953	303	101	89	89	38	16	8	35	13	16	18	16
Peritonitis	331	25	6	7	8	5	3	2	14	22	22	30	28
Ascites	68	1	1	—	2	—	2	1	7	3	2	3	1
Ulceration of Intestines	174	4	3	7	7	1	2	1	4	6	2	8	13
Hernia	90	5	4	1	—	1	—	—	—	1	1	2	1
Ileus	303	28	15	6	3	3	2	2	6	8	12	10	12
Intussusception	40	2	6	7	1	—	1	—	1	—	—	2	2
Stricture of Intestines	30	3	—	—	—	—	—	—	—	—	1	1	1
Stomach Disease	754	76	31	47	24	9	10	13	13	9	12	10	16
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	162	3	—	2	3	—	—	2	5	4	5	3	4
Jaundice	217	66	3	4	5	7	2	2	1	—	3	4	5
Liver Disease	620	10	6	13	—	3	5	2	8	12	12	13	20
Spleen Disease	26	—	—	—	1	1	—	—	1	—	2	1	1
VIII. Nephritis	73	—	1	1	2	5	7	3	7	3	2	1	5
Nephria	220	—	—	2	1	1	1	3	7	6	5	15	18
Ischuria	60	1	—	—	1	1	1	—	—	—	1	4	—
Diabetes	82	—	—	—	—	1	—	—	—	2	3	8	11
Stone	65	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	50	—	—	—	—	—	—	—	—	1	—	1	2
Stricture of Urethra	22	—	—	—	—	—	—	—	—	—	—	—	1
Kidney Disease	344	—	—	1	4	—	3	2	6	9	4	10	14
IX. Paramenia	38	—	—	—	—	—	—	—	—	1	9	9	4
Ovarian Dropsy	79	—	—	—	—	—	—	—	—	1	—	9	2
Childbirth	374	—	—	—	—	—	—	—	—	—	12	57	76
Organs of Generation	69	—	—	—	—	—	—	—	—	1	1	6	6
X. Arthritis	32	1	—	1	1	—	1	—	3	4	3	2	1
Rheumatism	156	—	—	—	—	—	1	1	1	3	3	2	7
Joint and Bone Disease	231	—	—	1	4	1	2	—	31	47	32	16	15
XI. Carbuncle	24	4	2	1	—	—	—	—	—	—	—	1	—
Phlegmon	11	2	—	1	—	—	—	—	—	—	—	—	1
Skin Disease	58	10	9	16	5	4	3	—	1	—	—	1	—
XII. Cyanosis	59	50	6	2	1	—	—	—	—	—	—	—	—
Spina Bifida	29	24	2	2	1	—	—	—	—	—	—	—	—
Other Malformations	87	76	2	5	1	—	—	1	1	—	—	—	—
XVII. Intemperance	77	—	—	—	—	—	—	—	—	—	1	3	4
Privation	9	—	—	1	3	—	—	—	1	—	—	1	—
Want of Breast Milk	91	53	24	14	—	—	—	—	—	—	—	—	—
Neglect	2	1	—	—	1	—	—	—	—	—	—	—	—
Cold	41	7	1	1	—	—	—	—	—	3	1	1	7
Poison	40	5	—	—	—	2	5	—	2	—	—	—	—
Burns and Scalds	310	1	1	7	59	48	34	20	38	12	4	9	7
Hanging, etc.	29	—	—	—	—	—	—	—	—	—	—	2	1
Suffocation	108	46	22	3	2	3	1	4	2	—	3	1	2
Drowning	557	3	—	2	10	8	12	2	23	38	61	81	50
Fracture and Contusion	829	1	—	2	11	12	6	8	47	65	70	82	58
Wounds	94	—	—	—	—	3	2	2	8	5	11	9	4
Other Violent Causes	104	24	1	—	1	1	3	—	9	3	8	4	5
Not Specified	3290	1019	262	283	302	148	95	62	145	99	60	80	81

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1864.—BOTH SEXES. (*Contd.*)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	15	9	9	3	4	11	6	1	3	2	—	2	—	—	—	—	
Apoplexy	23	35	58	68	87	92	143	138	140	103	61	20	6	1	—	2	
Paralysis	22	27	44	59	90	101	204	201	277	213	180	65	14	3	—	—	
Delirium Tremens	7	11	8	10	3	4	1	2	—	1	—	—	—	—	—	—	
Chorea	1	—	—	—	1	1	—	1	1	—	—	—	—	—	—	—	
Epilepsy	15	18	15	15	13	9	18	7	7	6	4	1	—	—	—	—	
Tetanus	1	2	1	3	1	—	—	—	1	—	—	—	—	—	—	—	
Insanity	2	1	7	3	4	5	5	5	4	1	3	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	29	40	50	58	43	53	42	58	57	30	22	7	—	—	—	2	
Pericarditis	1	5	6	2	2	4	6	3	3	4	2	—	—	—	—	—	
Aneurism	6	9	18	12	9	10	8	6	6	2	1	—	—	—	—	—	
Heart Disease	126	141	148	185	237	238	349	335	304	208	120	32	1	1	—	4	
Laryngitis	2	4	4	6	4	5	3	3	6	1	—	—	—	—	—	—	
Bronchitis	82	102	170	165	252	256	367	342	351	259	207	98	16	9	—	—	
Pleurisy	8	17	11	12	16	13	27	20	25	15	15	1	—	—	—	1	
Pneumonia	84	88	74	93	94	111	117	92	96	71	24	10	4	—	—	—	
Asthma	21	31	34	41	71	75	104	85	80	59	27	6	2	2	—	—	
Lung Disease	11	20	17	16	27	18	22	23	12	10	4	6	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	1	—	3	—	—	—	1	2	—	—	1	—	—	—	—	
Gastritis	8	9	7	13	13	8	8	11	18	7	2	—	—	—	—	—	
Enteritis	10	17	22	33	25	17	19	17	22	16	10	2	1	—	—	—	
Peritonitis	22	14	24	13	13	15	14	15	11	7	9	1	1	—	—	—	
Ascites	3	4	2	9	3	2	3	7	4	7	1	—	—	—	—	—	
Ulceration of Intestines	12	7	7	14	15	9	23	7	11	6	3	—	1	—	—	1	
Hernia	—	4	1	5	6	9	10	8	12	10	9	—	—	—	—	—	
Ileus	9	5	21	11	20	17	26	27	24	23	9	3	—	1	—	—	
Intussusception	2	2	2	2	1	—	3	1	1	2	1	1	—	—	—	—	
Stricture of Intestines	2	—	1	1	1	5	3	4	3	1	3	—	—	—	—	—	
Stomach Disease	24	28	42	33	43	64	60	67	57	42	15	9	—	—	—	—	
Pancreas Disease	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Hepatitis	4	10	9	14	13	21	21	14	12	5	7	1	—	—	—	—	
Jaundice	5	5	7	10	10	10	11	16	9	16	11	5	—	—	—	—	
Liver Disease	31	30	57	48	52	61	82	62	52	24	12	3	—	—	—	2	
Spleen Disease	2	1	2	1	2	3	2	3	1	1	1	—	—	—	—	—	
Nephritis	4	5	4	1	5	2	4	5	3	1	1	1	—	—	—	—	
Nephria	15	24	13	19	12	11	21	21	12	9	2	—	2	—	—	—	
Ischuria	—	—	1	1	3	3	4	3	14	11	2	9	—	—	—	—	
Diabetes	4	9	7	8	3	7	7	7	3	2	—	—	—	—	—	—	
Stone	1	—	2	1	4	5	5	9	15	10	10	2	1	—	—	—	
Cystitis	1	—	3	3	1	—	4	8	11	6	3	5	1	—	—	—	
Stricture of Urethra	1	1	1	3	3	3	3	3	2	—	1	—	—	—	—	—	
Kidney Disease	13	19	20	16	13	30	41	34	42	29	16	16	1	—	—	1	
Paramenia	4	2	3	6	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	4	3	11	8	14	10	5	3	4	2	2	—	—	—	—	1	
Childbirth	90	78	54	7	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	3	7	6	11	8	8	5	3	3	1	—	—	—	—	—	—	
Arthritis	1	2	—	1	2	1	—	1	1	6	—	—	—	—	—	—	
Rheumatism	6	5	3	4	11	18	24	18	15	16	14	4	—	—	—	—	
Joint Disease	12	15	7	6	11	5	8	5	7	4	2	—	—	—	—	—	
Carbuncle	1	—	1	1	1	—	5	3	2	1	1	—	—	—	—	—	
Phlegmon	1	1	1	1	—	—	1	—	—	2	—	—	—	—	—	—	
Skin Disease	3	1	1	1	—	1	2	—	—	—	—	—	—	—	—	—	
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	12	8	8	10	11	8	7	3	2	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	1	1	5	2	4	2	3	—	—	—	1	1	—	—	—	—	
Poison	2	4	4	5	5	2	2	—	1	1	—	—	—	—	—	—	
Burns and Scalds	5	7	9	5	7	3	7	4	9	4	3	6	1	—	—	—	
Hanging, etc.	1	2	3	2	6	1	9	1	1	—	—	—	—	—	—	—	
Suffocation	1	1	4	1	3	4	1	2	2	—	—	—	—	—	—	—	
Drowning	51	44	33	33	23	22	15	7	17	—	1	2	—	—	—	19	
Fracture and Contusion	60	43	51	53	45	49	51	38	21	19	25	7	1	2	—	2	
Wounds	5	9	6	9	5	6	4	2	1	2	1	—	—	—	—	—	
Other Violent Causes	4	2	5	9	5	4	6	8	—	1	1	—	—	—	—	—	
Not Specified	86	57	69	91	86	107	125	—	—	—	—	—	—	—	—	33	

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1864.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	37010	3847	1341	2598	3355	1761	1283	898	2130	978	1218	1528	1216
SPECIFIED CAUSES	35368	3306	1209	2456	3201	1683	1232	870	2061	928	1188	1489	1183
I. Zymotic Class	9410	401	308	780	1432	944	799	576	1178	303	305	341	238
II. Diseases of Uncertain Seat	946	13	6	7	16	17	16	8	33	25	20	18	23
III. Tubercular Class	5634	98	152	385	521	230	157	113	380	278	492	665	462
IV. Brain and Nervous System	2762	253	81	140	115	69	43	33	118	50	46	63	60
V. Organs of Circulation	1504	7	2	4	5	3	1	4	24	24	41	38	51
VI. Respiratory Organs	5288	427	338	660	628	260	119	75	128	44	50	99	123
VII. Organs of Digestion	2694	311	156	353	362	82	32	24	60	50	60	54	63
VIII. Urinary Organs	633	1	1	2	4	6	9	6	12	10	8	25	23
IX. Organs of Generation	2	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	224	1	—	1	2	—	4	1	24	30	24	8	18
XI. Skin, etc.	50	13	8	12	3	1	1	—	1	—	—	—	—
XII. Malformation	92	80	5	6	—	—	—	—	1	—	—	—	—
XIII. Premature Debility	1831	1623	119	89	—	—	—	—	—	—	—	—	—
XIV. Atrophy	216	—	—	—	64	24	13	7	21	6	—	2	2
XV. Age	2295	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	76	9	8	2	1	—	1	—	—	—	—	1	3
XVII. Violent Deaths	1711	69	25	15	48	47	37	23	81	108	142	175	117
I. Small Pox	949	69	52	81	115	68	57	51	105	24	38	98	50
Measles	565	7	18	86	213	102	55	30	40	8	2	2	—
Scarlatina	1788	11	33	100	258	275	282	243	477	58	25	12	4
Diphtheria	847	23	17	45	150	126	113	89	168	51	19	12	3
Whooping Cough	863	57	56	181	274	104	84	44	57	2	1	1	1
Croup	721	28	14	88	212	140	105	55	74	5	—	—	—
Thrush	19	14	1	2	1	—	—	—	1	—	—	—	—
Diarrhœa	611	95	68	107	105	26	9	6	13	7	3	4	4
Dysentery	170	5	9	12	16	5	1	3	4	3	1	5	5
Cholera	41	2	2	9	5	3	1	—	3	—	—	—	1
Influenza	100	2	1	3	3	1	3	—	1	—	3	1	—
Purpura	25	4	—	1	3	1	—	—	2	1	1	2	1
Ague	12	—	—	—	—	2	2	4	1	1	—	1	—
Worms	10	—	—	—	1	2	2	1	3	1	—	—	—
Infantile Fever	21	4	3	6	5	2	—	—	1	—	—	—	—
Typhus	2379	11	11	41	60	81	83	47	213	131	200	187	165
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	48	1	—	—	—	—	—	—	6	4	3	11	2
Erysipelas	180	47	8	10	7	5	2	2	8	7	9	2	1
Syphilis	57	21	15	8	3	1	—	—	—	—	—	3	1
Noma	4	—	—	—	1	—	—	1	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	36	4	1	—	1	—	1	—	2	1	2	1	2
Dropsy	328	1	1	2	5	13	15	4	24	12	8	5	6
Abscess	79	6	3	4	8	1	—	—	3	6	4	4	8
Ulcer	25	—	—	—	—	—	—	—	—	—	1	—	—
Fistula	15	—	—	—	—	—	—	—	1	1	—	1	1
Mortification	74	2	1	—	1	1	—	3	2	1	1	5	2
Cancer	379	—	—	1	1	2	—	1	1	4	4	2	4
Gout	10	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	375	7	9	21	34	10	10	7	51	44	39	33	25
Tabes Mesenterica	469	24	38	58	123	45	41	22	60	34	8	4	1
Phthisis	3781	12	25	63	116	68	33	41	142	179	442	626	433
Hydrocephalus	1009	55	80	243	248	107	73	43	127	21	3	2	3

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1864.—MALES.

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES	1128	1094	1232	1190	1270	1249	1591	1390	1537	1315	1055	548	175	35	10	38	
SPECIFIED CAUSES	1090	1064	1193	1155	1227	1197	1543	1390	1537	1315	1055	548	175	35	10	28	
Zymotic Class	200	206	253	211	189	172	184	103	137	76	48	20	2	1	—	3	
Uncertain Seat	28	26	43	58	81	70	116	94	90	66	51	16	4	—	1	—	
Tubercular Class	387	313	267	197	189	146	113	44	26	12	4	1	—	—	—	2	
Brain, etc.	67	83	98	124	134	141	218	237	245	174	117	40	10	1	—	2	
Heart, etc.	61	80	93	111	118	125	188	177	151	116	58	20	1	—	—	1	
Respiratory Organs	131	143	168	182	250	243	315	293	255	166	130	49	8	4	—	—	
Digestive Organs	55	64	118	104	111	125	133	125	118	75	45	12	2	—	—	—	
Urinary Organs	24	24	32	31	34	46	71	62	82	59	30	29	1	—	—	1	
Generative Organs	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	
Locomotive Organs	7	12	5	8	12	11	14	12	12	11	6	1	—	—	—	—	
Skin	1	1	1	1	—	—	2	1	1	2	1	—	—	—	—	—	
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	4	7	6	13	17	30	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	93	190	383	543	550	351	147	29	9	—	
Sudden Deaths	2	2	3	7	3	7	12	6	4	4	1	—	—	—	—	—	
Violent Deaths	123	103	106	108	88	81	84	45	33	11	14	9	—	—	—	19	
Small Pox	32	29	29	18	9	10	9	3	—	—	—	1	—	—	—	1	
Measles	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	2	1	1	1	2	1	1	1	—	—	—	—	—	—	—	—	
Diphtheria	7	5	1	3	5	2	2	1	1	2	—	—	—	—	—	2	
Hooping Cough	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhœa	6	6	12	5	8	17	26	15	29	18	17	4	—	1	—	—	
Dysentery	3	1	9	6	9	5	11	10	23	9	11	4	—	—	—	—	
Cholera	2	2	2	3	2	1	3	—	—	—	—	—	—	—	—	—	
Influenza	1	3	3	2	3	7	11	6	16	17	8	3	2	—	—	—	
Purpura	3	—	—	1	1	—	1	2	—	—	1	—	—	—	—	—	
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	134	150	182	167	136	123	106	52	58	25	10	6	—	—	—	—	
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever	3	2	4	—	4	3	3	—	1	1	—	—	—	—	—	—	
Erysipelas	5	4	9	5	8	3	10	12	9	4	1	2	—	—	—	—	
Syphilis	1	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	3	3	2	2	3	5	—	—	—	1	1	1	—	—	—	—	
Dropsy	9	9	9	17	24	19	23	30	36	29	17	7	2	—	1	—	
Abscess	3	3	3	3	4	5	1	2	6	—	2	—	—	—	—	—	
Ulcer	1	—	2	2	3	3	5	3	3	—	2	—	—	—	—	—	
Fistula	—	—	1	—	—	2	5	1	—	2	—	—	—	—	—	—	
Mortification	2	2	1	2	2	1	3	6	12	10	8	4	2	—	—	—	
Cancer	10	9	25	31	42	34	79	50	32	22	21	4	—	—	—	—	
Gout	—	—	—	1	3	1	—	2	1	2	—	—	—	—	—	—	
Scrofula	23	16	10	5	12	7	7	1	2	1	—	1	—	—	—	—	
Tabes Mesenterica	2	2	3	—	—	—	3	—	1	—	—	—	—	—	—	—	
Phthisis	360	293	254	192	177	139	103	43	23	11	4	—	—	—	—	2	
Hydrocephalus	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1864.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
IV. Cephalitis	230	7	11	23	16	15	10	7	39	18	8	15	15
Apoplexy	626	7	5	15	17	2	5	2	13	2	7	8	8
Paralysis	747	—	1	1	—	2	2	1	6	1	2	8	8
Delirium Tremens	45	—	—	—	—	—	—	—	—	—	—	1	1
Chorea	2	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy	98	—	—	—	—	1	—	—	—	11	7	14	7
Tetanus	17	9	—	1	1	—	—	—	3	—	—	—	—
Insanity	20	—	—	—	—	—	—	—	1	—	—	—	2
Convulsions	502	224	56	84	61	36	14	10	17	—	—	—	—
Brain Disease	475	6	8	16	20	13	12	13	39	18	21	17	19
V. Pericarditis	34	—	—	—	—	1	—	—	2	3	3	4	3
Aneurism	63	—	—	—	—	—	—	—	—	—	2	—	2
Heart Disease	1407	7	2	4	5	2	1	4	22	21	36	34	46
VI. Laryngitis	82	5	3	9	11	4	6	3	4	4	—	4	5
Bronchitis	3187	312	270	488	448	187	73	47	76	14	17	29	41
Pleurisy	154	6	2	2	6	2	6	1	1	2	5	11	12
Pneumonia	1351	91	59	153	150	63	30	22	44	18	25	42	43
Asthma	334	—	—	—	—	—	—	1	—	1	1	1	8
Lung Disease	180	13	4	8	13	4	4	1	3	5	2	12	14
VII. Teething	596	7	36	237	274	40	2	—	—	—	—	—	—
Quinsey	35	3	2	5	2	4	3	1	4	2	4	1	—
Gastritis	97	6	9	4	6	3	2	2	5	2	1	6	5
Enteritis	516	154	63	55	52	19	8	6	17	7	10	9	7
Peritonitis	144	16	3	5	5	3	2	1	7	15	12	7	6
Ascites	29	1	1	—	—	—	2	1	7	1	—	1	—
Ulceration of Intestines	83	2	2	4	1	1	2	1	2	3	2	3	6
Hernia	45	5	4	1	—	1	—	—	—	1	1	1	1
Ileus	167	17	7	3	1	3	1	1	4	5	8	6	5
Intussusception	20	—	3	4	—	—	—	—	1	—	—	2	2
Stricture of Intestines	18	2	—	—	—	—	—	—	—	—	—	1	1
Stomach Disease	403	53	21	27	18	5	6	9	6	1	7	5	9
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	79	1	—	1	2	—	—	—	3	2	4	3	3
Jaundice	105	37	1	2	1	2	1	1	—	—	1	2	3
Liver Disease	349	7	4	5	—	1	3	1	4	11	9	6	15
Spleen Disease	8	—	—	—	—	—	—	—	—	—	1	1	—
VIII. Nephritis	45	—	1	1	1	3	5	3	5	2	2	—	1
Nephria	129	—	—	—	—	1	1	2	6	3	3	12	5
Ischuria	52	1	—	—	1	1	1	—	—	—	—	2	—
Diabetes	51	—	—	—	—	1	—	—	—	1	—	5	8
Stone	59	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	38	—	—	—	—	—	—	—	—	—	—	1	2
Stricture of Urethra	22	—	—	—	—	—	—	—	—	—	—	—	1
Kidney Disease	237	—	—	1	2	—	2	1	1	4	3	5	6
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	2	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	18	1	—	1	1	—	1	—	2	3	3	1	1
Rheumatism	68	—	—	—	—	—	1	1	1	2	2	1	5
Joint and Bone Disease	138	—	—	—	1	—	2	—	21	25	19	6	12
XI. Carbuncle	10	3	1	—	—	—	—	—	—	—	—	—	—
Phlegmon	4	2	—	1	—	—	—	—	—	—	—	—	—
Skin Disease	36	8	7	11	3	1	1	—	1	—	—	—	—
XII. Cyanosis	33	30	2	1	—	—	—	—	—	—	—	—	—
Spina Bifida	9	8	1	—	—	—	—	—	—	—	—	—	—
Other Malformations	50	42	2	5	—	—	—	—	1	—	—	—	—
XVII. Intemperance	47	—	—	—	—	—	—	—	—	—	1	2	2
Privation	5	—	—	—	1	—	—	—	—	—	—	1	—
Want of Breast Milk	50	31	12	7	—	—	—	—	—	—	—	—	—
Neglect	1	1	—	—	—	—	—	—	—	—	—	—	—
Cold	29	4	—	—	—	—	—	—	—	2	—	—	5
Poison	23	2	—	—	—	2	3	—	2	—	—	—	—
Burns and Scalds	158	1	1	3	33	29	18	12	11	8	3	7	3
Hanging, etc.	23	—	—	—	—	—	—	—	—	—	—	1	1
Suffocation	52	17	11	1	1	2	—	1	1	—	3	1	1
Drowning	483	2	—	2	5	4	10	2	19	34	57	73	43
Fracture and Contusion	688	—	—	2	7	8	3	6	36	56	61	80	56
Wounds	74	—	—	—	—	2	2	2	6	5	10	6	2
Other Violent Causes	78	11	1	—	1	—	1	—	6	3	7	4	4
Not Specified	1642	541	132	142	154	78	51	28	69	50	30	39	33

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1864.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	37406	3079	1093	2222	3176	1705	1195	822	1988	979	1211	1401	1341
SPECIFIED CAUSES	35758	2601	963	2081	3028	1635	1151	788	1912	930	1181	1360	1293
I. Zymotic Class	9680	383	278	795	1402	999	755	545	1204	370	319	338	307
II. Diseases of Uncertain Seat	1577	21	6	9	17	16	13	11	31	17	19	28	31
III. Tubercular Class	5811	75	135	290	459	217	154	97	310	313	606	643	558
IV. Brain and Nervous System	2354	167	58	77	99	48	44	30	85	48	39	42	46
V. Organs of Circulation	1471	7	1	2	4	3	—	—	27	38	42	36	57
VI. Respiratory Organs	4782	319	238	522	580	223	123	67	125	46	49	76	74
VII. Organs of Digestion	2471	244	99	289	336	74	22	14	51	35	42	63	68
VIII. Urinary Organs	283	—	—	2	4	2	3	2	8	11	7	14	28
IX. Organs of Generation	558	—	—	—	—	—	—	—	—	3	22	81	88
X. Organs of Locomotion	195	—	—	1	3	1	—	—	11	24	14	12	5
XI. Skin, etc.	43	3	3	6	2	3	2	—	—	—	—	2	1
XII. Malformation	83	70	5	3	3	—	—	1	—	—	—	—	—
XIII. Premature Debility	1411	1237	107	67	—	—	—	—	—	—	—	—	—
XIV. Atrophy	286	—	—	—	80	19	9	7	11	6	4	7	9
XV. Age	4123	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	50	3	9	3	—	—	—	1	—	1	1	—	—
XVII. Violent Deaths	580	72	24	15	39	30	26	13	49	18	17	18	21
I. Small Pox	792	70	54	87	112	80	46	41	76	26	30	38	42
Measles	537	7	7	91	200	98	49	27	38	7	4	2	2
Scarlatina	1623	11	11	78	201	284	233	209	429	93	23	21	13
Diphtheria	893	23	8	52	152	121	114	76	226	49	21	15	9
Whooping Cough	1130	68	75	259	322	164	117	50	71	4	—	—	—
Croup	695	22	10	67	210	135	104	59	82	6	—	—	—
Thrush	17	12	1	2	—	1	—	—	—	—	—	1	—
Diarrhoea	633	71	65	96	110	31	8	4	10	7	5	4	6
Dysentery	147	4	8	5	4	6	2	4	—	2	—	—	5
Cholera	26	7	1	4	1	—	1	—	6	—	—	—	1
Influenza	143	4	2	4	7	1	4	3	4	1	1	1	1
Purpura	19	—	—	—	—	—	—	1	3	1	—	3	3
Ague	5	—	1	1	—	—	—	—	2	—	—	—	—
Worms	14	—	—	2	1	1	3	2	5	—	—	—	—
Infantile Fever	32	8	4	5	3	7	2	2	1	—	—	—	—
Typhus	2425	10	10	33	67	67	66	63	243	166	209	179	146
Metria	254	—	—	—	—	—	—	—	—	—	13	60	68
Rheumatic Fever	53	—	—	—	—	—	2	—	2	5	8	9	1
Erysipelas	165	41	4	3	10	—	4	2	5	3	5	4	4
Syphilis	68	25	17	6	—	—	—	—	—	—	—	1	5
Noma	9	—	—	—	2	3	—	2	1	—	—	—	1
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Haemorrhage	45	10	—	1	1	—	—	—	—	—	1	2	4
Dropsy	440	1	1	2	10	8	7	9	20	10	8	10	9
Abscess	70	2	4	3	3	4	2	—	5	4	5	4	1
Ulcer	25	3	—	1	—	—	—	—	1	—	—	2	—
Fistula	3	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	68	4	1	1	3	4	3	1	—	1	2	—	—
Cancer	921	1	—	1	—	—	1	1	5	2	3	10	17
Gout	5	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	282	6	8	18	29	12	10	6	31	26	18	24	14
Tabes Mesenterica	406	26	26	59	124	48	26	12	27	21	10	7	4
Phthisis	4302	12	27	48	98	70	48	28	155	240	571	609	540
Hydrocephalus	821	31	74	165	208	87	70	51	97	26	7	3	—

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1864.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	138	2	3	12	15	6	13	10	23	12	7	9	7
Apoplexy	534	11	6	8	15	6	7	2	16	5	6	5	5
Paralysis	803	—	—	—	—	—	1	—	3	4	3	1	6
Delirium Tremens	6	—	—	—	—	—	—	—	—	—	—	—	2
Chorea	8	—	—	—	—	—	—	—	1	2	1	—	—
Epilepsy	100	—	—	—	1	—	—	—	1	6	7	6	9
Tetanus	19	5	1	—	—	1	—	—	3	1	—	1	1
Insanity	26	—	—	—	—	—	—	—	—	—	1	1	1
Convulsions	336	143	43	45	51	24	13	6	10	—	—	1	—
Brain Disease	384	6	5	12	17	11	10	12	28	18	14	18	15
V. Pericarditis	34	—	—	—	—	1	—	—	2	4	3	4	—
Aneurism	34	—	—	—	—	—	—	—	—	—	2	—	4
Heart Disease	1403	7	1	2	4	2	—	—	25	34	37	32	53
VI. Laryngitis	62	2	1	9	13	8	3	3	5	—	1	1	2
Bronchitis	3196	224	189	399	443	153	74	50	74	16	17	29	32
Pleurisy	130	5	3	5	6	5	3	1	6	3	5	4	1
Pneumonia	917	72	44	104	113	45	39	12	38	22	23	30	28
Asthma	322	1	—	—	—	—	—	—	—	—	—	1	4
Lung Disease	155	15	1	5	5	7	4	1	2	5	3	11	7
VII. Teething	528	4	24	206	259	35	—	—	—	—	—	—	—
Quinsey	37	2	5	4	8	4	3	—	3	1	2	1	—
Gastritis	103	7	3	3	6	2	1	2	4	2	5	4	6
Enteritis	437	149	38	34	37	19	8	2	18	6	6	9	9
Peritonitis	187	9	3	2	3	2	1	1	7	7	10	23	22
Ascites	39	—	—	—	2	—	—	—	—	2	2	2	1
Ulceration of Intestines	91	2	1	3	6	—	—	—	2	3	—	5	7
Hernia	45	—	—	—	—	—	—	—	—	—	—	1	—
Ileus	136	11	8	3	2	—	1	1	2	3	4	4	7
Intussusception	20	2	3	3	1	—	1	—	—	—	—	—	—
Stricture of Intestines	12	1	—	—	—	—	—	—	—	—	1	—	—
Stomach Disease	351	23	10	20	6	4	4	4	7	8	5	5	7
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	83	2	—	1	1	—	—	2	2	2	1	—	1
Jaundice	112	29	2	2	4	5	1	1	1	—	2	2	2
Liver Disease	271	3	2	8	—	2	2	1	4	1	3	7	5
Spleen Disease	18	—	—	—	1	1	—	—	1	—	1	—	1
VIII. Nephritis	28	—	—	—	1	2	2	—	2	1	—	1	4
Nephria	91	—	—	2	1	—	—	1	1	3	2	3	13
Ischuria	8	—	—	—	—	—	—	—	—	—	1	2	—
Diabetes	31	—	—	—	—	—	—	—	—	1	3	3	3
Stone	6	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	12	—	—	—	—	—	—	—	—	1	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	107	—	—	—	2	—	1	1	5	5	1	5	8
IX. Paramenia	38	—	—	—	—	—	—	—	—	1	9	9	4
Ovarian Dropsy	79	—	—	—	—	—	—	—	—	1	—	9	2
Childbirth	374	—	—	—	—	—	—	—	—	—	12	57	76
Organs of Generation	67	—	—	—	—	—	—	—	—	1	1	6	6
X. Arthritis	14	—	—	—	—	—	—	—	1	1	—	1	—
Rheumatism	88	—	—	—	—	—	—	—	—	1	1	1	2
Joint and Bone Disease	93	—	—	1	3	1	—	—	10	22	13	10	3
XI. Carbuncle	14	1	1	1	—	—	—	—	—	—	—	1	—
Phlegmon	7	—	—	—	—	—	—	—	—	—	—	—	1
Skin Disease	22	2	2	5	2	3	2	—	—	—	—	1	—
XII. Cyanosis	26	20	4	1	1	—	—	—	—	—	—	—	—
Spina Bifida	20	16	1	2	1	—	—	—	—	—	—	—	—
Other Malformations	37	34	—	—	1	—	—	1	—	—	—	—	—
XVII. Intemperance	30	—	—	—	—	—	—	—	—	—	—	1	2
Privation	4	—	—	1	2	—	—	—	1	—	—	—	—
Want of Breast Milk	41	22	12	7	—	—	—	—	—	—	—	—	—
Neglect	1	—	—	—	1	—	—	—	—	—	—	—	—
Cold	12	3	1	1	—	—	—	—	—	1	1	1	2
Poison	17	3	—	—	—	—	2	—	—	—	—	—	—
Burns and Scalds	152	—	—	4	26	19	16	8	27	4	1	2	4
Hanging, etc.	6	—	—	—	—	—	—	—	—	—	—	1	—
Suffocation	56	29	11	2	1	1	1	3	1	—	—	—	1
Drowning	74	1	—	—	5	4	2	—	4	4	4	8	7
Fracture and Contusion	141	1	—	—	4	4	3	2	11	9	9	2	2
Wounds	20	—	—	—	—	1	—	—	2	—	1	3	2
Other Violent Causes	26	13	—	—	—	1	2	—	3	—	1	—	1
Not Specified	1648	478	130	141	148	70	44	34	76	49	30	41	48

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1864.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2720	217	58	95	173	85	60	49	108	66	88	102	86
SPECIFIED CAUSES	2278	111	34	64	129	59	44	32	80	50	77	90	73
I. Zymotic Class	470	24	18	28	72	34	32	23	57	13	22	15	15
II. Diseases of Uncertain Seat	91	-	-	-	1	-	-	-	-	2	3	-	2
III. Tubercular Class	306	2	4	11	13	4	2	3	7	15	26	43	35
IV. Brain and Nervous System	182	7	1	5	2	3	1	-	-	2	3	6	6
V. Organs of Circulation	64	-	-	-	-	-	-	-	-	2	-	-	2
VI. Respiratory Organs	211	11	7	7	18	11	2	2	7	2	5	2	1
VII. Organs of Digestion	147	4	2	11	15	5	6	1	6	7	1	-	1
VIII. Urinary Organs	23	-	-	-	-	-	-	-	-	-	-	2	1
IX. Organs of Generation	30	-	-	-	-	-	-	-	-	-	1	3	7
X. Organs of Locomotion	22	-	-	-	-	-	-	-	-	-	2	-	-
XI. Skin, etc.	4	1	-	1	1	-	-	-	-	-	-	1	-
XII. Malformation	1	-	-	-	-	-	-	-	1	-	-	-	-
XIII. Premature Debility	63	60	2	1	-	-	-	-	-	-	-	-	-
XIV. Atrophy	21	-	-	-	3	-	1	1	-	-	2	-	1
XV. Age	603	-	-	-	-	-	-	-	-	-	-	-	-
XVI. Sudden Deaths	2	-	-	-	-	-	-	-	-	-	-	-	-
XVII. Violent Deaths	88	2	-	-	4	2	-	2	2	7	12	18	2
I. Small Pox	26	1	2	2	4	1	-	2	2	-	3	1	2
Measles	13	-	-	2	4	2	-	-	2	1	1	1	-
Scarlatina	26	1	-	-	3	2	2	5	10	3	-	-	-
Diphtheria	80	9	2	6	14	5	9	10	15	3	1	1	2
Hooping Cough	53	2	6	7	22	5	6	-	5	-	-	-	-
Croup	78	8	5	5	19	14	12	4	11	-	-	-	-
Thrush	2	2	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	17	-	2	1	2	1	-	-	-	-	-	-	-
Dysentery	5	-	-	1	1	-	-	-	-	-	-	-	-
Cholera	5	-	-	1	-	-	-	-	1	-	-	-	-
Influenza	26	-	-	2	3	2	3	-	1	-	1	-	-
Purpura	1	-	-	-	-	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	1	-	-	-	-	1	-	-	-	-	-	-	-
Infantile Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	118	1	1	1	-	1	-	2	9	6	13	9	11
Metria	3	-	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever	7	-	-	-	-	-	-	-	-	-	2	1	-
Erysipelas	5	-	-	-	-	-	-	-	1	-	1	-	-
Syphilis	4	-	-	-	-	-	-	-	-	-	-	1	-
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Hæmorrhage	1	-	-	-	-	-	-	-	-	-	-	-	-
Dropsy	44	-	-	-	-	-	-	-	-	-	1	-	1
Abscess	2	-	-	-	-	-	-	-	-	1	-	-	-
Ulcer	2	-	-	-	-	-	-	-	-	-	1	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	2	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	40	-	-	-	1	-	-	-	-	1	1	-	1
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-
III. Scrofula	23	1	-	1	-	-	1	-	-	3	1	3	1
Tabes Mesenterica	4	-	-	-	2	-	-	1	-	-	1	-	-
Phthisis	250	-	1	2	4	-	-	-	5	11	24	40	34
Hydrocephalus	29	1	3	8	7	4	1	2	2	1	-	-	-

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1864.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
IV. Cephalitis	7	—	—	1	—	—	—	—	—	—	1	2	1
Apoplexy	34	—	—	1	—	—	—	—	—	—	1	—	—
Paralysis	55	—	—	—	—	—	1	—	—	—	—	1	1
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	9	—	—	—	—	1	—	—	—	—	1	1	2
Tetanus	6	3	1	1	1	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	9	4	—	2	—	2	—	—	—	—	—	1	—
Brain Disease	12	—	—	—	1	—	—	—	—	2	—	1	2
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	64	—	—	—	—	—	—	—	—	2	—	—	2
VI. Laryngitis	2	—	—	—	—	1	—	—	—	—	—	1	—
Bronchitis	104	7	4	3	11	5	—	2	6	1	1	—	—
Pleurisy	27	4	2	1	2	5	1	—	—	—	1	—	—
Pneumonia	34	—	1	3	3	—	1	—	1	1	3	—	1
Asthma	36	—	—	—	—	—	—	—	—	—	—	1	—
Lung Disease	8	—	—	—	2	—	—	—	—	—	—	—	—
VII. Teething	18	—	—	8	9	1	—	—	—	—	—	—	—
Quinsey	12	—	1	1	2	3	2	1	2	—	—	—	—
Gastritis	7	—	—	—	1	—	—	—	—	—	—	—	—
Enteritis	16	2	1	2	2	1	1	—	1	—	—	—	—
Peritonitis	8	—	—	—	—	—	—	—	—	1	1	—	1
Ascites	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	4	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	11	—	—	—	—	—	—	—	1	—	—	—	—
Intussusception	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	40	—	—	—	1	—	3	—	1	5	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	3	—	—	—	—	—	—	—	—	1	—	—	—
Jaundice	6	2	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	16	—	—	—	—	—	—	—	1	—	—	—	—
Spleen Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	2	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	4	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	4	—	—	—	—	—	—	—	—	—	—	1	—
Diabetes	3	—	—	—	—	—	—	—	—	—	—	1	1
Stone	4	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	5	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	3	—	—	—	—	—	—	—	—	—	1	—	—
Ovarian Dropsy	4	—	—	—	—	—	—	—	—	—	—	1	—
Childbirth	21	—	—	—	—	—	—	—	—	—	—	2	7
Organs of Generation	2	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	18	—	—	—	—	—	—	—	—	—	1	—	—
Joint and Bone Disease	4	—	—	—	—	—	—	—	—	—	1	—	—
XI. Carbuncle	1	1	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	3	—	—	1	1	—	—	—	—	—	—	1	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	1	—	—	—	—	—	—	—	1	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	1	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	7	—	—	—	—	—	—	—	—	3	1	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	13	1	—	—	4	2	—	2	2	1	—	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	1	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	52	—	—	—	—	—	—	—	—	3	9	12	2
Fracture and Contusion	8	—	—	—	—	—	—	—	—	—	1	3	—
Wounds	3	—	—	—	—	—	—	—	—	—	—	2	—
Other Violent Causes	2	1	—	—	—	—	—	—	—	—	1	—	—
Not Specified	442	106	24	31	44	26	16	17	28	16	11	12	13

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life,
in 1864.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Apoplexy	—	1	2	1	4	3	5	3	4	5	4	—	—	—	—	—
Paralysis	2	—	—	2	4	6	2	4	7	13	6	4	2	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	—	—	2	—	—	1	—	1	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	—	—	—	3	—	1	—	2	—	—	—	—	—	—	—	—
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	4	3	2	6	4	2	6	12	8	6	2	5	—	—	—	—
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	—	1	6	3	1	8	9	8	6	6	11	5	—	—	—	—
Pleurisy	1	2	—	2	—	1	3	1	—	—	1	—	—	—	—	—
Pneumonia	1	1	2	2	2	—	3	5	1	3	—	—	—	—	—	—
Asthma	1	3	—	1	1	3	3	6	6	6	5	—	—	—	—	—
Lung Disease	—	—	1	—	1	—	1	2	1	—	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	1	—	2	2	1	—	—	—	—	—	—
Enteritis	—	—	—	1	2	1	1	1	—	—	—	—	—	—	—	—
Peritonitis	1	1	—	—	—	—	1	1	1	—	—	—	—	—	—	—
Ascites	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	1	—	2	—	1	—	—	—	—	—
Ileus	—	—	—	1	1	3	—	2	2	1	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Stomach Disease	1	2	4	2	3	5	5	3	2	2	1	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Jaundice	—	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—
Liver Disease	2	—	—	1	2	1	3	2	3	1	—	—	—	—	—	—
Spleen Disease	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
Nephritis	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Nephria	—	—	—	2	1	—	—	—	—	1	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—
Diabetes	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	1	—	—	—	1	1	—	1	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	—	1	—	—	1	—	2	1	—	—	—	—	—
Paramenia	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—
Childbirth	5	3	3	1	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	1	—	1	4	3	2	2	3	—	—	—	—	—
Joint Disease	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Drowning	3	2	2	3	5	3	—	1	4	—	—	—	—	—	—	3
Fracture and Contusion	1	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—
Wounds	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified.	18	12	10	8	11	16	11	—	—	—	—	—	—	—	—	12

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1864.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1283	117	29	46	84	36	28	26	49	40	40	60	55
SPECIFIED CAUSES	1070	62	15	30	65	27	21	15	33	29	38	55	44
I. Zymotic Class	211	15	9	9	37	15	14	9	17	10	9	7	10
II. Diseases of Uncertain Seat	42	—	—	—	1	—	—	—	—	1	3	—	2
III. Tubercular Class	165	1	1	9	6	1	2	1	4	9	11	27	22
IV. Brain and Nervous System	66	3	—	3	1	3	1	—	—	—	1	—	4
V. Organs of Circulation	40	—	—	—	—	—	—	—	—	2	—	—	2
VI. Respiratory Organs	108	6	4	3	11	3	1	2	4	1	2	2	1
VII. Organs of Digestion	77	2	—	5	7	3	2	1	6	1	—	—	—
VIII. Urinary Organs	19	—	—	—	—	—	—	—	—	—	—	1	1
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	12	—	—	—	—	—	—	—	—	—	1	—	—
XI. Skin, etc.	2	1	—	1	—	—	—	—	—	—	—	—	—
XII. Malformation	1	—	—	—	—	—	—	—	1	—	—	—	—
XIII. Premature Debility	33	32	1	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	7	—	—	—	1	—	1	1	—	—	—	—	—
XV. Age	211	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	75	2	—	—	1	2	—	1	1	5	11	18	2
I. Small Pox	11	1	1	—	1	—	—	1	1	—	—	—	2
Measles	7	—	—	—	3	2	—	—	—	1	—	1	—
Scarlatina	14	1	—	—	2	2	1	2	5	1	—	—	—
Diphtheria	35	4	2	1	7	2	5	4	4	3	—	—	1
Hooping Cough	25	1	3	5	11	1	2	—	2	—	—	—	—
Croup	36	5	3	2	10	7	5	2	2	—	—	—	—
Thrush	2	2	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	6	—	—	—	1	—	—	—	—	—	—	—	—
Dysentery	3	—	—	1	1	—	—	—	—	—	—	—	—
Cholera	2	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	11	—	—	—	1	1	1	—	1	—	1	—	—
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	51	1	—	—	—	—	—	—	1	5	6	4	7
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	2	—	—	—	—	—	—	—	—	—	1	1	—
Erysipelas	4	—	—	—	—	—	—	—	1	—	1	—	—
Syphilis	1	—	—	—	—	—	—	—	—	—	—	1	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	20	—	—	—	—	—	—	—	—	—	1	—	1
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	2	—	—	—	—	—	—	—	—	—	1	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	18	—	—	—	1	—	—	—	—	1	1	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	11	—	—	1	—	—	1	—	—	2	—	1	1
Tabes Mesenterica	2	—	—	—	1	—	—	—	—	—	1	—	—
Phthisis	137	—	—	2	2	—	—	—	3	7	10	26	21
Hydrocephalus	15	1	1	6	3	1	1	1	1	—	—	—	—

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1864.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	2	—	—	—	—	—	—	—	—	—	1	—	—
Apoplexy	19	—	—	1	—	—	—	—	—	—	—	—	—
Paralysis	26	—	—	—	—	—	1	—	—	—	—	—	1
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	4	—	—	—	—	1	—	—	—	—	—	—	1
Tetanus	3	1	—	1	1	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	5	2	—	1	—	2	—	—	—	—	—	—	—
Brain Disease	7	—	—	—	—	—	—	—	—	—	—	—	2
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	40	—	—	—	—	—	—	—	—	2	—	—	2
VI. Laryngitis	1	—	—	—	—	—	—	—	—	—	—	1	—
Bronchitis	50	4	1	1	5	2	—	2	3	—	—	—	—
Pleurisy	13	2	2	1	1	1	1	—	—	—	—	—	—
Pneumonia	25	—	1	1	3	—	—	—	1	1	2	—	1
Asthma	13	—	—	—	—	—	—	—	—	—	—	1	—
Lung Disease	6	—	—	—	2	—	—	—	—	—	—	—	—
VII. Teething	7	—	—	3	3	1	—	—	—	—	—	—	—
Quinsey	7	—	—	1	1	1	1	1	2	—	—	—	—
Gastritis	5	—	—	—	1	—	—	—	—	—	—	—	—
Enteritis	8	1	—	1	1	1	—	—	1	—	—	—	—
Peritonitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	2	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	7	—	—	—	—	—	—	—	1	—	—	—	—
Intussusception	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	23	—	—	—	1	—	1	—	1	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	1	—	—	—
Jaundice	4	1	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	10	—	—	—	—	—	—	—	1	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	3	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	4	—	—	—	—	—	—	—	—	—	—	1	—
Diabetes	2	—	—	—	—	—	—	—	—	—	—	—	1
Stone	3	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	5	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	9	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	3	—	—	—	—	—	—	—	—	—	1	—	—
XI. Carbuncle	1	1	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	1	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	1	—	—	—	—	—	—	—	1	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	1	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	4	—	—	—	—	—	—	—	—	2	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	8	1	—	—	1	2	—	1	1	1	—	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	1	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	49	—	—	—	—	—	—	—	—	2	9	12	2
Fracture and Contusion	7	—	—	—	—	—	—	—	—	—	1	3	—
Wounds	2	—	—	—	—	—	—	—	—	—	—	2	—
Other Violent Causes	2	1	—	—	—	—	—	—	—	—	1	—	—
Not Specified	213	55	14	16	19	9	7	11	16	11	2	5	11

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1864.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1437	100	29	49	89	49	32	23	59	26	48	42	31
SPECIFIED CAUSES	1208	49	19	34	64	32	23	17	47	21	39	35	29
I. Zymotic Class	259	9	9	19	35	19	18	14	40	3	13	8	5
II. Diseases of Uncertain Seat	49	—	—	—	—	—	—	—	—	1	—	—	—
III. Tubercular Class	141	1	3	2	7	3	—	2	3	6	15	16	13
IV. Brain and Nervous System	66	4	1	2	1	—	—	—	—	2	2	6	2
V. Organs of Circulation	24	—	—	—	—	—	—	—	—	—	—	—	—
VI. Respiratory Organs	103	5	3	4	7	8	1	—	3	1	3	—	—
VII. Organs of Digestion	70	2	2	6	8	2	4	—	—	6	1	—	1
VIII. Urinary Organs	4	—	—	—	—	—	—	—	—	—	—	1	—
IX. Organs of Generation	30	—	—	—	—	—	—	—	—	—	1	3	7
X. Organs of Locomotion	10	—	—	—	—	—	—	—	—	—	1	—	—
XI. Skin, etc.	2	—	—	—	1	—	—	—	—	—	—	1	—
XII. Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	30	28	1	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	14	—	—	—	2	—	—	—	—	—	2	—	1
XV. Age	392	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	13	—	—	—	3	—	—	1	1	2	1	—	—
I. Small Pox	15	—	1	2	3	1	—	1	1	—	3	1	—
Measles	6	—	—	2	1	—	—	—	2	—	1	—	—
Scarlatina	12	—	—	—	1	—	1	3	5	2	—	—	—
Diphtheria	45	5	—	5	7	3	4	6	11	—	1	1	1
Hooping Cough	28	1	3	2	11	4	4	—	3	—	—	—	—
Croup	42	3	2	3	9	7	7	2	9	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	11	—	2	1	1	1	—	—	—	—	—	—	—
Dysentery	2	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	3	—	—	1	—	—	—	—	1	—	—	—	—
Influenza	15	—	—	2	2	1	2	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	1	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	67	—	1	1	—	1	—	2	8	1	7	5	4
Metria	3	—	—	—	—	—	—	—	—	—	—	1	—
Rheumatic Fever	5	—	—	—	—	—	—	—	—	—	1	—	—
Erysipelas	1	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	3	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	24	—	—	—	—	—	—	—	—	—	—	—	—
Abscess	2	—	—	—	—	—	—	—	—	1	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	22	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	12	1	—	—	—	—	—	—	—	1	1	2	—
Tabes Mesenterica	2	—	—	—	1	—	—	1	—	—	—	—	—
Phthisis	113	—	1	—	2	—	—	—	2	4	14	14	13
Hydrocephalus	14	—	2	2	4	3	—	1	1	1	—	—	—

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1864.—FEMALES.

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES	43	39	32	50	48	51	61	68	99	102	123	83	30	11	7	13	
SPECIFIED CAUSES . .	33	32	27	44	40	42	55	68	99	102	123	83	30	11	7	3	
Zymotic Class	2	8	4	9	7	10	4	5	7	5	4	—	—	1	—	1	
Uncertain Seat	1	1	2	5	5	5	5	4	8	9	2	1	—	—	—	—	
Tubercular Class . . .	18	10	10	14	5	4	8	—	1	—	—	—	—	—	—	—	
Brain, etc.	1	1	1	3	3	9	3	3	4	9	7	2	—	—	—	—	
Heart, etc.	1	2	1	2	3	1	2	4	3	2	1	2	—	—	—	—	
Respiratory Organs . .	—	4	2	4	2	4	9	14	8	7	12	2	—	—	—	—	
Digestive Organs . . .	2	1	1	4	9	4	5	3	6	2	1	—	—	—	—	—	
Urinary Organs	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—	
Generative Organs . .	5	4	3	2	2	1	—	1	—	—	1	—	—	—	—	—	
Locomotive Organs . .	2	—	—	—	—	1	2	1	1	1	1	—	—	—	—	—	
Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	1	—	3	—	4	1	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	16	33	60	67	93	75	29	10	7	2	
Sudden Deaths	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Violent Deaths	—	1	—	—	—	1	—	—	1	—	1	1	—	—	—	—	
Small Pox	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diphtheria	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Whooping Cough . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhoea	—	1	—	1	—	—	—	1	—	1	1	—	—	1	—	—	
Dysentery	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Influenza	—	—	—	—	3	—	—	—	2	1	2	—	—	—	—	—	
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	2	2	2	8	3	8	2	3	4	2	1	—	—	—	—	—	
Metria	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever . . .	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	1	
Erysipelas	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Syphilis	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dropsy	—	1	—	3	1	3	1	1	6	7	1	—	—	—	—	—	
Abscess	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Cancer	1	—	2	2	3	2	4	2	2	2	1	1	—	—	—	—	
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scrofula	1	2	1	1	—	—	2	—	—	—	—	—	—	—	—	—	
Tabes Mesenterica . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phthisis	17	8	9	13	5	4	6	—	1	—	—	—	—	—	—	—	
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1864.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis	5	—	—	1	—	—	—	—	—	—	—	2	1
Apoplexy	15	—	—	—	—	—	—	—	—	—	1	—	—
Paralysis	29	—	—	—	—	—	—	—	—	—	—	1	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	5	—	—	—	—	—	—	—	—	—	1	1	1
Tetanus	3	2	1	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	4	2	—	1	—	—	—	—	—	—	—	1	—
Brain Disease	5	—	—	—	1	—	—	—	—	2	—	1	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	24	—	—	—	—	—	—	—	—	—	—	—	—
VI. Laryngitis	1	—	—	—	—	1	—	—	—	—	—	—	—
Bronchitis	54	3	3	2	6	3	—	—	3	1	1	—	—
Pleurisy	14	2	—	—	1	4	—	—	—	—	1	—	—
Pneumonia	9	—	—	2	—	—	1	—	—	—	1	—	—
Asthma	23	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	11	—	—	5	6	—	—	—	—	—	—	—	—
Quinsey	5	—	1	—	1	2	1	—	—	—	—	—	—
Gastritis	2	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	8	1	1	1	1	—	1	—	—	—	—	—	—
Peritonitis	6	—	—	—	—	—	—	—	—	1	1	—	1
Ascites	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	2	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	4	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	17	—	—	—	—	—	2	—	—	5	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	2	1	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	6	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	1	—
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	3	—	—	—	—	—	—	—	—	—	1	—	—
Ovarian Dropsy	4	—	—	—	—	—	—	—	—	—	—	1	—
Childbirth	21	—	—	—	—	—	—	—	—	—	—	2	7
Organs of Generation	2	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	9	—	—	—	—	—	—	—	—	—	1	—	—
Joint and Bone Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	2	—	—	—	1	—	—	—	—	—	—	1	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	3	—	—	—	—	—	—	—	—	1	1	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	5	—	—	—	3	2	—	1	1	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	3	—	—	—	—	—	—	—	—	1	—	—	—
Fracture and Contusion	1	—	—	—	—	—	—	—	—	—	—	—	—
Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	229	51	10	15	25	17	9	6	12	5	9	7	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1864.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	35719	3297	1055	1915	2543	1496	1112	818	2054	1063	1203	1330	1141
SPECIFIED CAUSES	33485	2598	868	1722	2340	1400	1050	779	1964	995	1168	1274	1087
I. Zymotic Class	8708	353	237	630	1162	876	720	574	1264	405	317	284	212
II. Diseases of Uncertain Seat	1276	15	5	10	10	13	7	8	28	14	14	20	28
III. Tubercular Class	5061	87	121	254	361	159	110	76	285	286	539	616	491
IV. Brain and Nervous System	2455	146	55	78	80	52	30	24	93	51	44	45	53
V. Organs of Circulation	1447	4	—	4	6	4	—	3	30	30	38	32	35
VI. Respiratory Organs	4018	314	223	402	368	168	96	48	86	42	44	61	61
VII. Organs of Digestion	2571	277	124	264	255	64	30	17	63	43	53	61	60
VIII. Urinary Organs	495	1	1	1	4	4	5	4	12	11	4	18	17
IX. Organs of Generation	284	—	—	—	—	—	—	—	—	1	15	31	33
X. Organs of Locomotion	225	1	—	1	1	—	2	1	19	25	14	8	9
XI. Skin, etc.	43	7	6	7	3	3	2	—	—	—	—	1	—
XII. Malformation	98	85	5	6	1	—	—	1	—	—	—	—	—
XIII. Premature Debility	1367	1253	62	52	—	—	—	—	—	—	—	—	—
XIV. Atrophy	198	—	—	—	46	18	10	6	16	7	1	5	8
XV. Age	4011	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	74	5	10	2	1	—	—	—	—	1	1	—	2
XVII. Violent Deaths	1154	50	19	11	42	39	38	17	68	69	84	92	78
I. Small Pox	808	80	45	71	86	54	45	38	82	27	33	53	43
Measles	400	6	12	55	141	68	34	22	39	9	4	2	2
Scarlatina	1640	12	20	89	202	265	237	218	438	85	27	18	11
Diphtheria	1203	24	17	61	188	169	149	114	299	80	35	19	9
Hooping Cough	507	47	45	114	137	63	40	21	37	1	1	1	—
Croup	762	20	8	79	218	145	112	79	95	6	—	—	—
Thrush	20	13	1	3	1	—	—	—	1	—	—	1	—
Diarrhoea	531	49	45	83	85	25	8	6	13	7	4	4	2
Dysentery	173	4	9	8	9	7	2	4	2	1	1	3	3
Cholera	35	5	2	6	3	2	2	—	2	—	—	—	1
Influenza	149	5	2	3	6	—	4	1	3	1	—	2	—
Purpura	22	2	—	1	2	—	—	—	3	1	1	2	2
Ague	9	—	1	1	—	1	2	2	—	—	—	1	—
Worms	18	—	—	2	1	1	5	2	6	1	—	—	—
Infantile Fever	26	11	5	3	4	—	—	2	1	—	—	—	—
Typhus	1998	16	13	39	69	70	75	61	233	175	194	136	99
Metria	137	—	—	—	—	—	—	—	—	—	6	30	35
Rheumatic Fever	59	1	—	—	—	—	1	—	6	6	6	9	2
Erysipelas	176	50	5	8	8	5	4	3	4	5	5	2	1
Syphilis	31	8	7	4	1	—	—	—	—	—	—	1	2
Noma	4	—	—	—	1	1	—	1	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	84	6	1	1	—	—	—	—	1	—	2	2	3
Dropsy	369	1	1	3	4	7	3	5	17	8	5	4	9
Abscess	63	3	2	4	3	1	1	—	3	4	2	2	5
Ulcer	25	2	—	1	—	—	—	—	—	—	—	1	—
Fistula	7	—	—	—	—	—	—	—	—	—	—	1	1
Mortification	72	3	1	1	3	3	2	2	2	—	2	2	2
Cancer	696	—	—	—	—	2	1	1	5	2	3	8	8
Gout	10	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	341	4	9	15	26	8	8	5	45	37	34	33	22
Tabes Mesenterica	352	30	32	38	92	33	18	13	33	30	6	7	3
Phthisis	3620	16	18	42	66	48	28	19	102	198	492	573	466
Hydrocephalus	748	37	62	159	177	70	56	39	105	31	7	3	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1864.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	192	4	6	15	16	12	8	7	35	20	11	12	11
Apoplexy	594	8	6	9	9	4	7	2	9	6	7	5	9
Paralysis	845	—	—	1	—	1	1	1	5	2	3	4	4
Delirium Tremens	25	—	—	—	—	—	—	—	—	—	—	—	2
Chorea	6	—	—	—	—	—	—	—	1	1	1	—	—
Epilepsy	86	—	—	—	1	—	—	—	—	7	6	10	4
Tetanus	20	6	—	—	—	1	—	—	4	1	—	1	1
Insanity	19	—	—	—	—	—	—	—	1	—	—	1	1
Convulsions	300	124	37	45	44	24	10	4	12	—	—	—	—
Brain Disease	368	4	6	8	10	10	4	10	26	14	16	12	21
V. Pericarditis	36	—	—	—	—	1	—	—	4	2	2	7	—
Aneurism	41	—	—	—	—	—	—	—	—	—	3	—	1
Heart Disease	1370	4	—	4	6	3	—	3	26	28	33	25	34
VI. Laryngitis	78	2	2	8	15	7	6	5	7	3	—	4	2
Bronchitis	2388	220	176	292	272	125	56	28	45	11	15	14	15
Pleurisy	161	4	2	6	6	2	4	1	6	2	5	5	6
Pneumonia	949	74	41	89	72	31	26	13	26	19	20	30	27
Asthma	304	1	—	—	—	—	—	—	—	1	1	1	3
Lung Disease	138	13	2	7	3	3	4	1	2	6	3	7	8
VII. Teething	406	6	30	161	185	23	1	—	—	—	—	—	—
Quinsey	29	2	4	4	1	3	2	—	3	1	2	2	—
Gastritis	120	11	7	4	6	3	2	3	5	2	4	7	1
Enteritis	490	150	52	48	40	20	10	2	23	9	7	7	8
Peritonitis	176	17	3	6	7	5	2	2	8	12	10	15	8
Ascites	32	1	1	—	—	—	—	—	2	2	1	1	—
Ulceration of Intestines	100	1	1	2	3	—	1	—	2	1	1	3	8
Hernia	38	1	1	1	—	1	—	—	—	1	—	—	—
Ileus	183	14	8	3	2	1	2	1	4	4	9	8	8
Intussusception	25	2	1	6	—	—	1	—	1	—	—	1	2
Stricture of Intestines	17	1	—	—	—	—	—	—	—	—	1	—	1
Stomach Disease	407	30	13	22	5	5	4	6	6	3	5	5	8
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	100	2	—	1	2	—	—	1	4	1	4	2	3
Jaundice	117	34	1	1	3	3	2	1	—	—	2	2	1
Liver Disease	311	5	2	5	—	—	3	1	5	7	5	7	11
Spleen Disease	19	—	—	—	1	—	—	—	—	—	2	1	1
VIII. Nephritis	41	—	1	—	2	3	2	1	4	3	—	—	2
Nephria	112	—	—	1	—	1	1	2	4	2	1	8	5
Ischuria	28	1	—	—	—	—	1	—	—	—	1	—	—
Diabetes	40	—	—	—	—	—	—	—	—	—	1	4	6
Stone	44	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	30	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Urethra	7	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	193	—	—	—	2	—	1	1	4	6	1	5	4
IX. Paramenia	23	—	—	—	—	—	—	—	—	—	7	5	—
Ovarian Dropsy	36	—	—	—	—	—	—	—	—	1	—	2	1
Childbirth	188	—	—	—	—	—	—	—	—	—	7	19	28
Organs of Generation	37	—	—	—	—	—	—	—	—	—	1	5	4
X. Arthritis	21	1	—	—	—	—	—	—	2	3	1	1	—
Rheumatism	101	—	—	—	—	—	1	1	1	1	1	2	4
Joint and Bone Disease	103	—	—	1	1	—	1	—	16	21	12	5	5
XI. Carbuncle	10	—	1	—	—	—	—	—	—	—	—	1	—
Phlegmon	3	2	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	30	5	5	7	3	3	2	—	—	—	—	—	—
XII. Cyanosis	37	30	4	2	1	—	—	—	—	—	—	—	—
Spina Bifida	14	11	1	2	—	—	—	—	—	—	—	—	—
Other Malformations	47	44	—	2	—	—	—	1	—	—	—	—	—
XVII. Intemperance	30	—	—	—	—	—	—	—	—	—	—	—	1
Privation	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	19	10	7	2	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	29	7	1	1	—	—	—	—	—	—	—	1	4
Poison	15	1	—	—	—	2	3	—	2	—	—	—	—
Burns and Scalds	158	—	1	4	30	23	21	9	21	6	2	4	4
Hanging, etc.	12	—	—	—	—	—	—	—	—	—	—	1	—
Suffocation	44	24	9	2	—	1	—	3	1	—	—	—	1
Drowning	310	—	—	1	6	8	8	2	11	16	34	37	34
Fracture and Contusion	443	1	—	1	5	3	3	3	21	43	39	44	30
Wounds	46	—	—	—	—	2	1	—	6	3	5	3	1
Other Violent Causes	47	7	1	—	1	—	2	—	6	1	4	2	3
Not Specified	2234	699	187	193	203	96	62	39	90	68	35	56	54

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1864.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	17679	1836	591	1030	1300	768	569	433	1052	517	596	715	535
SPECIFIED CAUSES	16579	1472	500	932	1193	717	536	419	1015	483	577	685	518
I. Zymotic Class	4234	185	119	311	576	440	373	311	617	175	152	135	77
II. Diseases of Uncertain Seat	488	6	1	4	3	6	2	2	16	8	8	11	14
III. Tubercular Class	2496	52	71	150	193	84	49	41	162	143	240	327	230
IV. Brain and Nervous System	1289	83	35	49	42	27	12	14	62	24	26	28	26
V. Organs of Circulation	743	2	—	2	4	2	—	3	17	9	18	18	15
VI. Respiratory Organs	2149	186	146	226	198	88	49	21	41	17	21	34	38
VII. Organs of Digestion	1341	165	72	148	133	34	17	10	28	24	29	31	28
VIII. Urinary Organs	360	1	1	—	2	2	5	4	8	4	1	14	13
IX. Organs of Generation	2	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	109	1	—	—	—	—	2	1	12	14	8	3	7
XI. Skin, etc.	25	7	5	4	2	1	1	—	—	—	—	—	—
XII. Malformation	49	43	3	3	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	772	711	33	28	—	—	—	—	—	—	—	—	—
XIV. Atrophy	80	—	—	—	16	10	5	1	10	4	—	1	2
XV. Age	1509	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	46	4	4	1	1	—	—	—	—	—	—	—	2
XVII. Violent Deaths	887	26	10	6	23	23	21	11	42	61	74	83	66
I. Small Pox	441	42	21	33	46	31	28	22	49	15	16	37	17
Measles	198	4	6	23	75	33	21	11	17	5	1	—	—
Scarlatina	845	5	14	54	106	130	135	124	218	31	14	6	3
Diphtheria	590	13	10	32	89	90	72	67	131	41	18	7	2
Hooping Cough	205	20	19	42	53	20	17	11	20	—	1	1	—
Croup	383	13	5	41	105	80	49	39	49	2	—	—	—
Thrush	8	5	—	1	1	—	—	—	1	—	—	—	—
Diarrhoea	259	33	24	38	47	9	3	4	7	3	3	3	1
Dysentery	101	2	5	6	8	3	1	2	2	1	1	3	2
Cholera	23	1	1	6	2	2	1	—	1	—	—	—	1
Influenza	59	2	—	1	2	—	2	—	—	—	—	1	—
Purpura	12	2	—	1	2	—	—	—	1	1	1	—	—
Ague	6	—	—	—	—	1	2	2	—	—	—	1	—
Worms	7	—	—	—	—	1	2	1	2	1	—	—	—
Infantile Fever	10	3	2	2	3	—	—	—	—	—	—	—	—
Typhus	954	9	7	22	32	35	39	25	111	69	93	69	49
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	29	1	—	—	—	—	—	—	5	2	2	5	1
Erysipelas	92	27	4	7	3	5	1	2	3	4	2	1	—
Syphilis	10	3	1	2	1	—	—	—	—	—	—	1	1
Noma	2	—	—	—	1	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	17	3	1	—	—	—	—	—	1	—	2	1	2
Dropsy	161	1	—	1	1	3	2	1	12	5	2	3	4
Abscess	30	1	—	3	1	—	—	—	1	2	1	2	4
Ulcer	12	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	6	—	—	—	—	—	—	—	—	—	—	1	1
Mortification	39	1	—	—	1	1	—	1	2	—	1	2	2
Cancer	217	—	—	—	—	2	—	—	—	1	2	2	1
Gout	6	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	211	3	6	10	17	3	2	4	32	24	26	19	13
Tabes Mesenterica	193	15	23	19	44	18	11	10	21	18	3	3	—
Phthisis	1691	8	10	27	34	22	15	12	51	89	209	304	217
Hydrocephalus	401	26	32	94	98	41	21	15	58	12	2	1	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1864.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	124	4	5	10	8	7	2	3	27	14	5	8	7
Apoplexy	317	3	3	6	4	2	3	1	5	1	4	3	5
Paralysis	397	—	—	1	—	1	—	1	3	—	2	4	1
Delirium Tremens	23	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	1	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	43	—	—	—	—	—	—	—	—	4	4	7	1
Tetanus	9	5	—	—	—	—	—	—	2	—	—	—	—
Insanity	10	—	—	—	—	—	—	—	1	—	—	—	1
Convulsions	171	69	24	28	23	12	5	3	7	—	—	—	—
Brain Disease	194	2	3	4	7	5	2	6	17	5	11	6	10
V. Pericarditis	18	—	—	—	—	—	—	—	2	1	1	4	—
Aneurism	28	—	—	—	—	—	—	—	—	—	2	—	—
Heart Disease	697	2	—	2	4	2	—	3	15	8	15	14	15
VI. Laryngitis	47	1	2	5	9	3	4	3	3	3	—	3	1
Bronchitis	1217	136	117	165	145	66	27	11	21	3	6	6	5
Pleurisy	82	3	—	1	3	1	2	—	1	—	4	5	5
Pneumonia	562	39	26	52	38	17	12	7	14	8	9	17	19
Asthma	165	—	—	—	—	—	—	—	—	1	1	—	3
Lung Disease	76	7	1	3	3	1	4	—	2	2	1	3	5
VII. Teething	219	5	18	87	96	12	1	—	—	—	—	—	—
Quinsey	9	1	1	1	—	1	—	—	1	—	1	1	—
Gastritis	56	5	5	3	4	2	1	2	1	1	—	4	—
Enteritis	264	82	31	28	22	11	5	—	9	5	6	3	2
Peritonitis	77	9	—	4	5	3	1	1	4	7	4	5	3
Ascites	10	1	1	—	—	—	—	—	2	—	—	—	—
Ulceration of Intestines	48	1	1	1	—	—	1	—	—	—	1	1	4
Hernia	20	1	1	1	—	1	—	—	—	1	—	—	—
Ileus	95	8	4	1	—	1	1	1	2	3	6	5	2
Intussusception	15	—	1	4	—	—	—	—	1	—	—	1	2
Stricture of Intestines	13	1	—	—	—	—	—	—	—	—	—	—	1
Stomach Disease	217	26	8	15	5	2	3	5	3	—	3	3	3
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	55	1	—	—	1	—	—	—	3	1	3	2	2
Jaundice	58	19	—	1	—	1	1	1	—	—	—	1	1
Liver Disease	178	5	1	2	—	—	3	—	2	6	4	4	8
Spleen Disease	7	—	—	—	—	—	—	—	—	—	1	1	—
VIII. Nephritis	26	—	1	—	1	1	2	1	3	2	—	—	1
Nephria	69	—	—	—	—	1	1	2	4	—	—	7	3
Ischuria	25	1	—	—	—	—	1	—	—	—	—	—	—
Diabetes	27	—	—	—	—	—	—	—	—	—	—	3	6
Stone	41	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	24	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Urethra	7	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	141	—	—	—	1	—	1	1	1	2	1	3	3
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	2	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	9	1	—	—	—	—	—	—	1	2	1	1	—
Rheumatism	44	—	—	—	—	—	1	1	1	1	1	1	3
Joint and Bone Disease	56	—	—	—	—	—	1	—	10	11	6	1	4
XI. Carbuncle	5	—	1	—	—	—	—	—	—	—	—	—	—
Phlegmon	2	2	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	18	5	4	4	2	1	1	—	—	—	—	—	—
XII. Cyanosis	23	20	2	1	—	—	—	—	—	—	—	—	—
Spina Bifida	2	1	1	—	—	—	—	—	—	—	—	—	—
Other Malformations	24	22	—	2	—	—	—	—	—	—	—	—	—
XVII. Intemperance	19	—	—	—	—	—	—	—	—	—	—	—	1
Privation	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	12	8	3	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	20	4	—	—	—	—	—	—	—	—	—	—	2
Poison	10	1	—	—	—	2	1	—	2	—	—	—	—
Burns and Scalds	78	—	1	2	17	14	12	5	6	5	1	3	1
Hanging, etc.	10	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	22	11	5	1	—	—	—	1	—	—	—	—	1
Drowning	266	—	—	1	3	4	6	2	8	14	32	34	29
Fracture and Contusion	379	—	—	1	2	2	1	3	17	38	33	43	29
Wounds	35	—	—	—	—	1	1	—	5	3	5	1	—
Other Violent Causes	35	2	1	—	1	—	—	—	4	1	3	2	3
Not Specified	1100	364	91	98	107	51	33	14	37	34	19	30	17

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1864.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	18040	1461	464	885	1243	728	543	385	1002	546	607	615	606
SPECIFIED CAUSES	16906	1126	368	790	1147	683	514	360	949	512	591	589	569
I. Zymotic Class	4474	168	118	319	586	436	347	263	647	230	165	149	135
II. Diseases of Uncertain Seat	788	9	4	6	7	7	5	6	12	6	6	9	14
III. Tubercular Class	2565	35	50	104	168	75	61	35	123	153	299	289	261
IV. Brain and Nervous System	1166	63	20	29	38	25	18	10	31	27	18	17	27
V. Organs of Circulation	704	2	—	2	2	2	—	—	13	21	20	14	20
VI. Respiratory Organs	1869	128	77	176	170	80	47	27	45	25	23	27	23
VII. Organs of Digestion	1230	112	52	116	122	30	13	7	35	19	24	30	32
VIII. Urinary Organs	135	—	—	1	2	2	—	—	4	7	3	4	4
IX. Organs of Generation	282	—	—	—	—	—	—	—	—	1	15	31	33
X. Organs of Locomotion	116	—	—	1	1	—	—	—	7	11	6	5	2
XI. Skin, etc.	18	—	1	3	1	2	1	—	—	—	—	1	—
XII. Malformation	49	42	2	3	1	—	—	1	—	—	—	—	—
XIII. Premature Debility	595	542	29	24	—	—	—	—	—	—	—	—	—
XIV. Atrophy	118	—	—	—	30	8	5	5	6	3	1	4	6
XV. Age	2502	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	28	1	6	1	—	—	—	—	—	1	1	—	—
XVII. Violent Deaths	267	24	9	5	19	16	17	6	26	8	10	9	12
I. Small Pox	367	38	24	38	40	23	17	16	33	12	17	16	26
Measles	202	2	6	32	66	35	13	11	22	4	3	2	2
Scarlatina	795	7	6	35	96	135	102	94	220	54	13	12	8
Diphtheria	613	11	7	29	99	79	77	47	168	39	17	12	7
Hooping Cough	302	27	26	72	84	43	23	9	17	1	—	—	—
Croup	379	7	3	38	113	65	63	40	46	4	—	—	—
Thrush	12	8	1	2	—	—	—	—	—	—	—	1	—
Diarrhoea	272	16	21	45	38	16	5	2	6	4	1	1	1
Dysentery	72	2	4	2	1	4	1	2	—	—	—	—	1
Cholera	12	4	1	—	1	—	1	—	1	—	—	—	—
Influenza	90	3	2	2	4	—	2	1	3	1	—	1	—
Purpura	10	—	—	—	—	—	—	—	2	—	—	2	2
Ague	3	—	1	1	—	—	—	—	—	—	—	—	—
Worms	11	—	—	2	1	—	3	1	4	—	—	—	—
Infantile Fever	16	8	3	1	1	—	—	2	1	—	—	—	—
Typhus	1044	7	6	17	37	35	36	36	122	106	101	67	50
Metria	137	—	—	—	—	—	—	—	—	—	6	30	35
Rheumatic Fever	30	—	—	—	—	—	1	—	1	4	4	4	1
Erysipelas	84	23	1	1	5	—	3	1	1	1	3	1	1
Syphilis	21	5	6	2	—	—	—	—	—	—	—	—	1
Noma	2	—	—	—	—	1	—	1	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	17	3	—	1	—	—	—	—	—	—	—	1	1
Dropsy	208	—	1	2	3	4	1	4	5	3	3	1	5
Abscess	33	2	2	1	2	1	1	—	2	2	1	—	1
Ulcer	13	2	—	1	—	—	—	—	—	—	—	1	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	33	2	1	1	2	2	2	1	—	—	1	—	—
Cancer	479	—	—	—	—	—	1	1	5	1	1	6	7
Gout	4	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	130	1	3	5	9	5	6	1	13	13	8	14	9
Tabes Mesenterica	159	15	9	19	48	15	7	3	12	12	3	4	3
Phthisis	1929	8	8	15	32	26	13	7	51	109	283	269	249
Hydrocephalus	347	11	30	65	79	29	35	24	47	19	5	2	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1864.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	68	—	1	5	8	5	6	4	8	6	6	4	4
Apoplexy	277	5	3	3	5	2	4	1	4	5	3	2	4
Paralysis	448	—	—	—	—	—	1	—	2	2	1	—	3
Delirium Tremens	2	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	5	—	—	—	—	—	—	—	1	1	1	—	—
Epilepsy	43	—	—	—	1	—	—	—	—	3	2	3	3
Tetanus	11	1	—	—	—	1	—	—	2	1	—	1	1
Insanity	9	—	—	—	—	—	—	—	—	—	—	1	—
Convulsions	129	55	13	17	21	12	5	1	5	—	—	—	—
Brain Disease	174	2	3	4	3	5	2	4	9	9	5	6	11
V. Pericarditis	18	—	—	—	—	1	—	—	2	1	1	3	—
Aneurism	13	—	—	—	—	—	—	—	—	—	1	—	1
Heart Disease	673	2	—	2	2	1	—	—	11	20	18	11	19
VI. Laryngitis	31	1	—	3	6	4	2	2	4	—	—	1	1
Bronchitis	1171	84	59	127	127	59	29	17	24	8	9	8	10
Pleurisy	79	1	2	5	3	1	2	1	5	2	1	—	1
Pneumonia	387	35	15	37	34	14	14	6	12	11	11	13	8
Asthma	139	1	—	—	—	—	—	—	—	—	—	1	—
Lung Disease	62	6	1	4	—	2	—	1	—	4	2	4	3
VII. Teething	187	1	12	74	89	11	—	—	—	—	—	—	—
Quinsey	20	1	3	3	1	2	2	—	2	1	1	1	—
Gastritis	64	6	2	1	2	1	1	1	4	1	4	3	1
Enteritis	226	68	21	20	18	9	5	2	14	4	1	4	6
Peritonitis	99	8	3	2	2	2	1	1	4	5	6	10	5
Ascites	22	—	—	—	—	—	—	—	—	2	1	1	—
Ulceration of Intestines	52	—	—	1	3	—	—	—	2	1	—	2	4
Hernia	18	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	88	6	4	2	2	—	1	—	2	1	3	3	6
Intussusception	10	2	—	2	—	—	1	—	—	—	—	—	—
Stricture of Intestines	4	—	—	—	—	—	—	—	—	—	1	—	—
Stomach Disease	190	4	5	7	—	3	1	1	3	3	2	2	5
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	45	1	—	1	1	—	—	1	1	—	1	—	1
Jaundice	59	15	1	—	3	2	1	—	—	—	2	1	—
Liver Disease	133	—	1	3	—	—	—	1	3	1	1	3	3
Spleen Disease	12	—	—	—	1	—	—	—	—	—	1	—	1
VIII. Nephritis	15	—	—	—	1	2	—	—	1	1	—	—	1
Nephria	43	—	—	1	—	—	—	—	—	2	1	1	2
Ischuria	3	—	—	—	—	—	—	—	—	—	1	—	—
Diabetes	13	—	—	—	—	—	—	—	—	—	1	1	—
Stone	3	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	6	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	52	—	—	—	1	—	—	—	3	4	—	2	1
IX. Paramenia	23	—	—	—	—	—	—	—	—	—	7	5	—
Ovarian Dropsy	36	—	—	—	—	—	—	—	—	1	—	2	1
Childbirth	188	—	—	—	—	—	—	—	—	—	7	19	28
Organs of Generation	35	—	—	—	—	—	—	—	—	—	1	5	4
X. Arthritis	12	—	—	—	—	—	—	—	1	1	—	—	—
Rheumatism	57	—	—	—	—	—	—	—	—	—	—	1	1
Joint and Bone Disease	47	—	—	1	1	—	—	—	6	10	6	4	1
XI. Carbuncle	5	—	—	—	—	—	—	—	—	—	—	1	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	12	—	1	3	1	2	1	—	—	—	—	—	—
XII. Cyanosis	14	10	2	1	1	—	—	—	—	—	—	—	—
Spina Bifida	12	10	—	2	—	—	—	—	—	—	—	—	—
Other Malformations	23	22	—	—	—	—	—	1	—	—	—	—	—
XVII. Intemperance	11	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	7	2	4	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	9	3	1	1	—	—	—	—	—	—	—	1	2
Poison	5	—	—	—	—	—	2	—	—	—	—	—	—
Burns and Scalds	80	—	—	2	13	9	9	4	15	1	1	1	3
Hanging, etc.	2	—	—	—	—	—	—	—	—	—	—	1	—
Suffocation	22	13	4	1	—	1	—	2	1	—	—	—	—
Drowning	44	—	—	—	3	4	2	—	3	2	2	3	5
Fracture and Contusion	64	1	—	—	3	1	2	—	4	5	6	1	1
Wounds	11	—	—	—	—	1	—	—	1	—	—	2	1
Other Violent Causes	12	5	—	—	—	—	2	—	2	—	1	—	—
Not Specified	1134	335	96	95	96	45	29	25	53	34	16	26	37

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1864.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	35977	3412	1321	2810	3815	1885	1306	853	1956	828	1138	1497	1330
SPECIFIED CAUSES	35363	3198	1270	2751	3760	1859	1289	847	1929	813	1124	1485	1316
I. Zymotic Class	9912	407	331	917	1600	1033	802	524	1061	255	285	380	318
II. Diseases of Uncertain Seat	1156	19	7	6	22	20	22	11	36	26	22	26	24
III. Tubercular Class	6078	84	162	410	606	284	199	131	398	280	533	649	494
IV. Brain and Nervous System	2529	267	83	134	132	62	56	39	110	45	38	54	47
V. Organs of Circulation	1464	10	3	2	3	2	1	1	21	30	45	42	71
VI. Respiratory Organs	5841	421	346	773	822	304	144	92	160	46	50	112	135
VII. Organs of Digestion	2447	274	129	367	428	87	18	20	42	35	48	56	70
VIII. Urinary Organs	398	—	—	3	4	4	7	4	8	10	11	19	33
IX. Organs of Generation	246	—	—	—	—	—	—	—	—	2	6	47	48
X. Organs of Locomotion	172	—	—	1	4	1	2	—	16	29	22	12	14
XI. Skin, etc.	46	8	5	10	1	1	1	—	1	—	—	—	1
XII. Malformation	76	65	5	3	2	—	—	—	—	—	—	—	—
XIII. Premature Debility	1812	1547	162	103	—	—	—	—	—	—	—	—	—
XIV. Atrophy	283	—	—	—	95	25	11	7	16	5	1	4	2
XV. Age	1804	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	50	7	7	3	—	—	1	1	—	—	—	1	1
XVII. Violent Deaths	1049	89	30	19	41	36	25	17	60	50	63	83	58
I. Small Pox	907	58	59	95	137	93	58	52	97	23	32	82	47
Measles	689	8	13	120	268	130	70	35	37	5	1	1	—
Scarlatina	1745	9	24	89	254	292	276	229	458	63	21	15	6
Diphtheria	457	13	6	30	100	73	69	41	80	17	4	7	1
Hooping Cough	1433	76	80	319	437	200	155	73	86	5	—	—	1
Croup	576	22	11	71	185	116	85	31	50	5	—	—	—
Thrush	14	11	1	1	—	1	—	—	—	—	—	—	—
Diarrhœa	696	117	86	119	128	31	9	4	10	7	4	4	8
Dysentery	139	5	8	8	10	4	1	3	2	4	—	2	7
Cholera	27	4	1	6	3	1	—	—	6	—	—	—	1
Influenza	68	1	1	2	1	—	—	2	1	—	3	—	1
Purpura	21	2	—	—	1	1	—	1	2	1	—	3	2
Ague	8	—	—	—	—	1	—	2	3	1	—	—	—
Worms	5	—	—	—	1	1	—	1	2	—	—	—	—
Infantile Fever	27	1	2	8	4	9	2	—	1	—	—	—	—
Typhus	2688	4	7	34	58	77	74	47	214	116	202	221	201
Metria	114	—	—	—	—	—	—	—	—	—	7	29	33
Rheumatic Fever	35	—	—	—	—	—	1	—	2	3	3	10	1
Erysipelas	164	38	7	5	9	—	2	1	8	5	8	4	4
Syphilis	90	38	25	10	2	1	—	—	—	—	—	2	4
Noma	9	—	—	—	2	2	—	2	2	—	—	—	1
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	46	8	—	—	2	—	1	—	1	1	1	1	3
Dropsy	355	1	1	1	11	14	19	8	27	14	10	11	5
Abscess	84	5	5	3	8	4	1	—	5	5	7	6	4
Ulcer	23	1	—	—	—	—	—	—	1	—	—	1	—
Fistula	11	—	—	—	—	—	—	—	1	1	—	—	—
Mortification	68	3	1	—	1	2	1	2	—	2	1	3	—
Cancer	564	1	—	2	—	—	—	1	1	3	3	4	12
Gout	5	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	293	8	8	23	37	14	11	8	37	30	22	21	16
Tabes Mesenterica	519	20	32	79	153	60	49	20	54	25	11	4	2
Phthisis	4213	8	33	67	144	90	53	50	190	210	497	622	473
Hydrocephalus	1053	48	89	241	272	120	86	53	117	15	3	2	3

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1864.—BOTH SEXES.

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES	1240	1292	1354	1307	1350	1167	1534	1168	1267	916	738	341	103	30	7	12	
SPECIFIED CAUSES	1224	1283	1342	1292	1338	1151	1518	1168	1267	916	738	341	103	30	7	4	
Zymotic Class	249	280	273	274	249	165	176	103	99	64	44	16	3	2	—	2	
Uncertain Seat	48	71	74	96	119	101	134	95	89	43	34	10	1	—	—	—	
Tubercular Class	429	391	328	225	196	122	98	33	17	6	2	1	—	—	—	—	
Brain, etc.	68	81	108	139	125	122	200	180	189	126	93	24	6	1	—	—	
Heart, etc.	79	93	99	125	142	137	192	156	115	62	24	8	—	—	—	1	
Respiratory Organs	138	168	205	199	294	276	350	279	247	150	86	33	9	2	—	—	
Digestive Organs	59	61	106	98	88	103	113	88	72	48	30	7	—	—	—	—	
Urinary Organs	21	32	32	26	27	26	35	31	40	11	5	9	—	—	—	—	
Generative Organs	38	37	24	13	7	12	6	3	1	2	—	—	—	—	—	—	
Locomotive Organs	7	8	5	5	9	10	13	4	3	4	2	1	—	—	—	—	
Skin	3	1	3	3	1	—	3	1	1	2	—	—	—	—	—	—	
Malformation	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	10	14	15	25	23	30	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	139	159	370	386	405	229	84	25	7	—	
Sudden Deaths	1	1	3	5	3	6	5	2	1	1	1	—	—	—	—	—	
Violent Deaths	74	44	67	59	55	41	54	34	23	11	12	3	—	—	—	1	
Small Pox	24	17	17	8	4	4	—	—	—	—	—	—	—	—	—	—	
Measles	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	2	2	2	2	—	1	—	—	—	—	—	—	—	—	—	—	
Diphtheria	4	1	1	2	4	2	1	—	—	1	—	—	—	—	—	—	
Hooping Cough	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhœa	9	9	11	9	18	10	21	17	21	16	21	6	1	—	—	—	
Dysentery	4	5	7	7	11	5	7	7	13	10	6	2	—	1	—	—	
Cholera	—	1	—	1	1	—	2	—	—	—	—	—	—	—	—	—	
Influenza	1	2	3	2	2	4	9	8	8	9	3	4	—	1	—	—	
Purpura	1	—	1	1	2	—	1	—	—	—	1	1	—	—	—	—	
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	165	217	213	236	195	129	127	60	51	24	12	2	—	—	—	2	
Metria	25	11	8	—	1	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever	3	5	—	—	3	3	1	—	—	—	—	—	—	—	—	—	
Erysipelas	6	6	8	6	8	7	7	11	6	4	1	1	2	—	—	—	
Syphilis	4	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	4	5	4	3	3	3	—	1	3	—	1	1	—	—	—	—	
Dropsy	12	15	10	22	24	26	38	28	28	17	10	3	—	—	—	—	
Abscess	6	4	3	1	6	4	—	2	3	—	2	—	—	—	—	—	
Ulcer	—	3	3	1	2	1	2	3	4	—	1	—	—	—	—	—	
Fistula	—	1	1	—	—	1	4	1	—	1	—	—	—	—	—	—	
Mortification	3	3	2	1	2	3	6	8	8	8	5	2	1	—	—	—	
Cancer	23	40	51	67	81	62	84	50	43	17	15	4	—	—	—	—	
Gout	—	—	—	1	1	1	—	2	—	—	—	—	—	—	—	—	
Scrofula	12	11	11	4	7	3	6	1	1	—	2	—	—	—	—	—	
Tabes Mesenterica	3	4	1	—	—	—	—	1	1	—	—	—	—	—	—	—	
Phthisis	411	375	316	221	189	119	92	31	15	6	—	1	—	—	—	—	
Hydrocephalus	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1864.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	169	5	8	19	15	9	15	10	27	10	3	10	10
Apoplexy	532	10	5	13	23	4	5	2	20	1	5	8	4
Paralysis	650	—	1	—	—	1	1	—	4	3	2	4	9
Delirium Tremens	26	—	—	—	—	—	—	—	—	—	—	1	1
Chorea	4	—	—	—	—	—	—	—	—	1	1	—	—
Epilepsy	103	—	—	—	—	—	—	—	1	10	7	9	10
Tetanus	10	5	—	—	—	—	—	—	2	—	—	—	—
Insanity	27	—	—	—	—	—	—	—	—	—	1	—	2
Convulsions	529	239	62	82	68	34	17	12	15	—	—	—	—
Brain Disease	479	8	7	20	26	14	18	15	41	20	19	22	11
V. Pericarditis	32	—	—	—	—	1	—	—	—	5	4	1	3
Aneurism	56	—	—	—	—	—	—	—	—	—	1	—	5
Heart Disease	1376	10	3	2	3	1	1	1	21	25	40	41	63
VI. Laryngitis	64	5	2	10	9	4	3	1	2	1	1	—	5
Bronchitis	3891	309	279	592	608	215	91	67	99	18	18	44	58
Pleurisy	96	3	1	—	4	—	4	1	1	3	4	10	7
Pneumonia	1285	89	61	165	188	77	42	21	55	20	25	42	43
Asthma	316	—	—	—	—	—	—	1	—	—	—	—	9
Lung Disease	189	15	3	6	13	8	4	1	3	4	2	16	13
VII. Teething	700	5	30	274	839	51	1	—	—	—	—	—	—
Quinsey	31	3	2	4	7	2	2	—	2	2	4	—	—
Gastritis	73	2	5	3	5	2	1	1	4	2	2	3	10
Enteritis	447	151	43	39	47	17	5	6	11	4	9	11	8
Peritonitis	147	8	3	1	1	—	1	—	6	9	11	15	19
Ascites	35	—	—	—	2	—	2	1	5	1	1	2	1
Ulceration of Intestines	73	3	2	5	4	1	1	1	2	5	1	5	5
Hernia	48	4	3	—	—	—	—	—	—	—	1	2	1
Ileus	109	14	7	3	1	2	—	1	1	4	3	2	4
Intussusception	14	—	5	1	1	—	—	—	—	—	—	1	—
Stricture of Intestines	12	2	—	—	—	—	—	—	—	—	—	1	—
Stomach Disease	307	46	18	25	18	4	3	7	6	1	7	5	8
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	59	1	—	1	1	—	—	1	1	2	1	1	1
Jaundice	94	30	2	3	2	4	—	1	1	—	1	2	4
Liver Disease	293	5	4	8	—	3	2	1	2	5	7	6	9
Spleen Disease	5	—	—	—	—	1	—	—	1	—	—	—	—
VIII. Nephritis	30	—	—	1	—	2	5	2	3	—	2	1	3
Nephria	104	—	—	1	1	—	—	1	3	4	4	7	13
Ischuria	28	—	—	—	1	1	—	—	—	—	—	3	—
Diabetes	39	—	—	—	—	1	—	—	—	2	2	3	4
Stone	17	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	19	—	—	—	—	—	—	—	—	1	—	—	2
Stricture of Urethra	15	—	—	—	—	—	—	—	—	—	—	—	1
Kidney Disease	146	—	—	1	2	—	2	1	2	3	3	5	10
IX. Paramenia	12	—	—	—	—	—	—	—	—	1	1	4	4
Ovarian Dropsy	39	—	—	—	—	—	—	—	—	—	—	6	1
Childbirth	165	—	—	—	—	—	—	—	—	—	5	36	41
Organs of Generation	30	—	—	—	—	—	—	—	—	1	—	1	2
X. Arthritis	11	—	—	1	1	—	1	—	1	1	2	1	1
Rheumatism	37	—	—	—	—	—	—	—	—	2	1	—	3
Joint and Bone Disease	124	—	—	—	3	1	1	—	15	26	19	11	10
XI. Carbuncle	13	3	1	1	—	—	—	—	—	—	—	—	—
Phlegmon	8	—	—	1	—	—	—	—	—	—	—	—	1
Skin Disease	25	5	4	8	1	1	1	—	1	—	—	—	—
XII. Cyanosis	22	20	2	—	—	—	—	—	—	—	—	—	—
Spina Bifida	15	13	1	—	1	—	—	—	—	—	—	—	—
Other Malformations	39	32	2	3	1	—	—	—	—	—	—	—	—
XVII. Intemperance	46	—	—	—	—	—	—	—	—	—	1	2	3
Privation	8	—	—	1	3	—	—	—	1	—	—	1	—
Want of Breast Milk	72	43	17	12	—	—	—	—	—	—	—	—	—
Neglect	2	1	—	—	1	—	—	—	—	—	—	—	—
Cold	5	—	—	—	—	—	—	—	—	—	—	—	3
Poison	25	4	—	—	—	—	2	—	—	—	—	—	—
Burns and Scalds	139	—	—	3	25	23	13	9	15	5	2	5	3
Hanging, etc.	16	—	—	—	—	—	—	—	—	—	—	1	1
Suffocation	63	22	13	1	2	2	1	1	1	—	3	1	1
Drowning	195	3	—	1	4	—	4	—	12	19	18	32	14
Fracture and Contusion	378	—	—	1	6	9	3	5	26	22	30	35	28
Wounds	45	—	—	—	—	1	1	2	2	2	6	4	3
Other Violent Causes	55	16	—	—	—	1	1	—	3	2	3	2	2
Not Specified	614	214	51	59	55	26	17	6	27	15	14	12	14

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1864.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	18048	1894	721	1522	1971	957	686	439	1029	421	582	753	626
SPECIFIED CAUSES	17719	1772	694	1494	1943	939	675	436	1013	416	573	749	621
I. Zymotic Class	4965	201	180	460	819	489	412	256	544	118	144	199	151
II. Diseases of Uncertain Seat	416	7	5	3	12	11	14	6	17	16	9	7	7
III. Tubercular Class	2973	45	80	226	322	145	106	71	214	126	241	311	210
IV. Brain and Nervous System	1407	167	46	88	72	39	30	19	56	26	19	35	30
V. Organs of Circulation	721	5	2	2	1	1	1	1	7	13	23	20	34
VI. Respiratory Organs	3031	235	188	431	419	169	69	52	83	26	27	63	84
VII. Organs of Digestion	1276	144	84	200	222	45	13	13	26	25	31	23	35
VIII. Urinary Organs	254	—	—	2	2	4	4	2	4	6	7	10	9
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	103	—	—	1	2	—	2	—	12	16	15	5	11
XI. Skin, etc.	23	5	3	7	1	—	—	—	1	—	—	—	—
XII. Malformation	42	37	2	3	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	1026	880	85	61	—	—	—	—	—	—	—	—	—
XIV. Atrophy	129	—	—	—	47	14	7	5	11	2	—	1	—
XV. Age	575	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	29	5	4	1	—	—	1	—	—	—	—	1	1
XVII. Violent Deaths	749	41	15	9	24	22	16	11	38	42	57	74	49
I. Small Pox	497	26	30	48	68	37	29	28	55	9	22	61	31
Measles	360	3	12	63	135	67	34	19	23	2	1	1	—
Scarlatina	929	5	19	46	150	143	146	117	254	26	11	6	1
Diphtheria	222	6	5	12	54	34	36	18	33	7	1	5	—
Hooping Cough	632	36	34	134	210	83	65	32	35	2	—	—	1
Croup	302	10	6	45	97	53	51	14	23	3	—	—	—
Thrush	9	7	1	1	—	—	—	—	—	—	—	—	—
Diarrhoea	346	62	44	69	57	17	6	2	6	4	—	1	3
Dysentery	66	3	4	5	7	2	—	1	2	2	—	2	3
Cholera	16	1	1	3	3	1	—	—	2	—	—	—	—
Influenza	39	—	1	2	—	—	—	—	—	—	2	—	—
Purpura	12	2	—	—	1	1	—	—	1	1	—	—	1
Ague	6	—	—	—	—	1	—	—	1	—	—	—	—
Worms	3	—	—	—	1	1	—	—	1	—	—	—	—
Infantile Fever	11	1	1	4	2	2	—	—	1	—	—	—	—
Typhus	1374	1	4	19	28	46	44	22	101	57	101	114	109
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	17	—	—	—	—	—	—	—	1	2	—	5	1
Erysipelas	84	20	4	3	4	—	1	—	4	3	6	1	1
Syphilis	46	18	14	6	2	1	—	—	—	—	—	1	—
Noma	2	—	—	—	—	—	—	1	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	18	1	—	—	1	—	1	—	1	1	—	—	—
Dropsy	147	—	1	1	4	10	13	3	12	7	5	2	1
Abscess	49	5	3	1	7	1	—	—	2	4	3	2	4
Ulcer	11	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	9	—	—	—	—	—	—	—	1	1	—	—	—
Mortification	34	1	1	—	—	—	—	2	—	1	—	3	—
Cancer	144	—	—	1	—	—	—	1	1	2	1	—	2
Gout	4	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	153	4	3	10	17	7	7	3	19	18	13	13	11
Tabes Mesenterica	274	9	15	39	78	27	30	12	39	16	4	1	1
Phthisis	1953	4	15	34	80	46	18	29	88	83	223	296	195
Hydrocephalus	593	28	47	143	147	65	51	27	68	9	1	1	3

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1864.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3.	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	104	3	6	13	8	8	8	4	12	4	2	7	8
Apoplexy	290	4	2	8	13	—	2	1	8	1	3	5	3
Paralysis	324	—	1	—	—	1	1	—	3	1	—	4	6
Delirium Tremens	22	—	—	—	—	—	—	—	—	—	1	—	—
Chorea	1	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy	51	—	—	—	—	—	—	—	7	3	7	5	—
Tetanus	5	3	—	—	—	—	—	—	1	—	—	—	1
Insanity	10	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	326	153	32	55	38	22	9	7	10	—	—	—	—
Brain Disease	274	4	5	12	13	8	10	7	22	13	10	11	7
V. Pericarditis	16	—	—	—	—	1	—	—	—	2	2	—	3
Aneurism	35	—	—	—	—	—	—	—	—	—	—	—	2
Heart Disease	670	5	2	2	1	—	1	1	7	11	21	20	29
VI. Laryngitis	34	4	1	4	2	1	2	—	1	1	—	—	4
Bronchitis	1920	172	152	322	298	119	46	34	52	11	11	23	36
Pleurisy	59	1	—	—	2	—	3	1	—	2	1	6	7
Pneumonia	764	52	32	100	109	46	18	15	29	9	14	25	23
Asthma	156	—	—	—	—	—	—	1	—	—	—	—	5
Lung Disease	98	6	3	5	8	3	—	1	1	3	1	9	9
VII. Teething	370	2	18	147	175	27	1	—	—	—	—	—	—
Quinsey	19	2	1	3	1	2	2	—	1	2	3	—	—
Gastritis	36	1	4	1	1	1	1	—	4	1	1	2	5
Enteritis	244	71	32	26	29	7	3	6	7	2	4	6	5
Peritonitis	65	7	3	1	—	—	1	—	3	8	8	2	3
Ascites	19	—	—	—	—	—	2	1	5	1	—	1	—
Ulceration of Intestines	35	1	1	3	1	1	1	1	2	3	1	2	2
Hernia	23	4	3	—	—	—	—	—	—	—	1	1	1
Ileus	65	9	3	2	1	2	—	—	1	2	2	1	3
Intussusception	4	—	2	—	—	—	—	—	—	—	—	1	—
Stricture of Intestines	5	1	—	—	—	—	—	—	—	—	—	1	—
Stomach Disease	163	27	13	12	12	3	2	4	2	1	4	2	6
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	23	—	—	1	1	—	—	—	—	—	1	1	1
Jaundice	43	17	1	1	1	1	—	—	—	—	1	1	2
Liver Disease	161	2	3	3	—	1	—	1	1	5	5	2	7
Spleen Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	18	—	—	1	—	2	3	2	2	—	2	—	—
Nephria	57	—	—	—	—	—	—	—	2	3	3	5	2
Ischuria	23	—	—	—	1	1	—	—	—	—	—	1	—
Diabetes	22	—	—	—	—	1	—	—	—	1	—	—	1
Stone	15	—	—	—	—	—	—	—	—	—	—	—	2
Cystitis	13	—	—	—	—	—	—	—	—	—	—	—	1
Stricture of Urethra	15	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	91	—	—	1	1	—	1	—	—	2	2	2	3
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	9	—	—	1	1	—	1	—	1	1	2	—	1
Rheumatism	15	—	—	—	—	—	—	—	—	1	1	—	2
Joint and Bone Disease	79	—	—	—	1	—	1	—	11	14	12	5	8
XI. Carbuncle	4	2	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	2	—	—	1	—	—	—	—	—	—	—	—	—
Skin Disease	17	3	3	6	1	—	—	—	1	—	—	—	—
XII. Cyanosis	10	10	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	7	7	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	25	20	2	3	—	—	—	—	—	—	—	—	—
XVII. Intemperance	27	—	—	—	—	—	—	—	—	—	1	1	1
Privation	4	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk	33	23	9	6	—	—	—	—	—	—	—	—	—
Neglect	1	1	—	—	—	—	—	—	—	—	—	—	3
Cold	5	—	—	—	—	—	—	—	—	—	—	—	—
Poison	13	1	—	—	—	—	—	2	—	—	—	—	—
Burns and Scalds	72	—	—	1	15	13	6	6	4	2	2	4	2
Hanging, etc.	12	—	—	—	—	—	—	—	—	—	—	1	1
Suffocation	29	6	6	—	1	2	—	—	1	—	3	1	—
Drowning	168	2	—	—	2	—	4	—	11	18	16	27	12
Fracture and Constusion	302	—	—	1	5	6	2	3	19	18	27	34	27
Wounds	37	—	—	—	—	1	1	2	1	2	5	3	2
Other Violent Causes	41	8	—	—	—	—	—	1	—	2	2	3	1
Not Specified	329	122	27	28	28	18	11	3	16	5	9	4	5

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1864.—MALES. (Continued.)

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	5	3	4	1	3	4	1	—	—	—	—	—	—	—	—	—	
Apoplexy	9	12	21	20	24	21	38	34	30	17	10	4	—	—	—	—	
Paralysis	10	8	13	22	22	18	44	53	49	40	22	5	1	—	—	—	
Delirium Tremens	3	4	4	7	1	—	1	—	—	1	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	4	5	2	5	4	3	2	1	2	1	—	—	—	—	—	—	
Tetanus	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	—	2	3	—	1	—	1	—	1	1	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	12	15	12	21	15	16	17	17	16	7	3	1	—	—	—	—	
Pericarditis	—	1	2	—	—	—	3	1	1	—	—	—	—	—	—	—	
Aneurism	3	4	6	7	5	3	2	1	1	1	—	—	—	—	—	—	
Heart Disease	33	39	51	61	63	66	87	78	49	27	10	6	—	—	—	—	
Laryngitis	1	1	2	1	3	3	1	1	1	—	—	—	—	—	—	—	
Bronchitis	29	29	54	46	78	62	106	87	72	41	29	9	2	—	—	—	
Pleurisy	3	6	7	1	5	1	3	3	4	1	2	—	—	—	—	—	
Pneumonia	40	39	24	33	32	37	35	28	13	9	1	—	1	—	—	—	
Asthma	8	9	9	15	26	13	20	19	15	9	5	2	—	—	—	—	
Lung Disease	6	6	4	5	8	6	3	9	2	—	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	
Gastritis	—	1	1	3	4	1	1	2	—	1	—	—	—	—	—	—	
Enteritis	2	2	10	3	7	4	6	4	4	1	3	—	—	—	—	—	
Peritonitis	5	1	5	3	5	3	2	3	1	—	1	—	—	—	—	—	
Ascites	—	—	2	2	—	1	1	1	—	2	—	—	—	—	—	—	
Ulceration of Intestines	1	1	—	5	1	3	4	—	1	—	—	—	—	—	—	—	
Hernia	—	2	—	1	1	3	—	2	3	1	—	—	—	—	—	—	
Ileus	2	2	5	3	2	5	5	7	4	3	1	—	—	—	—	—	
Intussusception	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	
Stomach Disease	4	7	6	4	7	12	10	8	8	6	1	2	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	1	—	3	4	2	2	2	1	2	—	1	—	—	—	—	—	
Jaundice	1	1	3	2	—	1	1	3	1	1	2	2	—	—	—	—	
Liver Disease	8	7	19	18	16	21	17	11	12	1	1	—	—	—	—	—	
Spleen Disease	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Nephritis	1	—	2	—	2	1	—	—	—	—	—	—	—	—	—	—	
Nephria	7	6	4	5	3	5	7	2	3	—	—	—	—	—	—	—	
Ischuria	—	—	1	1	2	2	2	1	6	3	1	1	—	—	—	—	
Diabetes	1	1	4	2	2	1	3	1	2	—	—	—	—	—	—	—	
Stone	—	—	2	—	3	1	3	1	4	—	1	—	—	—	—	—	
Cystitis	—	—	1	—	1	—	2	2	4	—	1	—	—	—	—	—	
Stricture of Urethra	1	1	1	3	3	2	1	1	1	—	—	—	—	—	—	—	
Kidney Disease	5	5	7	7	6	7	11	11	10	3	1	6	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Arthritis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Rheumatism	—	1	1	—	—	3	2	—	2	1	1	—	—	—	—	—	
Joint Disease	2	6	1	4	4	3	4	2	—	—	1	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Skin Disease	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	6	4	2	2	2	3	4	1	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
Poison	1	2	2	1	3	—	1	—	—	—	—	—	—	—	—	—	
Burns and Scalds	1	1	5	1	3	—	2	1	2	—	1	—	—	—	—	—	
Hanging, etc.	1	2	1	—	3	1	2	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	4	1	—	1	1	1	1	—	—	—	—	—	—	—	
Drowning	17	11	10	15	6	3	6	2	4	—	—	—	—	—	—	1	
Fracture and Contusion	28	14	25	18	16	18	19	10	4	3	3	2	—	—	—	—	
Wounds	3	3	2	3	1	5	1	—	1	1	—	—	—	—	—	—	
Other Violent Causes	2	1	3	4	1	1	4	6	—	—	—	—	—	—	—	—	
Not Specified	7	5	7	9	3	6	10	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1864.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	17929	1518	600	1288	1844	928	620	414	927	407	556	741	701
SPECIFIED CAUSES	17644	1426	576	1257	1817	920	614	411	916	397	551	736	695
I. Zymotic Class	4947	206	151	457	781	544	390	268	517	137	141	181	167
II. Diseases of Uncertain Seat	740	12	2	3	10	9	8	5	19	10	13	19	17
III. Tubercular Class	3105	39	82	184	284	139	93	60	184	154	292	338	284
IV. Brain and Nervous System	1122	100	37	46	60	23	26	20	54	19	19	19	17
V. Organs of Circulation	743	5	1	—	2	1	—	—	14	17	22	22	37
VI. Respiratory Organs	2810	186	158	342	403	135	75	40	77	20	23	49	51
VII. Organs of Digestion	1171	130	45	167	206	42	5	7	16	10	17	33	35
VIII. Urinary Organs	144	—	—	1	2	—	3	2	4	4	4	9	24
IX. Organs of Generation	246	—	—	—	—	—	—	—	—	2	6	47	48
X. Organs of Locomotion	69	—	—	—	2	1	—	—	4	13	7	7	3
XI. Skin, etc.	23	3	2	3	—	1	1	—	—	—	—	—	1
XII. Malformation	34	28	3	—	2	—	—	—	—	—	—	—	—
XIII. Premature Debility	786	667	77	42	—	—	—	—	—	—	—	—	—
XIV. Atrophy	154	—	—	—	48	11	4	2	5	3	1	3	2
XV. Age	1229	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	21	2	3	2	—	—	—	1	—	—	—	—	—
XVII. Violent Deaths	300	48	15	10	17	14	9	6	22	8	6	9	9
I. Small Pox	410	32	29	47	69	56	29	24	42	14	10	21	16
Measles	329	5	1	57	133	63	36	16	14	3	—	—	—
Scarlatina	816	4	5	43	104	149	130	112	204	37	10	9	5
Diphtheria	235	7	1	18	46	39	33	23	47	10	3	2	1
Whooping Cough	800	40	46	185	227	117	90	41	51	3	—	—	—
Croup	274	12	5	26	88	63	34	17	27	2	—	—	—
Thrush	5	4	—	—	—	1	—	—	—	—	—	—	—
Diarrhoea	350	55	42	50	71	14	3	2	4	3	4	3	5
Dysentery	73	2	4	3	3	2	1	2	—	2	—	—	4
Cholera	11	3	—	3	—	—	—	—	4	—	—	—	1
Influenza	38	1	—	—	1	—	—	2	1	—	1	—	1
Purpura	9	—	—	—	—	—	—	1	1	1	—	1	1
Ague	2	—	—	—	—	—	—	—	2	—	—	—	—
Worms	2	—	—	—	—	—	—	1	1	—	—	—	—
Infantile Fever	16	—	1	4	2	7	2	—	—	—	—	—	—
Typhus	1314	3	3	15	30	31	30	25	113	59	101	107	92
Metria	114	—	—	—	—	—	—	—	—	—	7	29	33
Rheumatic Fever	18	—	—	—	—	—	1	—	1	1	3	5	—
Erysipelas	80	18	3	2	5	—	1	1	4	2	2	3	3
Syphilis	44	20	11	4	—	—	—	—	—	—	—	1	4
Noma	7	—	—	—	2	2	—	1	1	—	—	—	1
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	28	7	—	—	1	—	—	—	—	—	1	1	3
Dropsy	208	1	—	—	7	4	6	5	15	7	5	9	4
Abscess	35	—	2	2	1	3	1	—	3	1	4	4	—
Ulcer	12	1	—	—	—	—	—	—	1	—	—	1	—
Fistula	2	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	34	2	—	—	1	2	1	—	—	1	1	—	—
Cancer	420	1	—	1	—	—	—	—	—	1	2	4	10
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	140	4	5	13	20	7	4	5	18	12	9	8	5
Tabes Mesenterica	245	11	17	40	75	33	19	8	15	9	7	3	1
Phthisis	2260	4	18	33	64	44	35	21	102	127	274	326	278
Hydrocephalus	460	20	42	98	125	55	35	26	49	6	2	1	—

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1864.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	65	2	2	6	7	1	7	6	15	6	1	3	2
Apoplexy	242	6	3	5	10	4	3	1	12	—	2	3	1
Paralysis	326	—	—	—	—	—	—	—	1	2	2	—	3
Delirium Tremens	4	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	3	—	—	—	—	—	—	—	—	1	—	—	—
Epilepsy	52	—	—	—	—	—	—	—	1	3	4	2	5
Tetanus	5	2	—	—	—	—	—	—	1	—	—	—	—
Insanity	17	—	—	—	—	—	—	—	—	—	1	—	1
Convulsions	203	86	30	27	30	12	8	5	5	—	—	—	—
Brain Disease	205	4	2	8	13	6	8	8	19	7	9	11	4
V. Pericarditis	16	—	—	—	—	—	—	—	—	3	2	1	—
Aneurism	21	—	—	—	—	—	—	—	—	—	1	—	3
Heart Disease	706	5	1	—	2	1	—	—	14	14	19	21	34
VI. Laryngitis	30	1	1	6	7	3	1	1	1	—	1	—	1
Bronchitis	1971	137	127	270	310	96	45	33	47	7	7	21	22
Pleurisy	37	2	1	—	2	—	1	—	1	1	3	4	—
Pneumonia	521	37	29	65	79	31	24	6	26	11	11	17	20
Asthma	160	—	—	—	—	—	—	—	—	—	—	—	4
Lung Disease	91	9	—	1	5	5	4	—	2	1	1	7	4
VII. Teething	330	3	12	127	164	24	—	—	—	—	—	—	—
Quinsey	12	1	1	1	6	—	—	—	1	—	1	—	—
Gastritis	37	1	1	2	4	1	—	1	—	1	1	1	5
Enteritis	203	80	16	13	18	10	2	—	4	2	5	5	3
Peritonitis	82	1	—	—	1	—	—	—	3	1	3	13	16
Ascites	16	—	—	—	2	—	—	—	—	—	1	1	1
Ulceration of Intestines	38	2	1	2	3	—	—	—	—	2	—	3	3
Hernia	25	—	—	—	—	—	—	—	—	—	—	1	—
Ileus	44	5	4	1	—	—	—	1	—	2	1	1	1
Intussusception	10	—	3	1	1	—	—	—	—	—	—	—	—
Stricture of Intestines	7	1	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	144	19	5	13	6	1	1	3	4	—	3	3	2
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	36	1	—	—	—	—	—	1	1	2	—	—	—
Jaundice	51	13	1	2	1	3	—	1	1	—	—	1	2
Liver Disease	132	3	1	5	—	2	2	—	1	—	2	4	2
Spleen Disease	4	—	—	—	—	1	—	—	1	—	—	—	—
VIII. Nephritis	12	—	—	—	—	—	2	—	1	—	—	1	3
Nephria	47	—	—	1	1	—	—	1	1	1	1	2	11
Ischuria	5	—	—	—	—	—	—	—	—	—	—	2	—
Diabetes	17	—	—	—	—	—	—	—	—	1	2	1	3
Stone	2	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	6	—	—	—	—	—	—	—	—	1	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	55	—	—	—	1	—	1	1	2	1	1	3	7
IX. Paramenia	12	—	—	—	—	—	—	—	—	1	1	4	4
Ovarian Dropsy	39	—	—	—	—	—	—	—	—	—	—	6	1
Childbirth	165	—	—	—	—	—	—	—	—	—	5	36	41
Organs of Generation	30	—	—	—	—	—	—	—	—	1	—	1	2
X. Arthritis	2	—	—	—	—	—	—	—	—	—	—	1	—
Rheumatism	22	—	—	—	—	—	—	—	—	1	—	—	1
Joint and Bone Disease	45	—	—	—	2	1	—	—	4	12	7	6	2
XI. Carbuncle	9	1	1	1	—	—	—	—	—	—	—	—	—
Phlegmon	6	—	—	—	—	—	—	—	—	—	—	—	1
Skin Disease	8	2	1	2	—	1	1	—	—	—	—	—	—
XII. Cyanosis	12	10	2	—	—	—	—	—	—	—	—	—	—
Spina Bifida	8	6	1	—	1	—	—	—	—	—	—	—	—
Other Malformations	14	12	—	—	1	—	—	—	—	—	—	—	—
XVII. Intemperance	19	—	—	—	—	—	—	—	—	—	—	1	2
Privation	4	—	—	1	2	—	—	—	1	—	—	—	—
Want of Breast Milk	34	20	8	6	—	—	—	—	—	—	—	—	—
Neglect	1	—	—	—	1	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	12	3	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	67	—	—	2	10	10	7	3	11	3	—	1	1
Hanging, etc.	4	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	34	16	7	1	1	—	1	1	—	—	—	—	1
Drowning	27	1	—	—	2	—	—	—	1	1	2	5	2
Fracture and Contusion	76	—	—	—	1	3	1	2	7	4	3	1	1
Wounds	8	—	—	—	—	—	—	—	1	—	1	1	1
Other Violent Causes	14	8	—	—	—	1	—	—	1	—	—	—	1
Not Specified	285	92	24	31	27	8	6	3	11	10	5	8	9

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life,
[in 1864.—FEMALES. (Continued.)

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	1	2	1	—	—	2	—	—	1	—	—	—	—	—	—	—	
Apoplexy	5	7	13	19	18	24	33	20	20	19	8	3	2	1	—	—	
Paralysis	4	8	15	19	20	18	49	40	56	33	43	10	3	—	—	—	
Delirium Tremens	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
Chorea	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Epilepsy	5	7	3	3	3	2	6	1	2	3	1	1	—	—	—	—	
Tetanus	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	1	1	4	—	2	2	3	—	1	—	1	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	8	8	12	17	12	11	6	12	12	4	4	—	—	—	—	—	
Pericarditis	—	2	1	—	2	1	1	1	—	2	—	—	—	—	—	—	
Aneurism	2	2	4	2	—	3	3	1	—	—	—	—	—	—	—	—	
Heart Disease	41	45	35	55	72	64	96	74	64	32	14	2	—	—	—	1	
Laryngitis	—	2	1	1	—	1	—	1	1	—	—	—	—	—	—	—	
Bronchitis	31	42	67	68	94	96	124	99	99	62	42	20	4	1	—	—	
Pleurisy	1	4	1	—	3	1	1	4	5	1	1	—	—	—	—	—	
Pneumonia	12	13	18	14	19	27	16	10	19	12	3	1	1	—	—	—	
Asthma	5	10	11	8	17	25	34	16	14	11	3	—	1	1	—	—	
Lung Disease	2	7	7	7	9	4	7	2	2	4	—	1	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	2	5	2	2	2	1	2	—	2	1	—	—	—	—	—	—	
Enteritis	3	5	7	8	7	2	5	2	3	2	1	—	—	—	—	—	
Peritonitis	7	6	10	4	2	3	4	3	1	2	2	—	—	—	—	—	
Ascites	2	2	—	1	1	—	1	2	1	2	1	—	—	—	—	—	
Ulceration of Intestines	1	2	3	1	4	—	4	2	2	2	1	—	—	—	—	—	
Hernia	—	—	1	2	4	3	3	3	3	3	2	—	—	—	—	—	
Ileus	5	—	2	1	1	4	1	4	2	3	5	—	—	—	—	—	
Intussusception	—	—	—	—	1	—	—	—	—	2	1	1	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	1	1	1	2	—	1	—	—	—	—	—	
Stomach Disease	2	5	9	6	5	12	14	13	10	6	1	1	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	2	5	1	3	1	4	7	4	2	2	—	—	—	—	—	—	
Jaundice	1	1	2	5	5	1	5	4	—	1	1	—	—	—	—	—	
Liver Disease	9	6	15	14	9	15	17	8	7	5	4	1	—	—	—	—	
Spleen Disease	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	
Nephritis	—	2	1	—	1	1	—	—	—	3	—	—	—	—	—	—	
Nephria	1	7	5	2	1	3	1	4	1	2	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Diabetes	1	5	1	1	1	—	—	—	—	1	—	—	—	—	—	—	
Stone	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Cystitis	—	—	1	—	—	—	—	2	—	—	1	1	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	3	5	2	5	2	3	3	6	6	2	—	1	—	—	—	—	
Paramenia	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	1	1	6	6	3	8	3	2	1	1	—	—	—	—	—	—	
Childbirth	34	32	14	3	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	1	4	4	4	4	4	3	1	—	1	—	—	—	—	—	—	
Arthritis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Rheumatism	2	—	—	1	3	3	6	2	—	2	—	1	—	—	—	—	
Joint Disease	3	1	3	—	2	1	1	—	—	—	—	—	—	—	—	—	
Carbuncle	—	—	1	1	1	—	2	1	—	—	—	—	—	—	—	—	
Phlegmon	1	1	1	1	—	—	—	—	—	1	—	—	—	—	—	—	
Skin Disease	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	4	1	1	1	5	2	1	—	1	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	1	1	3	2	1	—	—	1	—	—	—	—	—	—	—	
Burns and Scalds	—	1	4	4	2	1	1	2	3	1	—	—	—	—	—	—	
Hanging, etc.	—	—	—	1	—	—	3	—	—	—	—	—	—	—	—	—	
Suffocation	1	1	—	—	3	—	—	1	—	—	—	—	—	—	—	—	
Drowning	5	1	3	—	1	1	2	—	—	—	—	—	—	—	—	—	
Fracture and Contusion	3	1	2	3	6	2	7	5	6	8	1	—	—	—	—	—	
Wounds	1	—	1	1	1	—	—	1	—	—	—	—	—	—	—	—	
Other Violent Causes	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
Not Specified	9	4	5	6	9	10	6	—	—	—	—	—	—	—	—	2	

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1864.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	13674	1286	551	1214	1685	798	520	349	728	318	469	614	516
SPECIFIED CAUSES	13503	1233	545	1197	1668	789	518	348	723	315	463	610	509
I. Zymotic Class	3766	134	119	360	647	399	297	191	345	96	123	153	121
II. Diseases of Uncertain Seat	357	4	3	3	14	8	10	3	17	7	5	8	7
III. Tubercular Class	2500	31	68	165	265	130	93	61	174	128	236	267	192
IV. Brain and Nervous System	834	92	29	56	61	26	22	23	43	17	11	20	14
V. Organs of Circulation	445	3	—	—	—	1	—	—	5	6	11	12	22
VI. Respiratory Organs	2650	173	173	401	429	174	78	44	79	18	26	57	68
VII. Organs of Digestion	939	113	61	155	193	31	5	12	15	14	17	17	32
VIII. Urinary Organs	114	—	—	2	2	2	1	3	3	3	5	7	8
IX. Organs of Generation	85	—	—	—	—	—	—	—	—	1	4	25	18
X. Organs of Locomotion	43	—	—	—	1	—	—	—	6	5	5	4	3
XI. Skin, etc.	12	5	—	2	—	1	—	—	—	—	—	—	—
XII. Malformation	28	24	2	1	1	—	—	—	—	—	—	—	—
XIII. Premature Debility	736	614	77	45	—	—	—	—	—	—	—	—	—
XIV. Atrophy	120	—	—	—	37	7	3	3	10	3	1	3	1
XV. Age	451	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	25	1	2	—	—	—	—	—	—	—	—	—	1
XVII. Violent Deaths	398	39	11	7	18	10	9	8	26	17	19	32	22
I. Small Pox	300	24	20	43	40	36	17	14	22	6	16	34	14
Measles	432	4	9	67	169	84	42	23	26	2	1	—	—
Scarlatina	582	3	6	33	90	93	99	81	140	22	6	6	—
Diphtheria	129	2	4	9	27	23	26	10	17	5	—	2	1
Whooping Cough	571	18	27	122	181	84	58	38	40	3	—	—	—
Croup	156	6	2	26	48	34	20	8	10	2	—	—	—
Thrush	3	3	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	239	45	36	40	52	15	5	1	3	1	3	1	4
Dysentery	40	—	5	3	4	—	—	—	1	2	—	2	1
Cholera	5	—	—	1	—	—	—	—	3	—	—	—	—
Influenza	20	—	1	—	1	—	—	1	—	—	2	—	—
Purpura	7	—	—	—	1	—	—	—	2	1	—	1	—
Ague	1	—	—	—	—	1	—	—	—	—	—	—	—
Worms	3	—	—	—	1	1	—	—	1	—	—	—	—
Infantile Fever	9	1	—	4	—	4	—	—	—	—	—	—	—
Typhus	1138	2	2	10	27	23	30	10	75	50	88	96	90
Metria	39	—	—	—	—	—	—	—	—	—	3	11	8
Rheumatic Fever	6	—	—	—	—	—	—	—	—	1	—	2	—
Erysipelas	60	15	5	1	5	—	—	—	3	1	4	2	1
Syphilis	21	11	2	1	—	—	—	—	—	—	—	1	1
Noma	5	—	—	—	1	1	—	—	2	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	16	1	—	—	1	—	—	—	1	1	—	—	1
Dropsy	136	—	1	—	6	6	9	3	14	4	4	4	3
Abscess	33	2	2	2	6	2	1	—	1	1	1	—	—
Ulcer	4	—	—	—	—	—	—	—	—	—	—	1	—
Fistula	5	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	13	—	—	—	1	—	—	—	—	1	—	2	—
Cancer	149	1	—	1	—	—	—	—	1	—	—	—	3
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	88	4	2	8	10	5	4	3	11	11	5	5	4
Tabes Mesenterica	191	5	6	28	64	26	15	10	21	10	2	2	—
Phthisis	1767	4	15	31	78	51	27	24	92	100	228	260	187
Hydrocephalus	454	18	45	98	113	48	47	24	50	7	1	—	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1864.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	64	2	5	9	7	4	4	6	8	4	1	4	2
Apoplexy	165	3	2	6	11	3	—	2	7	1	2	3	1
Paralysis	175	—	—	—	—	—	1	—	2	1	1	1	4
Delirium Tremens	8	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	28	—	—	—	—	—	—	—	—	2	3	3	4
Tetanus	4	2	—	—	—	—	—	—	—	—	—	—	—
Insanity	5	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	199	83	21	36	27	13	6	6	7	—	—	—	—
Brain Disease	185	2	1	5	16	6	11	9	19	9	4	9	3
V. Pericarditis	11	—	—	—	—	—	—	—	—	1	—	1	1
Aneurism	16	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease	418	3	—	—	—	1	—	—	5	5	11	11	20
VI. Laryngitis	28	3	2	4	3	3	1	—	—	—	1	—	2
Bronchitis	1775	130	141	287	302	117	46	32	49	8	11	25	35
Pleurisy	25	—	—	—	1	—	1	—	1	—	—	3	3
Pneumonia	631	39	29	103	119	48	29	11	28	8	13	20	18
Asthma	109	—	—	—	—	—	—	—	—	—	—	—	4
Lung Disease	82	1	1	2	4	6	1	1	1	2	1	9	6
VII. Teething	299	1	13	117	153	15	—	—	—	—	—	—	—
Quinsey	13	2	1	—	3	2	—	—	—	2	2	—	—
Gastritis	27	1	2	2	2	2	—	1	1	—	—	1	5
Enteritis	216	77	24	20	28	7	4	3	5	1	4	4	4
Peritonitis	52	2	2	—	—	—	—	—	1	4	2	6	11
Ascites	13	—	—	—	—	—	—	—	1	—	—	1	1
Ulceration of Intestines	15	—	1	—	1	—	—	—	1	—	1	1	3
Hernia	13	2	2	—	—	—	—	—	—	—	—	—	—
Ileus	36	4	3	—	—	1	—	1	—	3	3	1	2
Intussusception	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	108	18	9	10	5	1	1	6	3	—	3	—	4
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	26	1	—	1	1	—	—	1	1	—	1	1	—
Jaundice	19	3	2	1	—	1	—	—	—	—	—	—	1
Liver Disease	101	2	2	4	—	2	—	—	2	4	1	2	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	14	—	—	1	—	1	1	2	1	—	—	1	2
Nephria	31	—	—	—	1	—	—	1	2	2	3	1	1
Ischuria	7	—	—	—	1	—	—	—	—	—	—	1	—
Diabetes	10	—	—	—	—	1	—	—	—	—	—	1	—
Stone	4	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	4	—	—	—	—	—	—	—	—	—	—	—	1
Stricture of Urethra	8	—	—	—	—	—	—	—	—	—	—	—	1
Kidney Disease	36	—	—	1	—	—	—	—	—	1	2	3	3
IX. Paramenia	6	—	—	—	—	—	—	—	—	—	1	3	2
Ovarian Dropsy	3	—	—	—	—	—	—	—	—	—	—	1	—
Childbirth	69	—	—	—	—	—	—	—	—	—	3	20	16
Organs of Generation	7	—	—	—	—	—	—	—	—	1	—	1	—
X. Arthritis	4	—	—	—	1	—	—	—	1	—	1	—	—
Rheumatism	13	—	—	—	—	—	—	—	—	—	—	—	2
Joint and Bone Disease	26	—	—	—	—	—	—	—	5	5	4	4	1
XI. Carbuncle	5	2	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	6	3	—	2	—	1	—	—	—	—	—	—	—
XII. Cyanosis	4	4	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	5	5	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	19	15	2	1	1	—	—	—	—	—	—	—	—
XVII. Intemperance	15	—	—	—	—	—	—	—	—	—	1	1	1
Privation	6	—	—	1	2	—	—	—	1	—	—	1	—
Want of Breast Milk	37	25	8	4	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	2	—	—	—	—	—	—	—	—	—	—	—	1
Poison	12	3	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	54	—	—	1	13	4	7	3	8	1	1	2	—
Hanging, etc.	6	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	19	4	3	—	1	1	1	1	1	—	—	—	—
Drowning	75	3	—	1	—	—	1	—	3	5	5	16	6
Fracture and Contusion	147	—	—	—	2	5	—	4	12	9	10	10	14
Wounds	11	—	—	—	—	—	—	—	—	1	—	1	—
Other Violent Causes	14	4	—	—	—	—	—	—	1	1	2	1	—
Not Specified	171	53	6	17	17	9	2	1	5	3	6	4	7

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1864.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	6988	739	303	638	867	416	268	180	400	162	250	295	235
SPECIFIED CAUSES	6889	701	298	632	858	410	266	179	398	161	244	294	233
I. Zymotic Class	1899	72	62	190	333	189	152	94	182	40	65	80	51
II. Diseases of Uncertain Seat	140	2	2	1	8	7	5	3	10	5	2	4	2
III. Tubercular Class	1197	20	33	83	132	71	47	29	99	60	112	114	77
IV. Brain and Nervous System	470	56	18	35	30	17	15	12	25	9	7	13	9
V. Organs of Circulation	230	1	—	—	—	—	—	—	1	3	6	5	13
VI. Respiratory Organs	1407	95	92	212	221	97	37	27	44	13	15	34	43
VII. Organs of Digestion	496	60	39	78	98	16	3	6	10	12	13	10	11
VIII. Urinary Organs	76	—	—	2	1	2	1	2	2	2	3	3	3
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	25	—	—	—	1	—	—	—	4	3	3	1	3
XI. Skin, etc.	7	3	—	2	—	—	—	—	—	—	—	—	—
XII. Malformation	17	14	2	1	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	429	361	44	24	—	—	—	—	—	—	—	—	—
XIV. Atrophy	56	—	—	—	21	4	2	2	6	1	—	—	—
XV. Age	145	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	13	—	1	—	—	—	—	—	—	—	—	—	1
XVII. Violent Deaths	282	17	5	4	13	7	4	4	15	13	18	30	20
I. Small Pox	165	9	8	27	22	15	8	8	13	3	11	24	7
Measles	221	3	8	31	83	43	19	17	15	1	1	—	—
Scarlatina	299	—	4	18	53	43	47	40	81	7	2	2	—
Diphtheria	67	1	4	4	13	13	16	6	6	2	—	1	—
Hooping Cough	264	10	10	56	97	31	23	16	20	1	—	—	—
Croup	88	3	1	17	25	16	15	3	6	2	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	119	27	17	28	22	8	2	—	1	—	—	—	—
Dysentery	16	—	2	2	2	—	—	—	1	—	—	2	—
Cholera	3	—	—	—	—	—	—	—	2	—	—	—	—
Influenza	9	—	1	—	—	—	—	—	—	—	1	—	—
Purpura	3	—	—	—	1	—	—	—	1	—	—	—	—
Ague	1	—	—	—	—	1	—	—	—	—	—	—	—
Worms	2	—	—	—	1	1	—	—	—	—	—	—	—
Infantile Fever	4	1	—	2	—	1	—	—	—	—	—	—	—
Typhus	580	—	2	3	12	17	22	4	33	22	46	49	44
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	4	—	—	—	—	—	—	—	—	1	—	1	—
Erysipelas	39	11	3	1	2	—	—	—	2	1	4	1	—
Syphilis	13	6	2	1	—	—	—	—	—	—	—	—	—
Noma	1	—	—	—	—	—	—	—	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	6	—	—	—	—	—	—	—	1	1	—	—	—
Dropsy	64	—	1	—	3	6	5	3	8	3	2	1	—
Abscess	23	2	1	1	5	1	—	—	—	1	—	1	—
Ulcer	3	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	4	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	6	—	—	—	—	—	—	—	—	—	—	2	—
Cancer	33	—	—	—	—	—	—	—	1	—	—	—	2
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	41	3	—	3	2	3	2	1	5	8	3	2	4
Tabes Mesenterica	97	3	3	12	32	13	9	5	14	6	—	—	—
Phthisis	808	3	5	13	47	26	10	12	46	40	108	112	72
Hydrocephalus	251	11	25	55	51	29	26	11	34	6	1	—	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1864.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	260	226	293	259	266	210	236	151	136	96	63	29	6	2	—	2
SPECIFIED CAUSES . . .	259	224	290	256	264	208	231	151	136	96	63	29	6	2	—	—
Zymotic Class . . .	59	53	68	66	52	36	28	7	11	5	2	2	—	—	—	—
Uncertain Seat . . .	6	5	9	8	15	13	11	7	5	4	4	1	1	—	—	—
Tubercular Class . . .	89	57	53	36	39	27	13	4	1	1	—	—	—	—	—	—
Brain, etc.	12	11	25	27	20	21	28	29	27	15	7	2	—	—	—	—
Heart, etc.	18	14	23	27	23	18	32	22	12	7	4	1	—	—	—	—
Respiratory Organs . . .	39	50	52	44	72	45	67	48	29	17	12	1	1	—	—	—
Digestive Organs . . .	11	8	25	18	11	19	16	13	9	7	2	1	—	—	—	—
Urinary Organs . . .	4	3	11	6	8	6	7	4	3	2	—	1	—	—	—	—
Generative Organs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	—	3	—	1	—	4	1	—	—	1	—	—	—	—	—	—
Skin	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	—	5	2	5	4	4	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	9	11	34	36	30	19	4	2	—	—
Sudden Deaths	—	—	2	3	1	1	3	—	—	—	1	—	—	—	—	—
Violent Deaths	21	15	20	15	19	14	15	6	4	1	1	1	—	—	—	—
Small Pox	4	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Hooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	—	1	1	—	2	3	3	1	1	1	1	—	—	—	—	—
Dysentery	—	—	—	1	1	—	2	—	3	—	—	—	—	—	—	—
Cholera	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	1	—	1	1	—	—	—	2	1	1	—	—	—	—
Purpura	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	49	45	59	63	44	31	22	4	6	2	—	1	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Erysipelas	2	1	3	2	2	—	1	2	1	—	—	—	—	—	—	—
Syphilis	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—
Dropsy	1	3	2	2	8	5	2	4	2	2	1	—	—	—	—	—
Abscess	3	1	2	—	2	1	—	—	1	—	1	—	—	—	—	—
Ulcer	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—
Fistula	—	—	1	—	—	1	2	—	—	—	—	—	—	—	—	—
Mortification	—	—	1	—	—	1	—	—	—	—	1	—	1	—	—	—
Cancer	1	1	2	4	4	5	6	3	1	2	1	—	—	—	—	—
Gout	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Scrofula	—	—	2	—	—	1	1	—	1	—	—	—	—	—	—	—
Tabes Mesenterica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	88	57	51	36	39	26	12	4	—	1	—	—	—	—	—	—
Hydrocephalus	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1864.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	45	1	4	6	3	4	3	2	6	1	1	4	2
Apoplexy	89	1	—	2	6	—	—	1	4	1	2	2	1
Paralysis	82	—	—	—	—	—	1	—	1	—	—	—	3
Delirium Tremens	7	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	14	—	—	—	—	—	—	—	—	2	2	2	1
Tetanus	2	1	—	—	—	—	—	—	—	—	—	—	—
Insanity	2	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	128	53	13	24	14	10	4	5	5	—	—	—	—
Brain Disease	101	—	1	3	7	3	7	4	9	5	2	4	2
V. Pericarditis	6	—	—	—	—	—	—	—	—	1	—	—	1
Aneurism	11	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease	213	1	—	—	—	—	—	—	1	2	6	5	11
VI. Laryngitis	16	2	1	2	2	1	—	—	—	—	—	—	2
Bronchitis	890	72	75	147	150	66	24	18	28	6	6	12	21
Pleurisy	14	—	—	—	—	—	—	—	—	—	—	1	3
Pneumonia	380	21	15	61	67	27	13	8	15	5	8	15	10
Asthma	60	—	—	—	—	—	—	—	—	—	—	—	3
Lung Disease	47	—	1	2	2	3	—	1	1	2	1	6	4
VII. Teething	150	1	8	57	76	8	—	—	—	—	—	—	—
Quinsey	7	1	—	—	—	2	—	—	—	2	2	—	—
Gastritis	12	—	1	1	—	1	—	—	1	—	—	1	2
Enteritis	122	42	15	12	17	2	2	3	4	1	2	4	1
Peritonitis	21	2	2	—	—	—	—	—	1	3	2	1	1
Ascites	9	—	—	—	—	—	—	—	1	—	—	1	—
Ulceration of Intestines	7	—	—	—	—	—	—	—	1	—	1	1	1
Hernia	7	2	2	—	—	—	—	—	—	—	—	—	—
Ileus	23	2	1	—	—	1	—	—	—	2	2	1	1
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	60	7	7	5	4	1	1	3	1	—	2	—	3
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	14	—	—	1	1	—	—	—	—	—	1	1	—
Jaundice	11	2	1	1	—	—	—	—	—	—	—	—	1
Liver Disease	53	1	2	1	—	1	—	—	1	4	1	—	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	9	—	—	1	—	1	1	2	1	—	—	—	—
Nephria	18	—	—	—	—	—	—	—	1	1	2	1	—
Ischuria	5	—	—	—	1	—	—	—	—	—	—	—	—
Diabetes	6	—	—	—	—	1	—	—	—	—	—	1	—
Stone	4	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	3	—	—	—	—	—	—	—	—	—	—	—	1
Stricture of Urethra	8	—	—	—	—	—	—	—	—	—	—	—	1
Kidney Disease	23	—	—	1	—	—	—	—	—	1	1	1	1
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	3	—	—	—	1	—	—	—	1	—	1	—	—
Rheumatism	7	—	—	—	—	—	—	—	—	—	—	—	2
Joint and Bone Disease	15	—	—	—	—	—	—	—	3	3	2	1	1
XI. Carbuncle	3	1	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	4	2	—	2	—	—	—	—	—	—	—	—	—
XII. Cyanosis	1	1	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	3	3	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	13	10	2	1	—	—	—	—	—	—	—	—	—
XVII. Intemperance	12	—	—	—	—	—	—	—	—	—	1	1	—
Privation	3	—	—	—	1	—	—	—	—	—	—	1	—
Want of Breast Milk	19	13	4	2	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	2	—	—	—	—	—	—	—	—	—	—	—	1
Poison	4	1	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	30	—	—	1	10	2	3	2	2	—	1	2	—
Hanging, etc.	4	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	9	—	1	—	1	1	—	—	1	—	—	—	—
Drowning	64	2	—	1	—	—	1	—	3	4	5	16	5
Fracture and Contusion	117	—	—	—	1	4	—	2	8	7	9	9	14
Wounds	7	—	—	—	—	—	—	—	—	1	—	—	—
Other Violent Causes	11	1	—	—	—	—	—	—	1	1	2	1	—
Not Specified	99	38	5	6	9	6	2	1	2	1	6	1	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1864.—MALES. (*Continued.*)

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	2	—	2	—	3	1	—	—	—	—	—	—	—	—	—	—	
Apoplexy	3	4	9	5	6	10	11	7	8	3	2	1	—	—	—	—	
Paralysis	1	—	4	10	6	5	9	13	14	8	5	1	—	—	—	—	
Delirium Tremens	1	2	1	2	—	—	—	—	—	1	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	—	1	2	1	1	1	1	—	—	—	—	—	—	—	—	—	
Tetanus	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	5	4	5	8	4	4	7	9	5	3	—	—	—	—	—	—	
Pericarditis	—	—	1	—	—	—	2	1	—	—	—	—	—	—	—	—	
Aneurism	1	2	2	1	2	1	—	—	—	1	—	—	—	—	—	—	
Heart Disease	17	12	20	26	21	17	30	21	12	6	4	1	—	—	—	—	
Laryngitis	—	1	1	1	1	1	—	—	1	—	—	—	—	—	—	—	
Bronchitis	14	20	28	29	37	25	39	33	19	11	10	—	—	—	—	—	
Pleurisy	—	2	4	—	—	1	2	—	1	—	—	—	—	—	—	—	
Pneumonia	18	19	13	9	17	11	17	6	1	3	—	—	1	—	—	—	
Asthma	3	4	4	3	14	4	8	5	6	3	2	1	—	—	—	—	
Lung Disease	4	4	2	2	3	3	1	4	1	—	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	—	—	1	2	1	—	1	—	—	—	—	—	—	—	—	—	
Enteritis	1	—	6	1	2	2	1	1	2	—	1	—	—	—	—	—	
Peritonitis	1	—	2	3	1	1	1	1	—	2	—	—	—	—	—	—	
Ascites	—	—	1	1	—	1	1	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	
Hernia	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
Ileus	1	1	2	1	1	3	—	3	—	—	1	—	—	—	—	—	
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	1	2	3	1	1	5	3	4	2	3	—	1	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	1	—	3	2	1	2	1	—	—	—	—	—	—	—	—	—	
Jaundice	—	—	2	—	—	1	1	1	—	1	—	—	—	—	—	—	
Liver Disease	5	4	5	6	4	4	6	2	4	1	—	—	—	—	—	—	
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephria	2	1	3	2	1	1	2	1	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	1	—	1	—	1	—	—	1	—	—	—	—	
Diabetes	—	1	—	1	1	—	—	—	1	—	—	—	—	—	—	—	
Stone	—	—	1	—	1	1	1	—	—	—	—	—	—	—	—	—	
Cystitis	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	
Stricture of Urethra	1	—	—	3	—	1	1	1	—	—	—	—	—	—	—	—	
Kidney Disease	—	1	5	—	3	3	2	2	—	2	—	—	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism	—	1	—	—	—	3	—	—	—	1	—	—	—	—	—	—	
Joint Disease	—	2	—	1	—	1	1	—	—	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	2	1	1	—	1	2	2	1	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	
Burns and Scalds	1	—	2	—	2	—	1	—	—	—	1	—	—	—	—	—	
Hanging, etc.	—	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	3	—	—	—	—	1	1	—	—	—	—	—	—	—	
Drowning	4	5	4	5	1	3	3	—	2	—	—	—	—	—	—	—	
Fracture and Contusion	13	6	9	6	10	7	6	3	1	1	—	1	—	—	—	—	
Wounds	1	—	1	1	1	1	1	1	—	—	—	—	—	—	—	—	
Other Violent Causes	—	—	—	2	1	—	1	1	—	—	—	—	—	—	—	—	
Not Specified	1	2	3	3	2	2	5	—	—	—	—	—	—	—	—	2	

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1864.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	6686	547	248	576	818	382	252	169	328	156	219	319	281
SPECIFIED CAUSES	6614	532	247	565	810	379	252	169	325	154	219	316	276
I. Zymotic Class	1867	62	57	170	314	210	145	97	163	56	58	78	70
II. Diseases of Uncertain Seat	217	2	1	2	6	1	5	—	7	2	3	4	5
III. Tubercular Class	1303	11	35	82	133	59	46	32	75	68	124	153	115
IV. Brain and Nervous System	364	36	11	21	31	9	7	11	18	8	4	7	5
V. Organs of Circulation	215	2	—	—	—	1	—	—	4	3	5	7	9
VI. Respiratory Organs	1243	78	81	189	208	77	41	17	35	5	11	23	25
VII. Organs of Digestion	443	53	22	77	95	15	2	6	5	2	4	7	21
VIII. Urinary Organs	38	—	—	—	1	—	—	1	1	1	2	4	5
IX. Organs of Generation	85	—	—	—	—	—	—	—	—	1	4	25	18
X. Organs of Locomotion	18	—	—	—	—	—	—	—	2	2	2	3	—
XI. Skin, etc.	5	2	—	—	—	1	—	—	—	—	—	—	—
XII. Malformation	11	10	—	—	1	—	—	—	—	—	—	—	—
XIII. Premature Debility	307	253	33	21	—	—	—	—	—	—	—	—	—
XIV. Atrophy	64	—	—	—	16	3	1	1	4	2	1	3	1
XV. Age	306	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	12	1	1	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	116	22	6	3	5	3	5	4	11	4	1	2	2
I. Small Pox	135	15	12	16	18	21	9	6	9	3	5	10	7
Measles	211	1	1	36	86	41	23	11	11	1	—	—	—
Scarlatina	283	3	2	15	37	50	52	41	59	15	4	4	—
Diphtheria	62	1	—	5	14	10	10	4	11	3	—	1	1
Hooping Cough	307	8	17	66	84	53	35	22	20	2	—	—	—
Croup	68	3	1	9	23	18	5	5	4	—	—	—	—
Thrush	2	2	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	120	18	19	12	30	7	3	1	2	1	3	1	4
Dysentery	24	—	3	1	2	—	—	—	—	2	—	—	1
Cholera	2	—	—	1	—	—	—	—	1	—	—	—	—
Influenza	11	—	—	—	1	—	—	1	—	—	1	—	—
Purpura	4	—	—	—	—	—	—	—	1	1	—	1	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	—	—	1	—	—	—	—
Infantile Fever	5	—	—	2	—	3	—	—	—	—	—	—	—
Typhus	558	2	—	7	15	6	8	6	42	28	42	47	46
Metria	39	—	—	—	—	—	—	—	—	—	3	11	8
Rheumatic Fever	2	—	—	—	—	—	—	—	—	—	—	1	—
Erysipelas	21	4	2	—	3	—	—	—	1	—	—	1	1
Syphilis	8	5	—	—	—	—	—	—	—	—	—	1	1
Noma	4	—	—	—	1	1	—	—	1	—	—	—	1
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	10	1	—	—	1	—	—	—	—	—	—	—	1
Dropsy	72	—	—	—	3	—	4	—	6	1	2	3	3
Abscess	10	—	1	1	1	1	1	—	1	—	1	—	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	1	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	7	—	—	—	1	—	—	—	—	1	—	—	—
Cancer	116	1	—	1	—	—	—	—	—	—	—	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	47	1	2	5	8	2	2	2	6	3	2	3	—
Tabes Mesenterica	94	2	3	16	32	13	6	5	7	4	2	2	—
Phthisis	959	1	10	18	31	25	17	12	46	60	120	148	115
Hydrocephalus	203	7	20	43	62	19	21	13	16	1	—	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1864.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis	19	1	1	3	4	—	1	4	2	3	—	—	—
Apoplexy	76	2	2	4	5	3	—	1	3	—	—	1	—
Paralysis	93	—	—	—	—	—	—	—	1	1	—	—	1
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	14	—	—	—	—	—	—	—	—	—	1	1	3
Tetanus	2	1	—	—	—	—	—	—	—	—	—	—	—
Insanity	3	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	71	30	8	12	13	3	2	1	2	—	—	—	—
Brain Disease	84	2	—	2	9	3	4	5	10	4	2	5	1
V. Pericarditis	5	—	—	—	—	—	—	—	—	—	—	1	—
Aneurism	5	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	205	2	—	—	—	1	—	—	4	3	5	6	9
VI. Laryngitis	12	1	1	2	1	2	1	—	—	—	1	—	—
Bronchitis	885	58	66	140	152	51	22	14	21	2	5	13	14
Pleurisy	11	—	—	—	1	—	1	—	1	—	—	2	—
Pneumonia	251	18	14	47	52	21	16	3	13	3	5	5	8
Asthma	49	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease	35	1	—	—	2	3	1	—	—	—	—	3	2
VII. Teething	149	—	5	60	77	7	—	—	—	—	—	—	—
Quinsey	6	1	1	—	3	—	—	—	—	—	—	—	—
Gastritis	15	1	1	1	2	1	—	1	—	—	—	—	3
Enteritis	94	35	9	8	11	5	2	—	1	—	2	—	3
Peritonitis	31	—	—	—	—	—	—	—	—	1	—	5	10
Ascites	4	—	—	—	—	—	—	—	—	—	—	—	1
Ulceration of Intestines	8	—	1	—	1	—	—	—	—	—	—	—	2
Hernia	6	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	13	2	2	—	—	—	—	1	—	1	1	—	1
Intussusception	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	48	11	2	5	1	—	—	3	2	—	1	—	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	12	1	—	—	—	—	—	1	1	—	—	—	—
Jaundice	8	1	1	—	—	1	—	—	—	—	—	—	—
Liver Disease	48	1	—	3	—	1	—	—	1	—	—	2	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	5	—	—	—	—	—	—	—	—	—	—	1	2
Nephria	13	—	—	—	1	—	—	1	1	1	1	—	1
Ischuria	2	—	—	—	—	—	—	—	—	—	—	1	—
Diabetes	4	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	13	—	—	—	—	—	—	—	—	—	1	2	2
IX. Paramenia	6	—	—	—	—	—	—	—	—	—	1	3	2
Ovarian Dropsy	3	—	—	—	—	—	—	—	—	—	—	1	—
Childbirth	69	—	—	—	—	—	—	—	—	—	3	20	16
Organs of Generation	7	—	—	—	—	—	—	—	—	1	—	1	—
X. Arthritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	6	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	11	—	—	—	—	—	—	—	2	2	2	3	—
XI. Carbuncle	2	1	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	2	1	—	—	—	1	—	—	—	—	—	—	—
XII. Cyanosis	3	3	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	2	2	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	6	5	—	—	1	—	—	—	—	—	—	—	—
XVII. Intemperance	3	—	—	—	—	—	—	—	—	—	—	—	1
Privation	3	—	—	1	1	—	—	—	1	—	—	—	—
Want of Breast Milk	18	12	4	2	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	8	2	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	24	—	—	—	3	2	4	1	6	1	—	—	—
Hanging, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	10	4	2	—	—	—	1	1	—	—	—	—	—
Drowning	11	1	—	—	—	—	—	—	—	1	—	—	1
Fracture and Contusion	30	—	—	—	1	1	—	2	4	2	1	1	—
Wounds	4	—	—	—	—	—	—	—	—	—	—	1	—
Other Violent Causes	3	3	—	—	—	—	—	—	—	—	—	—	—
Not Specified	72	15	1	11	8	3	—	—	3	2	—	3	5

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1864.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1890	174	73	171	188	96	76	44	83	53	72	74	72
SPECIFIED CAUSES	1805	150	62	163	183	93	71	42	79	52	70	71	71
I. Zymotic Class	479	17	13	56	76	49	37	23	35	13	13	17	13
II. Diseases of Uncertain Seat	37	—	—	—	1	—	1	—	2	3	1	—	2
III. Tubercular Class	341	6	11	32	35	19	10	9	22	19	32	35	26
IV. Brain and Nervous System	146	11	2	8	9	2	6	2	5	5	6	2	2
V. Organs of Circulation	66	—	1	—	1	—	—	—	—	1	5	1	4
VI. Respiratory Organs	328	22	19	40	27	10	11	8	10	1	3	8	10
VII. Organs of Digestion	115	14	5	20	23	7	1	—	2	1	2	2	3
VIII. Urinary Organs	12	—	—	—	—	—	1	—	1	1	—	—	1
IX. Organs of Generation	12	—	—	—	—	—	—	—	—	—	1	—	6
X. Organs of Locomotion	8	—	—	—	—	—	—	—	—	4	1	—	2
XI. Skin, etc.	4	1	—	1	1	—	—	—	—	—	—	—	—
XII. Malformation	3	3	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	82	71	6	5	—	—	—	—	—	—	—	—	—
XIV. Atrophy	16	—	—	—	4	2	1	—	1	—	—	1	—
XV. Age	91	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	64	4	5	1	6	4	3	—	1	4	6	5	2
I. Small Pox	50	6	4	8	9	5	3	3	3	1	—	4	—
Measles	34	1	2	7	16	5	3	—	—	—	—	—	—
Scarlatina	70	—	—	6	12	12	12	10	15	1	1	—	—
Diphtheria	18	—	—	—	9	1	5	2	—	—	—	—	—
Whooping Cough	40	1	—	14	10	5	5	3	2	—	—	—	—
Croup	36	1	2	4	10	10	6	2	1	—	—	—	—
Thrush	1	—	—	—	—	1	—	—	—	—	—	—	—
Diarrhoea	53	6	2	13	4	4	—	—	1	2	—	—	—
Dysentery	4	—	1	—	1	—	—	—	—	—	—	—	1
Cholera	2	—	—	1	—	—	—	—	—	—	—	—	—
Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	1	—	—	—	—	—	—	—	1	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	2	—	—	—	1	1	—	—	—	—	—	—	—
Typhus	147	—	—	1	4	5	2	2	11	9	11	11	11
Metria	6	—	—	—	—	—	—	—	—	—	—	2	1
Rheumatic Fever	2	—	—	—	—	—	—	—	1	—	1	—	—
Erysipelas	7	1	—	1	—	—	1	—	—	—	—	—	—
Syphilis	4	1	2	1	—	—	—	—	—	—	—	—	—
Noma	1	—	—	—	—	—	—	1	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	18	—	—	—	1	—	1	—	2	2	1	—	1
Abscess	1	—	—	—	—	—	—	—	—	1	—	—	—
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	2	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	14	—	—	—	—	—	—	—	—	—	—	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	17	2	3	—	1	1	1	—	—	1	1	1	—
Tabes Mesenterica	33	2	3	6	10	1	3	3	3	1	—	—	1
Phthisis	231	—	3	10	7	6	4	3	13	16	31	34	25
Hydrocephalus	60	2	2	16	17	11	2	3	6	1	—	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1864.—BOTH SEXES.

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	68	84	63	66	61	65	83	56	79	40	27	16	3	2	1	—	
SPECIFIED CAUSES .	64	82	62	63	60	64	79	56	79	40	27	16	3	2	1	—	
Zymotic Class . .	12	21	16	20	11	13	7	9	5	—	2	1	—	—	—	—	
Uncertain Seat . .	2	3	1	1	3	4	3	4	5	—	—	1	—	—	—	—	
Tubercular Class . .	26	22	13	8	5	5	3	1	—	1	1	—	—	—	—	—	
Brain, etc. . . .	6	8	10	9	11	6	13	5	8	7	2	1	—	—	—	—	
Heart, etc. . . .	3	6	2	5	3	7	9	9	6	3	—	—	—	—	—	—	
Respiratory Organs .	3	15	10	11	19	18	27	15	22	11	5	3	—	—	—	—	
Digestive Organs . .	5	2	3	3	4	5	4	3	5	1	—	—	—	—	—	—	
Urinary Organs . .	1	1	1	—	—	1	1	1	2	—	—	—	—	—	—	—	
Generative Organs .	—	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	
Locomotive Organs .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Skin	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Malformation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	1	1	1	1	—	3	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	8	9	25	17	16	10	3	2	1	—	
Sudden Deaths . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Violent Deaths . .	4	2	2	4	3	2	4	—	1	—	1	—	—	—	—	—	
Small Pox	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Diphtheria	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Whooping Cough . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhœa	2	2	2	2	1	2	4	2	1	—	2	1	—	—	—	—	
Dysentery	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Cholera	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Influenza	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Infantile Fever . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	5	19	12	15	9	9	3	4	4	—	—	—	—	—	—	—	
Metria	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Erysipelas	—	—	1	—	—	1	—	2	—	—	—	—	—	—	—	—	
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dropsy	1	2	—	—	—	—	2	2	2	—	—	1	—	—	—	—	
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulcer	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification . . .	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Cancer	1	—	1	1	2	3	1	1	3	—	—	—	—	—	—	—	
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scrofula	2	2	—	1	—	—	—	—	—	—	1	—	—	—	—	—	
Tabes Mesenterica .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phthisis	24	20	13	7	5	5	3	1	—	1	—	—	—	—	—	—	
Hydrocephalus . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1864.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	7	—	—	—	1	—	1	—	2	1	—	—	—
Apoplexy	30	2	—	—	—	—	—	—	—	—	—	1	—
Paralysis	33	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	1	—	—	—
Epilepsy	10	—	—	—	—	—	—	—	—	1	2	1	—
Tetanus	1	—	—	—	—	—	—	—	1	—	—	—	—
Insanity	4	—	—	—	—	—	—	—	—	—	—	—	1
Convulsions	30	9	2	7	6	2	4	—	—	—	—	—	—
Brain Disease	29	—	—	1	2	—	1	2	2	2	4	—	1
V. Pericarditis	4	—	—	—	—	—	—	—	—	1	2	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	61	—	1	—	1	—	—	—	—	—	3	1	4
VI. Laryngitis	3	—	—	—	1	—	1	—	—	—	—	—	1
Bronchitis	205	16	13	34	23	7	6	5	8	—	1	4	3
Pleurisy	6	—	—	—	—	—	—	1	—	1	1	—	—
Pneumonia	86	6	6	6	3	3	3	2	2	—	1	4	5
Asthma	23	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	5	—	—	—	—	—	1	—	—	—	—	—	1
VII. Teething	31	—	1	13	13	4	—	—	—	—	—	—	—
Quinsey	2	—	—	—	2	—	—	—	—	—	—	—	—
Gastritis	2	—	—	—	2	—	—	—	—	—	—	—	—
Enteritis	28	7	2	2	5	3	—	—	1	1	—	—	—
Peritonitis	6	1	—	—	—	—	—	—	—	—	2	—	1
Ascites	3	—	—	—	—	—	—	—	1	—	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	6	2	1	1	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	17	3	1	2	1	—	1	—	—	—	—	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	5	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	2	1	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	11	—	—	2	—	—	—	—	—	—	—	1	2
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	2	—	—	—	—	—	1	—	—	—	—	—	—
Nephria	2	—	—	—	—	—	—	—	—	—	—	—	1
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	2	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	5	—	—	—	—	—	—	—	1	1	—	—	—
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	1
Ovarian Dropsy	1	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	9	—	—	—	—	—	—	—	—	—	1	—	4
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	1
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	2	—	—	—	—	—	—	—	—	1	—	—	—
Joint and Bone Disease	6	—	—	—	—	—	—	—	—	3	1	—	2
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	4	1	—	1	1	—	—	—	—	—	—	—	—
XII. Cyanosis	2	2	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	2	—	—	—	—	—	—	—	—	—	—	—	—
Privation	1	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk	6	1	4	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	10	—	—	—	3	2	3	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	2	—	1	—	—	1	—	—	—	—	—	—	—
Drowning	23	—	—	—	1	—	—	—	1	4	3	3	—
Fracture and Contusion	15	—	—	—	1	1	—	—	—	—	3	2	2
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	5	3	—	—	—	—	—	—	—	—	—	—	—
Not Specified	85	24	11	8	5	3	5	2	4	1	2	3	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1864.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	990	104	39	95	102	50	37	26	46	29	38	38	32
SPECIFIED CAUSES	941	91	34	89	98	48	35	26	43	28	36	36	31
I. Zymotic Class	254	12	9	23	39	25	22	12	21	9	5	8	7
II. Diseases of Uncertain Seat	13	—	—	—	1	—	—	—	2	2	—	—	1
III. Tubercular Class	167	4	6	21	20	7	3	6	9	10	17	16	8
IV. Brain and Nervous System	82	7	—	6	4	—	4	2	3	1	3	1	1
V. Organs of Circulation	33	—	—	—	1	—	—	—	—	—	2	1	2
VI. Respiratory Organs	175	13	10	24	13	7	4	6	5	—	1	3	6
VII. Organs of Digestion	63	9	3	11	12	5	1	—	1	—	2	1	2
VIII. Urinary Organs	7	—	—	—	—	—	—	—	—	1	—	—	—
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	4	—	—	—	—	—	—	—	—	1	1	—	2
XI. Skin, etc.	2	—	—	1	1	—	—	—	—	—	—	—	—
XII. Malformation	2	2	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	46	39	4	3	—	—	—	—	—	—	—	—	—
XIV. Atrophy	9	—	—	—	3	2	1	—	1	—	—	1	—
XV. Age	34	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	49	4	2	—	4	2	—	—	1	4	5	5	2
I. Small Pox	23	4	1	1	2	1	2	2	2	1	—	4	—
Measles	22	—	2	3	11	4	2	—	—	—	—	—	—
Scarlatina	42	—	—	2	8	6	10	5	9	1	—	—	—
Diphtheria	7	—	—	—	3	1	2	—	—	—	—	—	—
Whooping Cough	19	1	—	5	6	3	2	2	—	—	—	—	—
Croup	20	—	2	2	4	5	4	2	1	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	29	5	1	6	2	2	—	—	1	2	—	—	—
Dysentery	3	—	1	—	1	—	—	—	—	—	—	—	—
Cholera	2	—	—	1	—	—	—	—	—	—	—	—	—
Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	1	—	—	—	—	—	—	—	1	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	77	—	—	1	2	3	—	1	6	5	5	4	7
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	1	—	—	—	—	—	—	—	1	—	—	—	—
Erysipelas	3	1	—	1	—	—	—	—	—	—	—	—	—
Syphilis	4	1	2	1	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	7	—	—	—	1	—	—	—	2	1	—	—	1
Abscess	1	—	—	—	—	—	—	—	—	1	—	—	—
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	2	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	7	1	1	—	1	—	—	—	—	—	1	—	—
Tabes Mesenterica	17	1	1	4	5	—	1	2	2	1	—	—	—
Phthisis	108	—	2	8	5	1	1	2	4	8	16	16	8
Hydrocephalus	35	2	2	9	9	6	1	2	3	1	—	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1864.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	4	—	—	—	1	—	1	—	1	—	—	—	—
Apoplexy	18	—	—	—	—	—	—	—	—	—	—	—	—
Paralysis	16	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	5	—	—	—	—	—	—	—	—	1	—	1	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	18	7	—	5	3	—	3	—	—	—	—	—	—
Brain Disease	19	—	—	1	—	—	—	2	2	—	3	—	1
V. Pericarditis	1	—	—	—	—	—	—	—	—	—	1	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	31	—	—	—	1	—	—	—	—	—	1	1	2
VI. Laryngitis	2	—	—	—	—	—	1	—	—	—	—	—	1
Bronchitis	114	9	7	20	12	5	2	3	5	—	1	1	2
Pleurisy	2	—	—	—	—	—	—	1	—	—	—	—	—
Pneumonia	46	4	3	4	1	2	1	2	—	—	—	2	3
Asthma	9	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	14	—	—	6	6	2	—	—	—	—	—	—	—
Quinsey	1	—	—	—	1	—	—	—	—	—	—	—	—
Gastritis	1	—	—	—	1	—	—	—	—	—	—	—	—
Enteritis	18	4	1	2	4	3	—	—	—	—	—	—	—
Peritonitis	3	1	—	—	—	—	—	—	—	—	2	—	—
Ascites	1	—	—	—	—	—	—	—	1	—	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	5	2	1	1	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	10	2	1	1	—	—	1	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	1	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	7	—	—	1	—	—	—	—	—	—	—	1	2
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	4	—	—	—	—	—	—	—	—	1	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	4	—	—	—	—	—	—	—	—	1	1	—	2
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	2	—	—	1	1	—	—	—	—	—	—	—	—
XII. Cyanosis	1	1	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	2	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	3	1	2	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	5	—	—	—	2	1	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	1	—	—	—	—	1	—	—	—	—	—	—	—
Drowning	21	—	—	—	1	—	—	—	1	4	2	3	—
Fracture and Contusion	13	—	—	—	1	—	—	—	—	—	3	2	2
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	4	3	—	—	—	—	—	—	—	—	—	—	—
Not Specified	49	13	5	6	4	2	2	—	3	1	2	2	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1864.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	900	70	34	76	86	46	39	18	37	24	34	36	40
SPECIFIED CAUSES	864	59	28	74	85	45	36	16	36	24	34	35	40
I. Zymotic Class	225	5	4	33	37	24	15	11	14	4	8	9	6
II. Diseases of Uncertain Seat	24	—	—	—	—	—	1	—	—	1	1	—	1
III. Tubercular Class	174	2	5	11	15	12	7	3	13	9	15	19	18
IV. Brain and Nervous System	64	4	2	2	5	2	2	—	2	4	3	1	1
V. Organs of Circulation	33	—	1	—	—	—	—	—	—	1	3	—	2
VI. Respiratory Organs	153	9	9	16	14	3	7	2	5	1	2	5	4
VII. Organs of Digestion	52	5	2	9	11	2	—	—	1	1	—	1	1
VIII. Urinary Organs	5	—	—	—	—	—	1	—	1	—	—	—	1
IX. Organs of Generation	12	—	—	—	—	—	—	—	—	—	1	—	6
X. Organs of Locomotion	4	—	—	—	—	—	—	—	—	3	—	—	—
XI. Skin, etc.	2	1	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	36	32	2	2	—	—	—	—	—	—	—	—	—
XIV. Atrophy	7	—	—	—	1	—	—	—	—	—	—	—	—
XV. Age	57	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	15	—	3	1	2	2	3	—	—	—	1	—	—
I. Small Pox	27	2	3	7	7	4	1	1	1	—	—	—	—
Measles	12	1	—	4	5	1	1	—	—	—	—	—	—
Scarlatina	28	—	—	4	4	6	2	5	6	—	1	—	—
Diphtheria	11	—	—	—	6	—	3	2	—	—	—	—	—
Hooping Cough	21	—	—	9	4	2	3	1	2	—	—	—	—
Croup	16	1	—	2	6	5	2	—	—	—	—	—	—
Thrush	1	—	—	—	—	1	—	—	—	—	—	—	—
Diarrhœa	24	1	1	7	2	2	—	—	—	—	—	—	—
Dysentery	1	—	—	—	—	—	—	—	—	—	—	—	1
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	2	—	—	—	1	1	—	—	—	—	—	—	—
Typhus	70	—	—	—	2	2	2	1	5	4	6	7	4
Metria	6	—	—	—	—	—	—	—	—	—	—	2	1
Rheumatic Fever	1	—	—	—	—	—	—	—	—	—	1	—	—
Erysipelas	4	—	—	—	—	—	1	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	1	—	—	—	—	—	—	1	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	11	—	—	—	—	—	1	—	—	1	1	—	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	12	—	—	—	—	—	—	—	—	—	—	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	10	1	2	—	—	1	1	—	—	1	—	1	—
Tabes Mesenterica	16	1	2	2	5	1	2	1	1	—	—	—	1
Phthisis	123	—	1	2	2	5	3	1	9	8	15	18	17
Hydrocephalus	25	—	—	7	8	5	1	1	3	—	—	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1864.—FEMALES.

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	35	46	35	27	22	28	42	34	46	13	18	9	3	1	1	—	
SPECIFIED CAUSES .	33	46	35	26	21	27	39	34	46	13	18	9	3	1	1	—	
Zymotic Class . .	5	13	4	8	4	3	5	7	3	—	2	1	—	—	—	—	
Uncertain Seat . .	2	2	1	1	2	2	3	2	4	—	—	1	—	—	—	—	
Tubercular Class .	12	13	7	5	2	4	1	—	—	—	1	—	—	—	—	—	
Brain, etc. . . .	3	1	7	4	5	3	4	2	4	2	1	—	—	—	—	—	
Heart, etc. . . .	2	4	1	1	1	2	6	5	4	—	—	—	—	—	—	—	
Respiratory Organs	2	9	8	2	5	9	13	7	13	4	3	1	—	—	—	—	
Digestive Organs .	4	1	2	2	1	2	1	3	2	1	—	—	—	—	—	—	
Urinary Organs . .	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Generative Organs .	—	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	
Locomotive Organs .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Skin	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Malformation . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	1	1	1	1	—	2	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	6	8	16	6	10	6	3	1	1	—	
Sudden Deaths . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Violent Deaths . .	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	
Small Pox	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hooping Cough . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhœa	—	1	1	1	—	—	3	1	1	—	2	1	—	—	—	—	
Dysentery	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Infantile Fever . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	3	12	2	6	4	2	2	4	2	—	—	—	—	—	—	—	
Metria	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Erysipelas	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dropsy	1	1	—	—	—	—	2	2	1	—	—	1	—	—	—	—	
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cancer	1	—	1	1	2	2	1	—	3	—	—	—	—	—	—	—	
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scrofula	—	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	
Tabes Mesenterica .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phthisis	12	12	7	4	2	4	1	—	—	—	—	—	—	—	—	—	
Hydrocephalus . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1864.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	3	—	—	—	—	—	—	—	1	1	—	—	—
Apoplexy	12	2	—	—	—	—	—	—	—	—	—	1	—
Paralysis	17	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	1	—	—	—
Epilepsy	5	—	—	—	—	—	—	—	—	—	2	—	—
Tetanus	1	—	—	—	—	—	—	—	1	—	—	—	—
Insanity	3	—	—	—	—	—	—	—	—	—	—	—	1
Convulsions	12	2	2	2	3	2	1	—	—	—	—	—	—
Brain Disease	10	—	—	—	2	—	1	—	—	2	1	—	—
V. Pericarditis	3	—	—	—	—	—	—	—	—	1	1	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	30	—	1	—	—	—	—	—	—	—	2	—	2
VI. Laryngitis	1	—	—	—	1	—	—	—	—	—	—	—	—
Bronchitis	91	7	6	14	11	2	4	2	3	—	—	3	1
Pleurisy	4	—	—	—	—	—	—	—	—	1	1	—	—
Pneumonia	40	2	3	2	2	1	2	—	2	—	1	2	2
Asthma	14	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	3	—	—	—	—	—	1	—	—	—	—	—	1
VII. Teething	17	—	1	7	7	2	—	—	—	—	—	—	—
Quinsey	1	—	—	—	1	—	—	—	—	—	—	—	—
Gastritis	1	—	—	—	1	—	—	—	—	—	—	—	—
Enteritis	10	3	1	—	1	—	—	—	1	1	—	—	—
Peritonitis	3	—	—	—	—	—	—	—	—	—	—	—	1
Ascites	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	1	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	7	1	—	1	1	—	—	—	—	—	—	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	4	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	1	1	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	4	—	—	1	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	—	1	—	—	—	—	—	—
Nephria	2	—	—	—	—	—	—	—	—	—	—	—	1
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	1	—	—	—	—	—	—	—	1	—	—	—	—
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	1
Ovarian Dropsy	1	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	9	—	—	—	—	—	—	—	—	—	1	—	4
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	1
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	2	—	—	—	—	—	—	—	—	1	—	—	—
Joint and Bone Disease	2	—	—	—	—	—	—	—	—	2	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	2	1	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	1	1	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	1	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk	3	—	2	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	5	—	—	—	1	1	3	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	1	—	1	—	—	—	—	—	—	—	—	—	—
Drowning	2	—	—	—	—	—	—	—	—	—	1	—	—
Fracture and Contusion	2	—	—	—	—	1	—	—	—	—	—	—	—
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	1	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	36	11	6	2	1	1	3	2	1	—	—	1	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1864.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	4678	432	133	306	412	208	125	80	230	81	125	192	207
SPECIFIED CAUSES	4652	425	130	305	409	204	125	80	229	78	124	192	206
I. Zymotic Class	993	57	37	92	165	114	82	60	119	28	23	36	29
II. Diseases of Uncertain Seat	233	4	1	2	1	4	1	—	3	3	7	8	4
III. Tubercular Class	823	18	17	70	85	32	20	9	49	19	59	87	90
IV. Brain and Nervous System	414	45	11	18	21	9	6	2	12	3	7	5	7
V. Organs of Circulation	299	1	—	—	—	—	—	1	5	4	5	9	17
VI. Respiratory Organs	739	54	29	77	102	29	12	5	21	5	5	13	18
VII. Organs of Digestion	287	34	9	22	16	6	—	1	4	4	3	12	11
VIII. Urinary Organs	88	—	—	1	—	1	1	—	2	1	2	2	11
IX. Organs of Generation	45	—	—	—	—	—	—	—	—	1	—	9	5
X. Organs of Locomotion	47	—	—	—	3	1	1	—	4	3	8	6	5
XI. Skin, etc.	8	—	—	2	—	—	—	—	1	—	—	—	1
XII. Malformation	17	11	2	2	1	—	—	—	—	—	—	—	—
XIII. Premature Debility	218	186	17	15	—	—	—	—	—	—	—	—	—
XIV. Atrophy	24	—	—	—	12	4	—	—	—	—	—	—	—
XV. Age	258	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	4	2	1	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	155	13	6	4	3	4	2	2	9	7	5	5	8
I. Small Pox	14	—	1	1	4	1	—	1	1	—	—	4	1
Measles	24	—	—	6	7	6	2	—	3	—	—	—	—
Scarlatina	212	3	4	7	28	39	28	24	60	9	2	4	3
Diphtheria	68	3	1	5	13	8	7	11	12	4	—	1	—
Whooping Cough	213	18	14	45	60	29	22	12	13	—	—	—	—
Croup	87	6	1	13	33	14	10	2	8	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	65	10	8	7	13	1	—	2	—	—	—	—	2
Dysentery	17	1	—	1	—	1	—	—	1	—	—	—	1
Cholera	3	—	1	2	—	—	—	—	—	—	—	—	—
Influenza	6	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	3	1	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	—	—	1	—	—	—	—
Infantile Fever	5	—	—	—	—	1	1	—	1	—	—	—	—
Typhus	205	—	—	2	6	13	12	7	17	12	18	19	13
Metria	19	—	—	—	—	—	—	—	—	—	2	5	7
Rheumatic Fever	5	—	—	—	—	—	—	—	—	—	1	2	—
Erysipelas	22	4	—	—	1	—	—	—	2	3	—	1	—
Syphilis	22	11	7	1	—	—	—	—	—	—	—	—	2
Noma	2	—	—	—	—	1	—	1	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	8	2	—	—	1	—	1	—	—	—	—	—	—
Dropsy	33	—	—	—	—	3	—	—	—	2	2	1	—
Abscess	18	1	1	1	—	1	—	—	2	—	2	3	1
Ulcer	7	—	—	—	—	—	—	—	1	—	—	—	—
Fistula	2	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	9	1	—	—	—	—	—	—	—	—	—	1	—
Cancer	153	—	—	1	—	—	—	—	—	1	3	3	3
Gout	3	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	39	1	—	3	7	3	—	—	6	3	5	1	1
Tabes Mesenterica	100	6	10	18	24	13	7	2	14	3	2	—	—
Phthisis	536	1	1	4	9	3	3	2	17	12	52	86	88
Hydrocephalus	148	10	6	45	45	13	10	5	12	1	—	—	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1864.—BOTH SEXES.

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	153	184	199	195	199	183	249	205	204	167	120	66	13	4	1	-	
SPECIFIED CAUSES .	157	184	199	195	198	183	249	205	204	167	120	66	13	4	1	-	
Zymotic Class . .	14	26	17	13	17	8	13	10	12	11	6	3	-	1	-	-	
Uncertain Seat \ . .	6	14	20	26	24	25	32	17	15	11	4	1	-	-	-	-	
Tubercular Class . .	59	54	59	26	28	17	16	7	2	-	-	-	-	-	-	-	
Brain, etc.	11	14	11	36	26	23	34	32	33	21	19	6	2	-	-	-	
Heart, etc.	15	22	17	22	35	32	44	29	17	15	6	3	-	-	-	-	
Respiratory Organs .	18	19	25	30	36	39	57	46	45	26	15	10	3	-	-	-	
Digestive Organs . .	10	10	18	16	14	19	22	20	13	10	9	4	-	-	-	-	
Urinary Organs . . .	8	10	4	6	6	6	9	7	5	4	1	1	-	-	-	-	
Generative Organs .	2	7	9	3	2	4	1	1	-	1	-	-	-	-	-	-	
Locomotive Organs .	1	2	2	-	3	2	5	-	-	1	-	-	-	-	-	-	
Skin	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	
Malformation . . .	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Premature Debility .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Atrophy	-	-	2	4	1	1	-	-	-	-	-	-	-	-	-	-	
Age	-	-	-	-	-	-	7	24	59	63	56	37	8	3	1	-	
Sudden Deaths . .	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Violent Deaths . .	12	5	14	12	6	7	8	12	3	3	4	1	-	-	-	-	
Small Pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Whooping Cough . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea	1	1	2	1	3	1	2	2	5	2	2	-	-	-	-	-	
Dysentery	1	-	1	-	1	2	1	1	2	2	-	1	-	-	-	-	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza	-	-	1	-	-	-	2	-	-	1	-	1	-	1	-	-	
Purpura	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Infantile Fever . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	7	21	10	12	9	5	7	5	2	4	4	-	-	-	-	-	
Metria	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever . .	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas	-	1	1	-	1	-	1	2	3	2	-	-	-	-	-	-	
Syphilis	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmorrhage	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	
Dropsy	2	2	-	2	1	4	8	-	3	2	1	-	-	-	-	-	
Abscess	1	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	
Ulcer	-	2	1	-	1	-	-	2	-	-	-	-	-	-	-	-	
Fistula	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	
Mortification . . .	-	-	-	1	-	-	-	1	3	2	-	-	-	-	-	-	
Cancer	2	10	18	21	20	18	23	12	8	6	3	1	-	-	-	-	
Gout	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	
Scrofula	2	2	-	-	2	2	-	1	-	-	-	-	-	-	-	-	
Tabes Mesenterica .	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Phthisis	57	52	59	26	26	15	16	5	2	-	-	-	-	-	-	-	
Hydrocephalus . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1864.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	35	2	1	5	5	1	2	2	3	1	—	1	4
Apoplexy	77	—	1	2	4	—	1	—	2	—	—	1	—
Paralysis	119	—	—	—	—	—	—	—	—	—	—	—	2
Delirium Tremens	5	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy	15	—	—	—	—	—	—	—	—	1	—	2	1
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	5	—	—	—	—	—	—	—	—	—	1	—	—
Convulsions	72	41	8	6	8	6	2	—	1	—	—	—	—
Brain Disease	85	2	1	5	4	2	1	—	6	1	5	1	—
V. Pericarditis	5	—	—	—	—	—	—	—	—	1	—	—	1
Aneurism	21	—	—	—	—	—	—	—	—	—	1	—	2
Heart Disease	273	1	—	—	—	—	—	1	5	3	4	9	14
VI. Laryngitis	14	1	—	5	2	1	—	1	—	—	—	—	1
Bronchitis	488	39	22	60	76	21	10	2	11	1	1	5	8
Pleurisy	19	1	—	—	1	—	—	—	—	1	3	2	2
Pneumonia	133	8	5	10	21	7	1	2	9	2	1	4	4
Asthma	36	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease	49	5	2	2	2	—	1	—	1	1	—	2	2
VII. Teething	23	—	1	13	7	2	—	—	—	—	—	—	—
Quinsey	1	—	—	—	1	—	—	—	—	—	—	—	—
Gastritis	8	—	—	—	—	—	—	—	—	—	—	1	3
Enteritis	43	14	5	4	3	2	—	—	1	—	—	—	—
Peritonitis	23	2	—	1	—	—	—	—	—	1	1	4	1
Ascites	3	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	19	—	1	—	1	—	—	—	—	3	—	—	1
Hernia	12	—	—	—	—	—	—	—	—	—	—	2	—
Ileus	18	4	2	—	1	—	—	—	1	—	—	—	1
Intussusception	3	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Intestines	5	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	47	5	—	3	3	—	—	—	—	—	—	1	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	5	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	21	9	—	—	—	—	—	—	1	—	—	—	2
Liver Disease	54	—	—	1	—	1	—	1	—	—	2	3	2
Spleen Disease	2	—	—	—	—	1	—	—	1	—	—	—	—
VIII. Nephritis	5	—	—	—	—	—	1	—	1	—	1	—	1
Nephria	26	—	—	1	—	—	—	—	—	—	—	2	5
Ischuria	7	—	—	—	—	1	—	—	—	—	—	—	—
Diabetes	8	—	—	—	—	—	—	—	—	1	1	—	1
Stone	4	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	6	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	31	—	—	—	—	—	—	—	1	—	—	—	4
IX. Paramenia	1	—	—	—	—	—	—	—	—	1	—	—	—
Ovarian Dropsy	23	—	—	—	—	—	—	—	—	—	—	5	1
Childbirth	18	—	—	—	—	—	—	—	—	—	—	4	3
Organs of Generation	3	—	—	—	—	—	—	—	—	—	—	—	1
X. Arthritis	2	—	—	—	—	—	—	—	—	—	—	1	—
Rheumatism	5	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	40	—	—	—	3	1	1	—	4	3	8	5	5
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	4	—	—	—	—	—	—	—	—	—	—	—	1
Skin Disease	3	—	—	2	—	—	—	—	1	—	—	—	—
XII. Cyanosis	5	4	1	—	—	—	—	—	—	—	—	—	—
Spina Bifida	4	2	1	—	1	—	—	—	—	—	—	—	—
Other Malformations	8	5	—	2	—	—	—	—	—	—	—	—	—
XVII. Intemperance	9	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	9	5	1	3	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	25	—	—	1	2	2	1	1	3	4	—	—	2
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	14	6	5	—	—	—	—	—	—	—	—	—	1
Drowning	2	—	—	—	1	—	—	—	1	—	—	—	—
Fracture and Contusion	71	—	—	—	—	1	1	1	4	3	5	5	3
Wounds	9	—	—	—	—	—	—	—	—	—	—	—	2
Other Violent Causes	13	2	—	—	—	1	—	—	1	—	—	—	—
Not Specified	26	7	3	1	3	4	—	—	1	3	1	—	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1864.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	1	3	1	1	—	—	1	—	1	—	—	—	—	—	—	—	
Apoplexy	1	3	2	10	9	6	12	8	8	1	3	2	1	—	—	—	
Paralysis	3	4	4	11	9	6	15	18	13	15	14	4	1	—	—	—	
Delirium Tremens	—	1	1	2	—	—	1	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	2	—	—	1	1	2	1	2	—	2	—	—	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	—	—	1	—	1	—	—	1	—	1	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	4	3	3	10	7	8	4	4	10	3	1	—	—	—	—	—	
Pericarditis	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	
Aneurism	—	3	5	4	3	1	2	—	—	—	—	—	—	—	—	—	
Heart Disease	15	19	11	18	32	31	40	29	17	15	6	3	—	—	—	—	
Laryngitis	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	9	11	13	13	16	23	42	31	32	18	14	8	2	—	—	—	
Pleurisy	1	2	—	—	4	—	—	1	—	1	—	—	—	—	—	—	
Pneumonia	4	4	7	9	5	6	5	8	7	1	1	1	1	—	—	—	
Asthma	2	2	—	2	3	8	8	2	5	3	—	—	—	—	—	—	
Lung Disease	1	—	4	6	7	2	2	4	1	3	—	1	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	—	1	1	—	1	1	—	—	—	—	—	—	—	—	—	—	
Enteritis	—	1	—	2	2	1	4	—	1	1	2	—	—	—	—	—	
Peritonitis	2	1	4	1	1	—	1	1	—	1	1	—	—	—	—	—	
Ascites	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	1	—	2	2	—	1	3	1	1	1	1	—	—	—	—	—	
Hernia	—	1	—	—	3	2	1	1	1	1	—	—	—	—	—	—	
Ileus	1	—	1	—	1	1	1	1	2	—	1	—	—	—	—	—	
Intussusception	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	
Stricture of Intestines	1	—	—	—	—	1	—	1	2	—	—	—	—	—	—	—	
Stomach Disease	2	1	3	3	2	3	6	3	3	5	1	2	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	—	1	—	—	—	—	—	2	2	—	—	—	—	—	—	—	
Jaundice	1	1	2	—	—	—	—	4	—	—	1	—	—	—	—	—	
Liver Disease	2	2	5	8	4	9	5	5	1	1	1	1	—	—	—	—	
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Nephria	2	4	1	3	—	1	2	2	2	1	—	—	—	—	—	—	
Ischuria	—	—	1	—	—	—	—	1	—	3	—	—	—	—	—	—	
Diabetes	1	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	
Stone	1	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	
Cystitis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Stricture of Urethra	—	1	1	—	3	1	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	4	3	1	3	2	2	4	3	2	—	1	1	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	1	5	3	2	4	—	1	—	1	—	—	—	—	—	—	
Childbirth	2	5	4	—	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Arthritis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Rheumatism	—	—	—	—	1	1	3	—	—	—	—	—	—	—	—	—	
Joint Disease	1	2	2	—	2	1	2	—	—	—	—	—	—	—	—	—	
Carbuncle	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	2	1	1	2	1	—	2	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Poison	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	3	1	1	1	—	2	1	—	—	—	—	—	—	—	
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	
Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Fracture and Contusion	7	1	8	6	3	3	4	7	1	3	4	1	—	—	—	—	
Wounds	1	3	—	—	—	2	—	—	1	—	—	—	—	—	—	—	
Other Violent Causes	1	—	2	1	—	—	2	3	—	—	—	—	—	—	—	—	
Not Specified	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1864.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2327	222	78	177	217	104	65	40	135	37	65	105	92
SPECIFIED CAUSES	2316	219	77	177	216	100	65	40	134	37	65	105	92
I. Zymotic Class	480	22	22	52	78	53	44	30	63	12	11	17	10
II. Diseases of Uncertain Seat	90	1	1	1	1	3	1	—	1	2	4	1	1
III. Tubercular Class	438	9	11	38	48	17	9	4	29	8	28	53	42
IV. Brain and Nervous System	232	26	7	11	13	5	3	1	11	1	4	4	6
V. Organs of Circulation	154	—	—	—	—	—	—	1	3	1	3	6	8
VI. Respiratory Organs	374	31	17	48	58	15	6	1	14	3	3	9	10
VII. Organs of Digestion	149	19	5	14	9	2	—	1	2	4	2	6	5
VIII. Urinary Organs	56	—	—	—	—	1	—	—	1	1	1	1	1
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	27	—	—	—	1	—	1	—	3	1	5	3	4
XI. Skin, etc.	3	—	—	1	—	—	—	—	1	—	—	—	—
XII. Malformation	8	6	—	2	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	119	100	10	9	—	—	—	—	—	—	—	—	—
XIV. Atrophy	14	—	—	—	7	4	—	—	—	—	—	—	—
XV. Age	73	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	3	2	1	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	96	3	3	1	1	—	1	2	6	4	4	5	5
I. Small Pox	9	—	—	1	1	1	—	1	1	—	—	3	1
Measles	16	—	—	4	4	4	1	—	3	—	—	—	—
Scarlatina	121	2	4	4	18	20	17	10	38	3	2	2	1
Diphtheria	33	1	—	3	8	3	3	6	5	2	—	1	—
Hooping Cough	92	6	10	18	22	13	11	8	4	—	—	—	—
Croup	37	3	1	10	14	4	4	—	1	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	33	5	3	6	7	—	—	1	—	—	—	—	2
Dysentery	8	1	—	1	—	1	—	—	1	—	—	—	—
Cholera	2	—	1	1	—	—	—	—	—	—	—	—	—
Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	1	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	—	—	1	—	—	—	—
Infantile Fever	3	—	—	1	—	1	—	—	1	—	—	—	—
Typhus	104	—	—	2	4	6	8	3	7	5	9	9	6
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	3	—	—	—	—	—	—	—	—	—	—	2	—
Erysipelas	10	2	—	—	—	—	—	—	1	2	—	—	—
Syphilis	5	1	3	1	—	—	—	—	—	—	—	—	—
Noma	1	—	—	—	—	—	—	1	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	5	—	—	—	1	—	1	—	—	—	—	—	—
Dropsy	11	—	—	—	—	3	—	—	—	1	1	—	—
Abscess	9	1	1	—	—	—	—	—	1	—	2	—	1
Ulcer	3	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	2	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	6	—	—	—	—	—	—	—	—	—	—	1	—
Cancer	51	—	—	1	—	—	—	—	—	1	1	—	—
Gout	3	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	22	—	—	1	4	2	—	—	4	3	2	1	—
Tabes Mesenterica	60	4	8	10	11	6	5	1	12	2	1	—	—
Phthisis	273	—	1	2	4	1	—	1	6	3	25	52	41
Hydrocephalus	83	5	2	25	29	8	4	2	7	—	—	—	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1864.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	25	1	1	4	3	1	1	1	3	—	—	1	4
Apoplexy	42	—	1	1	1	—	—	—	2	—	—	—	—
Paralysis	60	—	—	—	—	—	—	—	—	—	—	—	2
Delirium Tremens	4	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy	8	—	—	—	—	—	—	—	—	—	—	2	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	2	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	43	23	5	4	6	3	1	—	1	—	—	—	—
Brain Disease	47	2	—	2	3	1	1	—	5	1	3	1	—
V. Pericarditis	3	—	—	—	—	—	—	—	—	—	—	—	1
Aneurism	11	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	140	—	—	—	—	—	—	1	3	1	3	6	7
VI. Laryngitis	5	1	—	1	—	—	—	—	—	—	—	—	—
Bronchitis	233	22	11	37	42	9	5	—	7	1	1	3	5
Pleurisy	14	1	—	—	1	—	—	—	—	1	1	2	2
Pneumonia	83	6	4	8	13	6	1	1	7	—	1	3	1
Asthma	16	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	23	1	2	2	2	—	—	—	—	1	—	1	2
VII. Teething	12	—	1	7	3	1	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	6	—	—	—	—	—	—	—	—	—	—	1	2
Enteritis	22	4	3	4	2	1	—	—	1	—	—	—	—
Peritonitis	8	2	—	1	—	—	—	—	—	1	—	1	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	9	—	1	—	1	—	—	—	—	3	—	—	—
Hernia	4	—	—	—	—	—	—	—	—	—	—	1	—
Ileus	11	2	—	—	1	—	—	—	1	—	—	—	1
Intussusception	1	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	25	4	—	2	2	—	—	—	—	—	—	1	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	12	7	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	35	—	—	—	—	—	—	1	—	—	2	1	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	3	—	—	—	—	—	—	—	1	—	1	—	—
Nephria	13	—	—	—	—	—	—	—	—	—	—	1	—
Ischuria	7	—	—	—	—	1	—	—	—	—	—	—	—
Diabetes	4	—	—	—	—	—	—	—	—	1	—	—	—
Stone	3	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	6	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	19	—	—	—	—	—	—	—	—	—	—	—	1
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	25	—	—	—	1	—	1	—	3	1	5	3	4
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	2	—	—	1	—	—	—	—	1	—	—	—	—
XII. Cyanosis	1	1	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	2	2	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	5	3	—	2	—	—	—	—	—	—	—	—	—
XVII. Intemperance	6	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	—	—	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	9	—	—	—	1	—	1	1	1	2	—	—	1
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	5	1	3	—	—	—	—	—	—	—	—	—	—
Drowning	1	—	—	—	—	—	—	—	1	—	—	—	—
Fracture and Contusion	53	—	—	—	—	—	—	1	4	2	4	5	3
Wounds	8	—	—	—	—	—	—	—	—	—	—	—	1
Other Violent Causes	10	2	—	—	—	—	—	—	—	—	—	—	—
Not Specified	11	3	1	—	1	4	—	—	1	—	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1864.—MALES. (*Continued.*)

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	—	2	1	1	—	—	1	—	—	—	—	—	—	—	—	—	
Apoplexy	1	1	2	3	4	2	9	6	7	1	1	—	—	—	—	—	
Paralysis	3	3	3	4	5	4	7	10	7	8	2	2	—	—	—	—	
Delirium Tremens	—	1	—	2	—	—	1	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	2	—	—	—	1	1	—	1	—	1	—	—	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	3	1	1	7	2	4	1	2	5	1	1	—	—	—	—	—	
Pericarditis	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
Aneurism	—	2	2	3	3	1	—	—	—	—	—	—	—	—	—	—	
Heart Disease	6	10	8	10	13	16	22	17	6	7	2	2	—	—	—	—	
Laryngitis	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	7	5	8	4	6	10	15	11	14	4	4	1	1	—	—	—	
Pleurisy	1	1	—	—	3	—	—	—	—	1	—	—	—	—	—	—	
Pneumonia	3	3	5	6	3	4	2	4	2	—	—	—	—	—	—	—	
Asthma	1	—	—	2	2	5	2	2	2	—	—	—	—	—	—	—	
Lung Disease	1	—	1	2	2	1	1	3	1	—	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
Enteritis	—	—	—	1	1	1	2	—	1	—	1	—	—	—	—	—	
Peritonitis	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	—	—	—	2	—	1	1	—	—	—	—	—	—	—	—	—	
Hernia	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
Ileus	1	—	1	—	1	—	1	—	2	—	—	—	—	—	—	—	
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	1	—	1	2	2	1	2	1	1	2	1	1	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
Jaundice	1	1	1	—	—	—	—	1	—	—	1	—	—	—	—	—	
Liver Disease	2	1	4	5	4	6	5	3	—	—	—	—	—	—	—	—	
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Nephria	2	3	—	2	—	—	2	1	2	—	—	—	—	—	—	—	
Ischuria	—	—	1	—	—	1	—	1	—	3	—	—	—	—	—	—	
Diabetes	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	
Stone	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	
Cystitis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Stricture of Urethra	—	1	1	—	3	1	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	3	2	—	2	1	2	4	2	—	—	1	1	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Arthritis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Rheumatism	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Joint Disease	1	2	—	—	2	1	1	—	—	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	2	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Poison	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Fracture and Contusion	6	1	8	5	3	2	4	2	—	1	1	1	—	—	—	—	
Wounds	1	3	—	—	—	2	—	1	—	—	—	—	—	—	—	—	
Other Violent Causes	1	—	1	1	—	—	2	3	—	—	—	—	—	—	—	—	
Not Specified	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1864.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2351	210	55	129	195	104	60	40	95	44	60	87	115
SPECIFIED CAUSES	2336	206	53	128	193	104	60	40	95	41	59	87	114
I. Zymotic Class	513	35	15	40	87	61	38	30	56	16	12	19	19
II. Diseases of Uncertain Seat	143	3	—	1	—	1	—	—	2	1	3	7	3
III. Tubercular Class	385	9	6	32	37	15	11	5	20	11	31	34	48
IV. Brain and Nervous System	182	19	4	7	8	4	3	1	1	2	3	1	1
V. Organs of Circulation	145	1	—	—	—	—	—	—	2	3	2	3	9
VI. Respiratory Organs	365	23	12	29	44	14	6	4	7	2	2	4	8
VII. Organs of Digestion	138	15	4	8	7	4	—	—	2	—	1	6	6
VIII. Urinary Organs	32	—	—	1	—	—	1	—	1	—	1	1	10
IX. Organs of Generation	45	—	—	—	—	—	—	—	—	1	—	9	5
X. Organs of Locomotion	20	—	—	—	2	1	—	—	1	2	3	3	1
XI. Skin, etc.	5	—	—	1	—	—	—	—	—	—	—	—	1
XII. Malformation	9	5	2	—	1	—	—	—	—	—	—	—	—
XIII. Premature Debility	99	86	7	6	—	—	—	—	—	—	—	—	—
XIV. Atrophy	10	—	—	—	5	—	—	—	—	—	—	—	—
XV. Age	185	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	59	10	3	3	2	4	1	—	3	3	1	—	3
I. Small Pox	5	—	1	—	3	—	—	—	—	—	—	1	—
Measles	8	—	—	2	3	2	1	—	—	—	—	—	—
Scarlatina	91	1	—	3	10	19	11	14	22	6	—	2	2
Diphtheria	35	2	1	2	5	5	4	5	7	2	—	—	—
Hooping Cough	121	12	4	27	38	16	11	4	9	—	—	—	—
Croup	50	3	—	3	19	10	6	2	7	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	32	5	5	1	6	1	—	1	—	—	—	—	—
Dysentery	9	—	—	—	—	—	—	—	—	—	—	—	1
Cholera	1	—	—	1	—	—	—	—	—	—	—	—	—
Influenza	5	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	2	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	2	—	—	1	—	—	1	—	—	—	—	—	—
Typhus	101	—	—	—	2	7	4	4	10	7	9	10	7
Metria	19	—	—	—	—	—	—	—	—	—	2	5	7
Rheumatic Fever	2	—	—	—	—	—	—	—	—	—	1	—	—
Erysipelas	12	2	—	—	1	—	—	—	1	1	—	1	—
Syphilis	17	10	4	—	—	—	—	—	—	—	—	—	2
Noma	1	—	—	—	—	1	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	3	2	—	—	—	—	—	—	—	—	—	—	—
Dropsy	22	—	—	—	—	—	—	—	—	1	1	1	—
Abscess	9	—	—	1	—	1	—	—	1	—	—	3	—
Ulcer	4	—	—	—	—	—	—	—	1	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	3	1	—	—	—	—	—	—	—	—	—	—	—
Cancer	102	—	—	—	—	—	—	—	—	—	2	3	3
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	17	1	—	2	3	1	—	—	2	—	3	—	1
Tabes Mesenterica	40	2	2	8	13	7	2	1	2	1	1	—	—
Phthisis	263	1	—	2	5	2	3	1	11	9	27	34	47
Hydrocephalus	65	5	4	20	16	5	6	3	5	1	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1864.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	10	1	—	1	2	—	1	1	—	1	—	—	—
Apoplexy	35	—	—	1	3	—	1	—	—	—	—	1	—
Paralysis	59	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	7	—	—	—	—	—	—	—	—	1	—	—	1
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	3	—	—	—	—	—	—	—	—	—	1	—	—
Convulsions	29	18	3	2	2	3	1	—	—	—	—	—	—
Brain Disease	38	—	1	3	1	1	—	—	1	—	2	—	—
V. Pericarditis	2	—	—	—	—	—	—	—	—	1	—	—	—
Aneurism	10	—	—	—	—	—	—	—	—	—	1	—	2
Heart Disease	133	1	—	—	—	—	—	—	2	2	1	3	7
VI. Laryngitis	9	—	—	4	2	1	—	1	—	—	—	—	1
Bronchitis	255	17	11	23	34	12	5	2	4	—	—	2	3
Pleurisy	5	—	—	—	—	—	—	—	—	—	2	—	—
Pneumonia	50	2	1	2	8	1	—	1	2	2	—	1	3
Asthma	20	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease	26	4	—	—	—	—	1	—	1	—	—	1	—
VII. Teething	11	—	—	6	4	1	—	—	—	—	—	—	—
Quinsey	1	—	—	—	1	—	—	—	—	—	—	—	—
Gastritis	2	—	—	—	—	—	—	—	—	—	—	—	1
Enteritis	21	10	2	—	1	1	—	—	—	—	—	—	—
Peritonitis	15	—	—	—	—	—	—	—	—	—	1	3	1
Ascites	3	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	10	—	—	—	—	—	—	—	—	—	—	—	1
Hernia	8	—	—	—	—	—	—	—	—	—	—	1	—
Ileus	7	2	2	—	—	—	—	—	—	—	—	—	—
Intussusception	2	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	3	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	22	1	—	1	1	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	3	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	9	2	—	—	—	—	—	—	1	—	—	—	2
Liver Disease	19	—	—	1	—	1	—	—	—	—	—	2	1
Spleen Disease	2	—	—	—	—	1	—	—	1	—	—	—	—
VIII. Nephritis	2	—	—	—	—	—	1	—	—	—	—	—	1
Nephria	13	—	—	1	—	—	—	—	—	—	—	1	5
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	4	—	—	—	—	—	—	—	—	—	1	—	1
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	12	—	—	—	—	—	—	—	1	—	—	—	3
IX. Paramenia	1	—	—	—	—	—	—	—	—	1	—	—	—
Ovarian Dropsy	23	—	—	—	—	—	—	—	—	—	—	5	1
Childbirth	18	—	—	—	—	—	—	—	—	—	—	4	3
Organs of Generation	3	—	—	—	—	—	—	—	—	—	—	—	1
X. Arthritis	1	—	—	—	—	—	—	—	—	—	—	1	—
Rheumatism	4	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	15	—	—	—	2	1	—	—	1	2	3	2	1
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	3	—	—	—	—	—	—	—	—	—	—	—	1
Skin Disease	1	—	—	1	—	—	—	—	—	—	—	—	—
XII. Cyanosis	4	3	1	—	—	—	—	—	—	—	—	—	—
Spina Bifida	2	—	1	—	1	—	—	—	—	—	—	—	—
Other Malformations	3	2	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	3	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	8	5	1	2	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	16	—	—	1	1	2	—	—	2	2	—	—	1
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	9	5	2	—	—	—	—	—	—	—	—	—	1
Drowning	1	—	—	—	1	—	—	—	—	—	—	—	—
Fracture and Contusion	18	—	—	—	—	1	1	—	—	1	1	—	—
Wounds	1	—	—	—	—	—	—	—	—	—	—	—	1
Other Violent Causes	3	—	—	—	—	1	—	—	1	—	—	—	—
Not Specified	15	4	2	1	2	—	—	—	—	3	1	—	—

CAUSES OF DEATH in DUNDEE, at different Periods of Life, in 1864.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	3105	362	122	263	318	176	122	82	183	80	85	120	101
SPECIFIED CAUSES	3035	341	114	255	311	175	121	80	174	80	85	119	99
I. Zymotic Class	950	31	50	111	165	111	86	55	116	30	12	26	18
II. Diseases of Uncertain Seat	98	4	1	—	—	3	2	4	6	3	—	2	3
III. Tubercular Class	505	9	17	28	46	20	16	11	20	20	44	52	38
IV. Brain and Nervous System	195	43	9	10	3	2	1	2	5	6	5	5	5
V. Organs of Circulation	145	2	—	—	—	—	—	—	3	4	4	10	11
VI. Respiratory Organs	438	42	21	70	48	27	8	5	12	3	3	4	9
VII. Organs of Digestion	192	18	5	26	40	6	5	1	7	3	6	6	1
VIII. Urinary Organs	28	—	—	—	—	—	2	—	—	—	1	2	4
IX. Organs of Generation	25	—	—	—	—	—	—	—	—	—	1	2	6
X. Organs of Locomotion	10	—	—	—	—	—	—	—	—	5	2	1	—
XI. Skin, etc.	7	1	1	3	—	—	—	—	—	—	—	—	—
XII. Malformation	10	10	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	179	165	9	5	—	—	—	—	—	—	—	—	—
XIV. Atrophy	21	—	—	—	6	2	—	1	1	—	—	—	—
XV. Age	148	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	6	2	1	1	—	—	—	—	—	—	—	1	—
XVII. Violent Deaths	78	14	—	1	3	4	1	1	4	6	7	8	4
I. Small Pox	145	2	8	15	29	17	19	10	19	5	2	8	3
Measles	21	—	—	7	7	6	—	—	—	1	—	—	—
Scarlatina	227	2	8	20	33	42	31	26	50	8	3	3	—
Diphtheria	45	—	—	5	11	7	7	4	8	3	—	—	—
Hooping Cough	144	5	12	35	49	14	16	7	6	—	—	—	—
Croup	70	3	4	8	23	14	9	1	6	2	—	—	—
Thrush	3	2	1	—	—	—	—	—	—	—	—	—	—
Diarrhoea	57	8	9	7	7	4	—	—	3	—	—	1	—
Dysentery	23	2	1	2	2	1	1	2	—	1	—	—	—
Cholera	8	1	—	1	2	1	—	—	1	—	—	—	—
Influenza	8	—	—	—	—	—	—	—	1	—	—	—	—
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	6	—	2	2	1	1	—	—	—	—	—	—	—
Typhus	152	—	1	4	1	4	3	5	21	10	6	10	10
Metria	9	—	—	—	—	—	—	—	—	—	1	2	3
Rheumatic Fever	6	—	—	—	—	—	—	—	—	—	—	1	1
Erysipelas	13	3	—	1	—	—	—	—	1	—	—	—	—
Syphilis	12	3	4	4	—	—	—	—	—	—	—	1	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Haemorrhage	7	1	—	—	—	—	—	—	—	—	—	—	1
Dropsy	38	1	—	—	—	2	2	3	6	3	—	2	—
Abscess	3	—	—	—	—	1	—	—	—	—	—	—	1
Ulcer	3	1	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	8	1	1	—	—	—	—	1	—	—	—	—	—
Cancer	39	—	—	—	—	—	—	—	—	—	—	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III Scrofula	20	—	2	—	3	—	—	3	3	1	3	—	—
Tabes Mesenterica	25	3	3	3	5	2	4	—	2	2	—	1	—
Phthisis	373	1	2	6	11	10	5	6	8	17	41	51	38
Hydrocephalus	87	5	10	19	27	8	7	2	7	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1864.—BOTH SEXES.

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	100	107	112	106	105	96	132	103	75	66	56	18	8	3	—	4	
SPECIFIED CAUSES . . .	100	107	111	104	105	95	129	103	75	66	56	18	8	3	—	1	
Zymotic Class . . .	12	21	23	12	19	12	15	9	3	7	6	—	—	—	—	—	
Uncertain Seat . . .	3	6	7	7	11	4	12	10	5	3	2	—	—	—	—	—	
Tubercular Class . . .	49	38	30	29	17	8	12	1	—	—	—	—	—	—	—	—	
Brain, etc.	2	6	9	9	7	16	11	16	10	7	4	2	—	—	—	—	
Heart, etc.	7	10	6	10	17	15	18	17	4	4	2	1	—	—	—	—	
Respiratory Organs . . .	14	11	15	17	28	22	30	21	11	11	5	—	—	1	—	—	
Digestive Organs . . .	1	5	7	12	1	8	9	10	8	3	4	—	—	—	—	—	
Urinary Organs . . .	3	2	2	2	1	2	1	2	3	—	—	1	—	—	—	—	
Generative Organs . . .	6	3	3	1	—	1	2	—	—	—	—	—	—	—	—	—	
Locomotive Organs . . .	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	
Malformation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	1	1	1	4	1	3	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	17	15	30	29	33	14	8	2	—	—	
Sudden Deaths . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Violent Deaths . . .	1	3	8	1	2	4	1	2	1	1	—	—	—	—	—	1	
Small Pox	2	2	3	—	—	1	—	—	—	—	—	—	—	—	—	—	
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Whooping Cough . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhœa	—	1	1	—	4	1	1	3	—	3	4	—	—	—	—	—	
Dysentery	—	1	3	2	2	—	—	1	1	1	—	—	—	—	—	—	
Cholera	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	
Influenza	—	—	—	1	—	1	1	2	1	1	—	—	—	—	—	—	
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Infantile Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	5	14	15	7	12	8	10	2	1	1	2	—	—	—	—	—	
Metria	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever . . .	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
Erysipelas	2	1	1	—	—	—	2	1	—	1	—	—	—	—	—	—	
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	—	1	2	—	1	—	—	1	—	—	—	—	—	—	—	—	
Dropsy	—	1	2	1	2	2	4	1	2	2	2	—	—	—	—	—	
Abscess	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Ulcer	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification	1	—	—	—	1	—	—	2	1	—	—	—	—	—	—	—	
Cancer	2	4	3	5	6	2	8	5	2	1	—	—	—	—	—	—	
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scrofula	1	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	
Tabes Mesenterica . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phthisis	47	37	28	28	16	8	12	1	—	—	—	—	—	—	—	—	
Hydrocephalus	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1864.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	15	—	1	2	—	2	—	1	1	—	1	1	2
Apoplexy	41	—	—	—	—	—	—	—	—	—	2	—	1
Paralysis	44	—	—	—	—	—	—	—	—	1	—	—	—
Delirium Tremens	2	—	—	—	—	—	—	—	—	—	—	1	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	4	—	—	—	—	—	—	—	—	2	—	—	1
Tetanus	1	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	65	43	8	7	3	—	1	1	2	—	—	—	—
Brain Disease	22	—	—	1	—	—	—	—	2	3	2	3	1
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	144	2	—	—	—	—	—	—	3	4	4	10	11
VI. Laryngitis	3	—	—	1	—	—	1	—	—	—	—	—	—
Bronchitis	290	30	14	54	41	21	6	4	8	—	—	1	3
Pleurisy	3	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	95	10	7	14	7	6	1	—	3	3	2	2	5
Asthma	35	—	—	—	—	—	—	1	—	—	—	—	1
Lung Disease	12	2	—	1	—	—	—	—	1	—	1	1	—
VII. Teething	56	—	—	23	31	2	—	—	—	—	—	—	—
Quinsey	3	—	—	—	—	—	2	—	1	—	—	—	—
Gastritis	10	—	—	—	1	—	—	—	1	1	—	1	—
Enteritis	18	6	1	1	—	1	—	—	—	—	—	1	—
Peritonitis	10	1	—	—	—	—	—	—	2	—	2	1	—
Ascites	10	—	—	—	2	—	2	1	2	1	—	—	—
Ulceration of Intestines	5	—	—	—	1	—	—	—	—	1	—	1	—
Hernia	4	—	1	—	—	—	—	—	—	—	—	—	—
Ileus	11	—	—	—	—	—	—	—	—	—	—	1	—
Intussusception	3	—	1	—	1	—	—	—	—	—	—	—	—
Stricture of Intestines	1	1	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	23	5	1	2	3	1	—	—	1	—	2	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	14	5	—	—	1	2	—	—	—	—	—	—	—
Liver Disease	22	—	1	—	—	—	1	—	—	—	2	—	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	2	—	—	—	—	—	1	—	—	—	—	—	—
Nephria	7	—	—	—	—	—	—	—	—	—	—	1	2
Ischuria	3	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	3	—	—	—	—	—	—	—	—	—	1	1	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	1
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	12	—	—	—	—	—	1	—	—	—	—	—	1
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	1	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	17	—	—	—	—	—	—	—	—	—	1	2	6
Organs of Generation	6	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	2	—	—	—	—	—	—	—	—	1	1	—	—
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	8	—	—	—	—	—	—	—	—	4	1	1	—
XI. Carbuncle	4	1	1	1	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	2	—	—	2	—	—	—	—	—	—	—	—	—
XII. Cyanosis	3	3	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	2	2	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	5	5	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	—	—	1	—	—	—	—	—	—	—	—	—
Neglect	1	1	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	2	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	6	—	—	—	2	2	1	1	—	—	—	—	—
Hanging, etc.	2	—	—	—	—	—	—	—	—	—	—	—	1
Suffocation	8	8	—	—	—	—	—	—	—	—	—	—	—
Drowning	14	—	—	—	1	—	—	—	1	2	2	3	—
Fracture and Contusion	31	—	—	—	—	2	—	—	3	3	3	4	1
Wounds	4	—	—	—	—	—	—	—	—	1	2	1	—
Other Violent Causes	8	5	—	—	—	—	—	—	—	—	—	—	1
Not Specified	70	21	8	8	7	1	1	2	9	—	—	1	2

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1864.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1539	213	66	144	177	74	58	39	97	42	37	50	46
SPECIFIED CAUSES	1500	200	62	141	173	73	57	38	94	42	37	50	45
I. Zymotic Class	472	15	28	55	93	41	36	27	64	15	6	11	12
II. Diseases of Uncertain Seat	35	—	1	—	—	—	2	1	1	1	—	—	1
III. Tubercular Class	233	4	9	17	28	7	8	6	12	9	17	23	17
IV. Brain and Nervous System	108	29	5	6	3	1	—	1	4	3	1	2	3
V. Organs of Circulation	68	—	—	—	—	—	—	—	1	2	2	4	3
VI. Respiratory Organs	225	27	12	43	25	15	5	1	3	1	—	2	3
VII. Organs of Digestion	102	10	3	15	20	4	4	1	5	2	5	—	1
VIII. Urinary Organs	15	—	—	—	—	—	1	—	—	—	—	—	1
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	5	—	—	—	—	—	—	—	—	3	1	—	—
XI. Skin, etc.	2	1	—	1	—	—	—	—	—	—	—	—	—
XII. Malformation	6	6	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	110	102	4	4	—	—	—	—	—	—	—	—	—
XIV. Atrophy	9	—	—	—	2	1	—	—	1	—	—	—	—
XV. Age	49	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	4	2	—	—	—	—	—	—	—	—	—	1	—
XVII. Violent Deaths	57	4	—	—	2	4	1	1	3	6	5	7	4
I. Small Pox	81	1	5	10	18	7	8	3	11	2	1	6	3
Measles	13	—	—	5	5	2	—	—	—	1	—	—	—
Scarlatina	117	2	6	11	21	12	13	15	30	2	3	1	—
Diphtheria	18	—	—	—	7	2	2	—	5	2	—	—	—
Whooping Cough	56	2	4	13	23	4	4	4	2	—	—	—	—
Croup	36	2	2	1	13	7	7	1	3	—	—	—	—
Thrush	2	1	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa	30	3	5	5	2	3	2	—	3	—	—	1	—
Dysentery	10	1	—	1	1	—	—	1	—	1	—	—	—
Cholera	6	—	—	1	2	1	—	—	—	—	—	—	—
Influenza	3	—	—	—	—	—	—	—	—	—	—	—	1
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	3	—	1	1	1	—	—	—	—	—	—	—	—
Typhus	76	—	1	3	—	3	2	3	9	7	2	2	7
Metria	3	—	—	—	—	—	—	—	—	—	—	—	1
Rheumatic Fever	3	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	8	1	—	1	—	—	—	—	1	—	—	—	—
Syphilis	9	2	3	3	—	—	—	—	—	—	—	1	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	12	—	—	—	—	—	2	—	1	1	—	—	1
Abscess	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	5	—	1	—	—	—	—	1	—	—	—	—	—
Cancer	13	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	11	—	1	—	1	—	—	1	2	1	1	—	—
Tabes Mesenterica	11	—	2	1	4	—	1	—	1	2	—	—	—
Phthisis	155	—	1	3	5	5	1	4	4	6	16	23	17
Hydrocephalus	56	4	5	13	18	2	6	1	5	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1864.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	8	—	—	1	—	1	—	1	1	—	—	—	1
Apoplexy	22	—	—	—	—	—	—	—	—	—	1	—	—
Paralysis	18	—	—	—	—	—	—	—	—	—	—	—	1
Delirium Tremens	2	—	—	—	—	—	—	—	—	—	—	1	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	2	—	—	—	—	—	—	—	—	1	—	—	1
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	43	29	5	5	3	—	—	—	1	—	—	—	—
Brain Disease	13	—	—	—	—	—	—	—	2	2	—	1	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	68	—	—	—	—	—	—	—	1	2	2	4	3
Laryngitis	3	—	—	1	—	—	1	—	—	—	—	—	—
Bronchitis	148	19	8	31	20	11	4	—	3	—	—	1	1
Pleurisy	2	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	56	7	4	10	5	4	—	—	—	1	—	1	2
Asthma	11	—	—	—	—	—	—	1	—	—	—	—	—
Lung Disease	5	1	—	1	—	—	—	—	—	—	—	—	—
VII. Teething	33	—	—	14	17	2	—	—	—	—	—	—	—
Quinsey	3	—	—	—	—	—	2	—	1	—	—	—	—
Gastritis	3	—	—	—	—	—	—	—	1	1	—	—	—
Enteritis	8	3	1	—	—	1	—	—	—	—	—	—	—
Peritonitis	6	1	—	—	—	—	—	—	—	—	2	—	—
Ascites	7	—	—	—	—	—	2	1	2	1	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	2	—	1	—	—	—	—	—	—	—	—	—	—
Ileus	6	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	1	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	13	3	1	1	2	—	—	—	1	—	2	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	5	2	—	—	1	1	—	—	—	—	—	—	—
Liver Disease	12	—	—	—	—	—	—	—	—	—	1	—	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	—	1	—	—	—	—	—	—
Nephria	3	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	2	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	1
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	7	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	2	—	—	—	—	—	—	—	—	1	1	—	—
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	3	—	—	—	—	—	—	—	—	2	—	—	—
XI. Carbuncle	1	1	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	1	—	—	—	—	—	—	—	—	—
XII. Cyanosis	1	1	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	1	1	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	4	4	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	1	1	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	5	—	—	—	1	2	1	1	—	—	—	—	—
Hanging, etc.	2	—	—	—	—	—	—	—	—	—	—	—	1
Suffocation	2	2	—	—	—	—	—	—	—	—	—	—	—
Drowning	13	—	—	—	1	—	—	—	1	2	2	2	—
Fracture and Contusion	26	—	—	—	—	2	—	—	2	3	2	4	1
Wounds	3	—	—	—	—	—	—	—	—	1	1	1	—
Other Violent Causes	4	1	—	—	—	—	—	—	—	—	—	—	1
Not Specified	39	13	4	3	4	1	1	1	3	—	—	—	1

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1864.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1566	149	56	119	141	102	64	43	86	38	48	70	55
SPECIFIED CAUSES	1535	141	52	114	138	102	64	42	80	38	48	69	54
I. Zymotic Class	478	16	22	56	72	70	50	28	52	15	6	15	6
II. Diseases of Uncertain Seat	63	4	—	—	—	3	—	3	5	2	—	2	2
III. Tubercular Class	272	5	8	11	18	13	8	5	8	11	27	29	21
IV. Brain and Nervous System	87	14	4	4	—	1	1	1	1	3	4	3	2
V. Organs of Circulation	77	2	—	—	—	—	—	—	2	2	2	6	8
VI. Respiratory Organs	213	15	9	27	23	12	3	4	9	2	3	2	6
VII. Organs of Digestion	90	8	2	11	20	2	1	—	2	1	1	6	—
VIII. Urinary Organs	13	—	—	—	—	—	1	—	—	—	1	2	3
IX. Organs of Generation	25	—	—	—	—	—	—	—	—	—	1	2	6
X. Organs of Locomotion	5	—	—	—	—	—	—	—	—	2	1	1	—
XI. Skin, etc.	5	—	1	2	—	—	—	—	—	—	—	—	—
XII. Malformation	4	4	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	69	63	5	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	12	—	—	—	4	1	—	1	—	—	—	—	—
XV. Age	99	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	2	—	1	1	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	21	10	—	1	1	—	—	—	1	—	2	1	—
I. Small Pox	64	1	3	5	11	10	11	7	8	3	1	2	—
Measles	8	—	—	2	2	4	—	—	—	—	—	—	—
Scarlatina	110	—	2	9	12	30	18	11	20	6	—	2	—
Diphtheria	27	—	—	5	4	5	5	4	3	1	—	—	—
Hooping Cough	88	3	8	22	26	10	12	3	4	—	—	—	—
Croup	34	1	2	7	10	7	2	—	3	2	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	27	5	4	2	5	1	—	—	—	—	—	—	—
Dysentery	13	1	1	1	1	1	1	1	—	—	—	—	—
Cholera	2	1	—	—	—	—	—	—	1	—	—	—	—
Influenza	5	—	—	—	—	—	—	—	1	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	3	—	1	1	—	1	—	—	—	—	—	—	—
Typhus	76	—	—	1	1	1	1	2	12	3	4	8	3
Metria	9	—	—	—	—	—	—	—	—	—	1	2	3
Rheumatic Fever	3	—	—	—	—	—	—	—	—	—	—	1	—
Erysipelas	5	2	—	—	—	—	—	—	—	—	—	—	—
Syphilis	3	1	1	1	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	5	1	—	—	—	—	—	—	—	—	—	—	1
Dropsy	26	1	—	—	—	2	—	3	5	2	—	2	—
Abscess	2	—	—	—	—	1	—	—	—	—	—	—	—
Ulcer	1	1	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	3	1	—	—	—	—	—	—	—	—	—	—	—
Cancer	26	—	—	—	—	—	—	—	—	—	—	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	9	—	1	—	2	—	—	2	1	—	2	—	—
Tabes Mesenterica	14	3	1	2	1	2	3	—	1	—	—	1	—
Phthisis	218	1	1	3	6	5	4	2	4	11	25	28	21
Hydrocephalus	31	1	5	6	9	6	1	1	2	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1864.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis	7	—	1	1	—	1	—	—	—	—	1	1	1
Apoplexy	19	—	—	—	—	—	—	—	—	—	1	—	—
Paralysis	26	—	—	—	—	—	—	—	—	1	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	2	—	—	—	—	—	—	—	—	1	—	—	—
Tetanus	1	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	22	14	3	2	—	—	1	1	1	—	—	—	—
Brain Disease	9	—	—	1	—	—	—	—	—	1	2	2	1
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	76	2	—	—	—	—	—	—	2	2	2	6	8
VI. Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	142	11	6	23	21	10	2	4	5	—	—	—	2
Pleurisy	1	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	39	3	3	4	2	2	1	—	3	2	2	1	3
Asthma	24	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease	7	1	—	—	—	—	—	—	1	—	1	1	—
VII. Teething	23	—	—	9	14	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	7	—	—	—	1	—	—	—	—	—	—	1	—
Enteritis	10	3	—	1	—	—	—	—	—	—	—	1	—
Peritonitis	4	—	—	—	—	—	—	—	2	—	—	1	—
Ascites	3	—	—	—	2	—	—	—	—	—	—	—	—
Ulceration of Intestines	4	—	—	—	1	—	—	—	—	1	—	1	—
Hernia	2	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	5	—	—	—	—	—	—	—	—	—	—	1	—
Intussusception	2	—	1	—	1	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	10	2	—	1	1	1	—	—	—	—	—	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	9	3	—	—	—	1	—	—	—	—	—	—	—
Liver Disease	10	—	1	—	—	—	1	—	—	—	1	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	4	—	—	—	—	—	—	—	—	—	—	1	2
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	2	—	—	—	—	—	—	—	—	—	1	1	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	5	—	—	—	—	—	1	—	—	—	—	—	1
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	1	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	17	—	—	—	—	—	—	—	—	—	1	2	6
Organs of Generation	6	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	5	—	—	—	—	—	—	—	—	2	1	1	—
XI. Carbuncle	3	—	1	1	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	1	—	—	—	—	—	—	—	—	—
XII. Cyanosis	2	2	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	1	1	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	—	—	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	2	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	—	—	—	1	—	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	6	6	—	—	—	—	—	—	—	—	—	—	—
Drowning	1	—	—	—	—	—	—	—	—	—	—	1	—
Fracture and Contusion	5	—	—	—	—	—	—	—	1	—	1	—	—
Wounds	1	—	—	—	—	—	—	—	—	—	1	—	—
Other Violent Causes	4	4	—	—	—	—	—	—	—	—	—	—	—
Not Specified	31	8	4	5	3	—	—	1	6	—	—	1	1

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1864.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2139	173	80	130	148	74	57	39	96	44	81	93	74
SPECIFIED CAUSES	2129	170	80	129	148	74	57	39	95	44	80	93	74
I. Zymotic Class	610	21	21	40	60	46	32	20	53	8	19	27	21
II. Diseases of Uncertain Seat	86	3	—	—	—	—	2	—	2	1	3	1	1
III. Tubercular Class	300	3	9	16	18	8	8	8	17	18	36	37	27
IV. Brain and Nervous System	192	27	13	8	4	5	6	3	8	2	2	5	5
V. Organs of Circulation	118	1	—	—	—	—	1	—	1	3	6	2	4
VI. Respiratory Organs	278	26	16	28	28	6	3	5	8	6	3	6	3
VII. Organs of Digestion	176	12	8	30	35	7	1	1	3	1	5	3	5
VIII. Urinary Organs	48	—	—	—	1	—	1	—	—	1	1	1	1
IX. Organs of Generation	13	—	—	—	—	—	—	—	—	—	—	2	1
X. Organs of Locomotion	10	—	—	—	—	—	—	—	2	—	—	—	3
XI. Skin, etc.	3	—	1	—	—	—	—	—	—	—	—	—	—
XII. Malformation	2	2	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	76	64	8	4	—	—	—	—	—	—	—	—	—
XIV. Atrophy	6	—	—	—	1	1	—	—	—	—	—	—	—
XV. Age	134	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	2	1	1	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	75	10	3	3	1	1	3	2	1	4	5	9	3
I. Small Pox	54	5	5	2	1	4	1	3	5	1	2	6	4
Measles	2	—	—	1	—	1	—	—	—	—	—	—	—
Scarlatina	43	—	—	2	11	1	10	2	13	1	1	—	2
Diphtheria	56	3	—	4	7	12	3	4	10	3	3	1	—
Hooping Cough	72	2	5	16	25	11	10	1	2	—	—	—	—
Croup	23	1	—	1	5	6	2	5	3	—	—	—	—
Thrush	2	2	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	41	6	7	9	5	3	—	—	—	—	1	—	—
Dysentery	6	—	—	—	1	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	13	—	—	—	—	—	—	—	—	—	1	—	—
Purpura	6	—	—	—	—	1	—	1	—	—	—	1	—
Ague	2	—	—	—	—	—	—	—	2	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	2	—	—	—	1	—	1	—	—	—	—	—	—
Typhus	265	1	1	5	3	6	5	3	17	2	10	15	12
Metria	7	—	—	—	—	—	—	—	—	—	—	3	2
Rheumatic Fever	4	—	—	—	—	—	—	—	—	1	—	1	—
Erysipelas	7	1	—	—	—	—	—	1	1	—	1	—	1
Syphilis	5	—	3	—	1	1	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy	17	—	—	—	—	—	1	—	—	1	—	1	—
Abscess	6	1	—	—	—	—	—	—	1	—	2	—	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	1	—	—	—	—
Mortification	11	1	—	—	—	—	1	—	—	—	1	—	—
Cancer	48	—	—	—	—	—	—	—	—	—	—	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	30	—	—	2	1	1	2	—	3	6	3	1	6
Tabes Mesenterica	16	1	2	4	5	1	—	—	1	1	—	—	—
Phthisis	202	—	1	1	4	—	2	1	5	10	32	36	21
Hydrocephalus	52	2	6	9	8	6	4	7	8	1	1	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1864.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis	13	1	1	—	—	—	2	—	3	2	—	1	—
Apoplexy	38	—	—	1	3	—	—	—	—	—	1	—	2
Paralysis	49	—	1	—	—	—	—	—	1	—	—	1	—
Delirium Tremens	2	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	8	—	—	—	—	—	—	—	—	—	1	—	1
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	5	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	55	26	10	7	1	5	2	2	2	—	—	—	—
Brain Disease	22	—	1	—	—	—	2	1	2	—	—	3	—
V. Pericarditis	3	—	—	—	—	—	—	—	—	—	—	—	1
Aneurism	5	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease	110	1	—	—	—	—	1	—	1	3	6	2	2
VI. Laryngitis	5	—	—	—	—	—	—	—	1	1	—	—	—
Bronchitis	197	19	14	22	22	5	3	4	6	3	1	3	2
Pleurisy	3	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	50	5	2	6	4	—	—	1	1	1	2	2	1
Asthma	14	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	9	2	—	—	2	1	—	—	—	1	—	1	—
VII. Teething	71	1	6	25	33	6	—	—	—	—	—	—	—
Quinsey	3	—	—	—	1	—	—	—	—	—	1	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	12	3	—	—	1	—	—	—	1	—	1	1	1
Peritonitis	12	—	1	—	—	—	—	—	1	1	1	1	1
Ascites	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	10	—	—	—	—	1	—	—	1	—	—	1	—
Hernia	7	1	—	—	—	—	—	—	—	—	—	—	1
Ileus	10	1	—	—	—	—	—	—	—	—	—	—	1
Intussusception	1	—	1	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	15	1	—	4	—	—	—	1	—	—	1	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	12	5	—	1	—	—	—	—	—	—	1	—	—
Liver Disease	16	—	—	—	—	—	1	—	—	—	—	—	1
Spleen Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	12	—	—	—	—	—	—	—	—	1	—	1	—
Ischuria	2	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	3	—	—	—	—	—	—	—	—	—	—	—	1
Stone	5	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	3	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	21	—	—	—	1	—	1	—	—	—	1	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	6	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	4	—	—	—	—	—	—	—	—	—	—	2	1
Organs of Generation	3	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	1	—	—	—	—	—	—	—	—	—	—	—	1
Rheumatism	3	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	6	—	—	—	—	—	—	—	2	—	—	—	2
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	1	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	2	2	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	7	—	—	—	—	—	—	—	—	—	—	1	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	10	8	1	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	3	—	—	1	—	1	—	1	—	—	—	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	8	1	2	1	1	—	—	—	—	—	1	—	—
Drowning	19	—	—	—	—	—	—	—	—	2	2	6	1
Fracture and Contusion	20	—	—	—	—	—	1	—	1	2	2	2	1
Wounds	3	—	—	—	—	—	1	1	—	—	—	—	—
Other Violent Causes	3	1	—	—	—	—	1	—	—	—	—	—	1
Not Specified	10	3	—	1	—	—	—	—	1	—	1	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1864.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis . . .	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Apoplexy . . .	1	—	1	2	3	2	5	3	5	4	3	1	1	—	—	—	
Paralysis . . .	1	1	3	3	1	1	6	8	8	5	6	1	2	—	—	—	
Delirium Tremens	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy . . .	—	1	—	—	1	—	3	—	1	—	—	—	—	—	—	—	
Tetanus . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity . . .	—	—	1	—	—	1	1	1	—	—	—	—	—	—	—	—	
Convulsions . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	1	—	1	3	2	1	1	1	1	1	—	1	—	—	—	—	
Pericarditis . . .	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Aneurism . . .	—	—	1	1	—	1	—	1	—	—	—	—	—	—	—	—	
Heart Disease	2	8	7	8	11	12	11	12	15	6	2	—	—	—	—	—	
Laryngitis . . .	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	
Bronchitis . . .	1	2	4	5	10	8	12	11	18	8	10	3	1	—	—	—	
Pleurisy . . .	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	
Pneumonia . . .	—	6	5	1	3	1	4	2	1	2	—	—	—	—	—	—	
Asthma . . .	—	2	1	—	—	3	3	3	2	—	—	—	—	—	—	—	
Lung Disease	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Gastritis . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Enteritis . . .	1	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	
Peritonitis . . .	—	—	1	—	3	1	1	—	—	—	—	—	—	—	—	—	
Ascites . . .	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	—	—	—	—	2	1	2	—	—	2	—	—	—	—	—	—	
Hernia . . .	—	—	—	—	—	—	1	—	2	2	—	—	—	—	—	—	
Ileus . . .	1	—	1	1	—	—	1	2	—	1	1	—	—	—	—	—	
Intussusception . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	
Stomach Disease . . .	1	1	—	—	3	—	1	1	1	—	—	—	—	—	—	—	
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Jaundice . . .	—	—	—	—	3	—	1	—	—	—	—	1	—	—	—	—	
Liver Disease . . .	1	—	2	1	1	5	2	1	1	—	—	—	—	—	—	—	
Spleen Disease . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Nephritis . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephria . . .	3	—	1	—	1	4	—	—	1	—	—	—	—	—	—	—	
Ischuria . . .	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	
Diabetes . . .	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
Stone . . .	—	—	1	—	1	—	1	—	2	—	—	—	—	—	—	—	
Cystitis . . .	—	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—	
Stricture of Urethra . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Kidney Disease . . .	—	1	1	1	—	2	2	4	6	—	—	1	—	—	—	—	
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy . . .	1	—	—	2	—	2	—	—	1	—	—	—	—	—	—	—	
Childbirth . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation . . .	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Arthritis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism . . .	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	
Joint Disease . . .	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
Carbuncle . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Phlegmon . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cyanosis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance . . .	1	—	—	—	3	2	—	—	—	—	—	—	—	—	—	—	
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hanging, etc. . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Suffocation . . .	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	
Drowning . . .	3	1	2	—	—	—	1	1	—	—	—	—	—	—	—	—	
Fracture and Contusion . . .	1	1	—	2	2	1	2	1	—	1	—	—	—	—	—	—	
Wounds . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Not Specified . . .	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1864.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1021	100	44	75	85	34	30	19	48	22	35	39	37
SPECIFIED CAUSES	1015	99	44	74	85	34	30	19	47	22	35	39	37
I. Zymotic Class	299	14	9	19	34	20	17	8	25	2	8	15	7
II. Diseases of Uncertain Seat	26	2	—	—	—	—	—	—	1	1	1	—	—
III. Tubercular Class	143	2	5	8	9	2	5	6	14	8	14	12	14
IV. Brain and Nervous System	104	19	7	5	2	4	1	1	1	2	1	4	4
V. Organs of Circulation	54	1	—	—	—	—	1	—	—	2	2	1	2
VI. Respiratory Organs	118	11	9	21	16	2	2	2	3	2	1	1	2
VII. Organs of Digestion	99	7	7	17	22	4	—	1	2	1	3	—	4
VIII. Urinary Organs	34	—	—	—	1	—	1	—	—	1	1	1	—
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	4	—	—	—	—	—	—	—	1	—	—	—	2
XI. Skin, etc.	1	—	1	—	—	—	—	—	—	—	—	—	—
XII. Malformation	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	42	35	4	3	—	—	—	—	—	—	—	—	—
XIV. Atrophy	5	—	—	—	1	1	—	—	—	—	—	—	—
XV. Age	37	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	48	7	2	1	—	1	3	1	—	3	4	5	2
I. Small Pox	36	3	3	1	1	—	1	2	4	1	2	6	2
Measles	1	—	—	1	—	—	—	—	—	—	—	—	—
Scarlatina	20	—	—	—	9	1	6	1	3	—	—	—	—
Diphtheria	28	2	—	2	3	4	2	1	6	1	—	1	—
Hooping Cough	33	1	3	7	13	4	5	—	—	—	—	—	—
Croup	14	1	—	1	3	3	1	3	2	—	—	—	—
Thrush	2	2	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	20	4	3	5	1	2	—	—	—	—	—	—	—
Dysentery	5	—	—	—	1	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	7	—	—	—	—	—	—	—	—	—	1	—	—
Purpura	5	—	—	—	—	1	—	—	—	—	—	1	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	124	1	—	2	2	4	2	1	10	—	5	7	5
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	2	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	2	—	—	—	1	1	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	5	—	—	—	—	—	—	—	—	1	—	—	—
Abscess	4	1	—	—	—	—	—	—	—	—	1	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	1	—	—	—	—
Mortification	5	1	—	—	—	—	—	—	—	—	—	—	—
Cancer	10	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	18	—	—	—	1	—	1	—	3	2	2	1	4
Tabes Mesenterica	8	—	—	2	3	1	—	—	1	—	—	—	—
Phthisis	87	—	1	1	2	—	—	1	4	6	12	11	10
Hydrocephalus	30	2	4	5	3	1	4	5	6	—	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1864.—MALES.

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	36	36	39	34	45	42	52	47	50	29	29	9	4	—	1	—	
SPECIFIED CAUSES . . .	36	36	39	34	45	39	52	47	50	29	29	9	4	—	1	—	
Zymotic Class . . .	15	10	14	16	12	14	16	8	10	5	1	—	—	—	—	—	
Uncertain Seat . . .	—	1	—	—	2	3	3	3	3	—	6	—	—	—	—	—	
Tubercular Class . . .	10	12	5	5	3	5	2	1	1	—	—	—	—	—	—	—	
Brain, etc.	3	—	2	5	4	2	7	8	7	8	4	2	1	—	—	—	
Heart, etc.	1	4	4	4	5	4	6	7	7	2	1	—	—	—	—	—	
Respiratory Organs . . .	—	6	3	—	5	1	8	9	6	2	5	—	1	—	—	—	
Digestive Organs . . .	1	1	5	1	6	3	3	4	3	3	—	1	—	—	—	—	
Urinary Organs . . .	2	—	4	1	3	4	3	3	8	—	—	1	—	—	—	—	
Generative Organs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Locomotive Organs . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	1	2	5	9	12	5	2	—	1	—	
Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Violent Deaths	4	2	2	1	2	3	3	2	—	—	—	—	—	—	—	—	
Small Pox	3	1	1	4	1	—	—	—	—	—	—	—	—	—	—	—	
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diphtheria	2	1	—	1	—	1	—	—	—	1	—	—	—	—	—	—	
Hooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhoea	—	1	1	—	—	1	1	1	—	—	—	—	—	—	—	—	
Dysentery	—	—	—	—	1	1	—	—	2	—	—	—	—	—	—	—	
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Influenza	1	—	—	1	—	—	1	—	1	2	—	—	—	—	—	—	
Purpura	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	8	7	12	9	9	10	14	7	7	2	—	—	—	—	—	—	
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Dropsy	—	1	—	—	—	—	—	1	1	—	1	—	—	—	—	—	
Abscess	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification	—	—	—	—	—	—	1	1	1	—	1	—	—	—	—	—	
Cancer	—	—	—	—	1	2	2	1	1	—	3	—	—	—	—	—	
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scrofula	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tabes Mesenterica	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phthisis	9	9	4	5	3	5	2	1	1	—	—	—	—	—	—	—	
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1864.—MALES. (Continued.)

DISEASES.	MALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
IV. Cephalitis	6	1	1	—	—	—	—	—	—	2	—	1	—	
Apoplexy	22	—	—	1	2	—	—	—	—	—	—	—	2	
Paralysis	27	—	1	—	—	—	—	—	1	—	—	1	—	
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	4	—	—	—	—	—	—	—	—	—	1	—	1	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	2	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions	31	18	4	4	—	4	—	1	—	—	—	—	—	
Brain Disease	11	—	1	—	—	—	1	—	—	—	—	2	—	
V. Pericarditis	2	—	—	—	—	—	—	—	—	—	—	—	1	
Aneurism	3	—	—	—	—	—	—	—	—	—	—	—	—	
Heart Disease	49	1	—	—	—	—	1	—	—	2	2	1	1	
VI. Laryngitis	4	—	—	—	—	—	—	—	1	1	—	—	—	
Bronchitis	79	9	8	17	12	2	2	1	1	—	—	1	1	
Pleurisy	3	—	—	—	—	—	—	—	—	—	—	—	—	
Pneumonia	24	2	1	4	2	—	—	1	1	1	1	—	1	
Asthma	6	—	—	—	—	—	—	—	—	—	—	—	—	
Lung Disease	2	—	—	—	2	—	—	—	—	—	—	—	—	
VII. Teething	45	1	5	15	21	3	—	—	—	—	—	—	—	
Quinsey	2	—	—	—	—	—	—	—	—	—	1	—	—	
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—	
Enteritis	6	1	—	—	1	—	—	—	1	—	1	—	1	
Peritonitis	6	—	1	—	—	—	—	—	—	1	—	—	—	
Ascites	1	—	—	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	6	—	—	—	—	1	—	—	1	—	—	—	—	
Hernia	3	1	—	—	—	—	—	—	—	—	—	—	1	
Ileus	6	1	—	—	—	—	—	—	—	—	—	—	1	
Intussusception	1	—	1	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	8	1	—	2	—	—	—	1	—	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—	
Jaundice	4	2	—	—	—	—	—	—	—	—	1	—	—	
Liver Disease	9	—	—	—	—	—	—	—	—	—	—	—	1	
Spleen Disease	1	—	—	—	—	—	—	—	—	—	—	—	—	
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephria	9	—	—	—	—	—	—	—	—	1	—	1	—	
Ischuria	2	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes	2	—	—	—	—	—	—	—	—	—	—	—	—	
Stone	4	—	—	—	—	—	—	—	—	—	—	—	—	
Cystitis	2	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	14	—	—	—	1	—	1	—	—	—	1	—	—	
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	
X. Arthritis	1	—	—	—	—	—	—	—	—	—	—	—	1	
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—	
Joint and Bone Disease	3	—	—	—	—	—	—	—	1	—	—	—	1	
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	1	—	1	—	—	—	—	—	—	—	—	—	—	
XII. Cyanosis	1	1	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	8	6	1	1	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	1	—	—	—	—	1	—	—	—	—	—	—	—	
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	5	1	1	—	—	—	—	—	—	—	1	—	—	
Drowning	13	—	—	—	—	—	—	—	—	2	1	3	1	
Fracture and Contusion	15	—	—	—	—	—	1	—	—	1	2	2	1	
Wounds	3	—	—	—	—	—	1	1	—	—	—	—	—	
Other Violent Causes	1	—	—	—	—	—	1	—	—	—	—	—	—	
Not Specified	6	1	—	1	—	—	—	—	1	—	—	—	—	

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1864.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1118	73	36	55	63	40	27	20	48	22	46	54	37
SPECIFIED CAUSES	1114	71	36	55	63	40	27	20	48	22	45	54	37
I. Zymotic Class	311	7	12	21	26	26	15	12	28	6	11	12	14
II. Diseases of Uncertain Seat	60	1	—	—	—	—	2	—	1	—	2	1	1
III. Tubercular Class	157	1	4	8	9	6	3	2	3	10	22	25	13
IV. Brain and Nervous System	88	8	6	3	2	1	5	2	7	—	1	1	1
V. Organs of Circulation	64	—	—	—	—	—	—	—	1	1	4	1	2
VI. Respiratory Organs	160	15	7	7	12	4	1	3	5	4	2	5	1
VII. Organs of Digestion	77	5	1	13	13	3	1	—	1	—	2	3	1
VIII. Urinary Organs	14	—	—	—	—	—	—	—	—	—	—	—	1
IX. Organs of Generation	13	—	—	—	—	—	—	—	—	—	—	2	1
X. Organs of Locomotion	6	—	—	—	—	—	—	—	1	—	—	—	1
XI. Skin, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	34	29	4	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	1	—	—	—	—	—	—	—	—	—	—	—	—
XV. Age	97	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	2	1	1	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	27	3	1	2	1	—	—	1	1	1	1	4	1
I. Small Pox	18	2	2	1	—	4	—	1	1	—	—	—	2
Measles	1	—	—	—	—	1	—	—	—	—	—	—	—
Scarlatina	23	—	—	2	2	—	4	1	10	1	1	—	2
Diphtheria	28	1	—	2	4	8	1	3	4	2	3	—	—
Hooping Cough	39	1	2	9	12	7	5	1	2	—	—	—	—
Croup	9	—	—	—	2	3	1	2	1	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	21	2	4	4	4	1	—	—	—	—	1	—	—
Dysentery	1	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	6	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	—	—	—	—	—	—	1	—	—	—	—	—
Ague	2	—	—	—	—	—	—	—	2	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	2	—	—	—	1	—	1	—	—	—	—	—	—
Typhus	141	—	1	3	1	2	3	2	7	2	5	8	7
Metria	7	—	—	—	—	—	—	—	—	—	—	3	2
Rheumatic Fever	2	—	—	—	—	—	—	—	—	1	—	1	—
Erysipelas	7	1	—	—	—	—	—	1	1	—	1	—	1
Syphilis	3	—	3	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy	12	—	—	—	—	—	1	—	—	—	—	1	—
Abscess	2	—	—	—	—	—	—	—	1	—	1	—	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	6	—	—	—	—	—	1	—	—	—	1	—	—
Cancer	38	—	—	—	—	—	—	—	—	—	—	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	12	—	—	2	—	1	1	—	—	4	1	—	2
Tabes Mesenterica	8	1	2	2	2	—	—	—	—	1	—	—	—
Phthisis	115	—	—	—	2	—	2	—	1	4	20	25	11
Hydrocephalus	22	—	2	4	5	5	—	2	2	1	1	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1864.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis . . .	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Apoplexy . . .	1	—	1	1	2	1	3	—	2	1	1	—	1	—	—	—	
Paralysis . . .	—	1	2	—	—	1	2	4	5	1	4	1	1	—	—	—	
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy . . .	—	1	—	—	—	—	3	—	—	—	—	—	—	—	—	—	
Tetanus . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity . . .	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	
Convulsions . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	—	—	1	2	1	—	—	1	1	—	—	—	—	—	—	—	
Pericarditis . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Aneurism . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Heart Disease	1	5	4	5	6	8	5	6	8	4	1	—	—	—	—	—	
Laryngitis . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Bronchitis . . .	1	1	2	5	8	7	9	7	14	6	5	3	—	—	—	—	
Pleurisy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Pneumonia . . .	—	3	4	1	2	1	2	—	—	2	—	—	—	—	—	—	
Asthma . . .	—	1	1	—	—	3	1	1	1	—	—	—	—	—	—	—	
Lung Disease	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Enteritis . . .	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	
Peritonitis . . .	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	
Ascites . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	
Hernia . . .	—	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	
Ileus . . .	1	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	
Stomach Disease	—	—	—	—	3	—	—	1	—	—	—	—	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Jaundice . . .	—	—	—	—	3	—	1	—	—	—	—	—	—	—	—	—	
Liver Disease	1	—	—	1	—	3	1	—	—	—	—	—	—	—	—	—	
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephria . . .	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	
Ischuria . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stone . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Cystitis . . .	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	—	1	—	1	—	1	—	2	2	—	—	—	—	—	—	—	
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy . . .	1	—	—	2	—	2	—	—	1	—	—	—	—	—	—	—	
Childbirth	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Arthritis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism . . .	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	
Joint Disease	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Carbuncle . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Phlegmon . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cyanosis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance . . .	1	—	—	—	3	2	—	—	—	—	—	—	—	—	—	—	
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hanging, etc. . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning . . .	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
Fracture and Contusion	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	
Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Not Specified . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1864.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1521	133	53	111	175	85	73	33	86	40	39	57	40
SPECIFIED CAUSES	1475	109	45	108	171	84	73	32	86	39	38	57	40
I. Zymotic Class	455	10	13	43	88	45	46	23	53	14	5	15	15
II. Diseases of Uncertain Seat	42	—	—	—	1	—	—	—	—	2	1	2	—
III. Tubercular Class	254	1	7	15	25	18	12	2	19	13	21	21	14
IV. Brain and Nervous System	117	8	3	6	5	4	2	—	5	1	1	1	4
V. Organs of Circulation	37	—	—	—	—	—	—	—	2	—	1	3	—
VI. Respiratory Organs	218	19	12	22	21	10	10	6	3	1	2	3	2
VII. Organs of Digestion	115	9	3	17	24	3	—	1	1	2	3	7	2
VIII. Urinary Organs	6	—	—	—	—	—	—	—	1	—	—	1	—
IX. Organs of Generation	6	—	—	—	—	—	—	—	—	—	—	2	1
X. Organs of Locomotion	6	—	—	—	—	—	—	—	—	2	1	—	—
XI. Skin, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	73	61	7	5	—	—	—	—	—	—	—	—	—
XIV. Atrophy	15	—	—	—	5	1	1	—	—	1	—	—	—
XV. Age	103	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	25	—	—	—	2	3	2	—	2	3	3	2	2
I. Small Pox	78	1	9	9	16	7	5	3	10	3	1	4	4
Measles	21	—	—	2	9	1	7	—	1	—	—	1	—
Scarlatina	86	—	—	4	18	12	12	12	22	6	—	—	—
Diphtheria	14	—	—	—	2	2	2	2	6	—	—	—	—
Hooping Cough	94	5	3	20	31	12	13	2	6	1	—	—	—
Croup	25	1	—	—	6	8	4	3	3	—	—	—	—
Thrush	3	2	—	1	—	—	—	—	—	—	—	—	—
Diarrhoea	17	—	—	5	5	—	2	—	—	—	—	1	—
Dysentery	8	—	—	1	—	1	—	—	—	—	—	—	2
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	2	1	—	—	—	—	—	—	—	—	—	—	—
Ague	1	—	—	—	—	—	—	1	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	1	—	—	—	—	1	—	—	—	—	—	—	—
Typhus	94	—	—	1	1	1	1	—	5	4	3	7	6
Metria	5	—	—	—	—	—	—	—	—	—	—	1	2
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	3	—	—	—	—	—	—	—	—	—	1	1	—
Syphilis	2	—	1	—	—	—	—	—	—	—	—	—	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	3	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	19	—	—	—	1	—	—	—	—	2	1	2	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	5	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	13	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	14	—	—	—	1	1	—	—	3	1	1	3	1
Tabes Mesenterica	31	1	1	5	9	4	5	1	3	—	—	1	—
Phthisis	178	—	2	3	8	8	4	1	10	11	20	16	13
Hydrocephalus	31	—	4	7	7	5	3	—	3	1	—	1	—

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1864.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis	3	—	—	—	—	—	—	—	1	—	—	1	1
Apoplexy	29	2	2	2	1	—	1	—	2	—	—	—	1
Paralysis	43	—	—	—	—	1	—	—	—	—	1	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	11	—	—	—	—	—	—	—	—	1	—	—	1
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	18	5	—	4	4	2	1	—	2	—	—	—	—
Brain Disease	12	1	1	—	—	1	—	—	—	—	—	—	1
V. Pericarditis	2	—	—	—	—	—	—	—	—	—	1	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	35	—	—	—	—	—	—	—	2	—	—	3	—
VI. Laryngitis	2	1	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	161	11	12	20	17	9	7	5	1	—	2	1	—
Pleurisy	1	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	38	7	—	2	3	1	3	1	2	1	—	1	1
Asthma	14	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease	2	—	—	—	1	—	—	—	—	—	—	1	—
VII. Teething	38	—	1	14	21	2	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	31	7	2	3	3	—	—	1	1	1	2	3	—
Peritonitis	6	—	—	—	—	—	—	—	—	—	—	1	1
Ascites	1	—	—	—	—	—	—	—	—	—	1	—	—
Ulceration of Intestines	2	—	—	—	—	—	—	—	—	—	—	1	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	3	—	—	—	—	—	—	—	—	1	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	8	—	—	—	—	—	—	—	—	—	—	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	9	—	—	—	—	—	—	—	—	—	—	—	1
Jaundice	4	1	—	—	—	1	—	—	—	—	—	1	—
Liver Disease	11	1	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	—	—	—	1	—	—	—	—
Nephria	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	3	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	1	—	—	—	—	—	—	—	—	—	—	1	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	5	—	—	—	—	—	—	—	—	—	—	2	1
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	3	—	—	—	—	—	—	—	—	—	1	—	—
Joint and Bone Disease	3	—	—	—	—	—	—	—	—	2	—	—	—
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	1	1	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	1	—	—	—	—	—	—
Burns and Scalds	9	—	—	—	—	3	—	—	2	—	1	2	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	5	—	—	—	—	—	1	—	—	3	—	—	—
Fracture and Contusion	7	—	—	—	2	—	—	—	—	—	1	—	1
Wounds	2	—	—	—	—	—	—	—	—	—	1	—	1
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	46	24	8	3	4	1	—	1	—	1	1	—	—

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1864.—BOTH SEXES. . (Continued.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Apoplexy	1	2	1	1	3	1	3	2	3	—	1	—	—	—	—	—
Paralysis	1	—	2	1	3	—	7	4	9	5	7	2	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	2	2	1	—	—	1	—	—	1	1	1	—	—	—	—	—
Tetanus	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	—	—	1	1	—	2	1	2	—	—	1	—	—	—	—	—
Pericarditis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	1	1	—	1	4	4	1	5	9	3	1	—	—	—	—	—
Laryngitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Bronchitis	1	1	7	4	9	11	17	5	8	10	3	—	—	—	—	—
Pleurisy	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Pneumonia	4	1	1	1	2	3	3	—	1	—	—	—	—	—	—	—
Asthma	2	—	2	1	1	1	1	3	—	1	—	1	—	—	—	—
Lung Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Enteritis	1	1	1	1	1	1	—	1	—	—	1	—	—	—	—	—
Peritonitis	1	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Stomach Disease	—	2	1	—	1	—	—	1	2	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	1	—	2	1	—	4	—	—	—	—	—	—	—	—	—
Jaundice	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Liver Disease	1	—	1	2	2	2	1	—	1	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Joint Disease	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Carbuncle	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1864.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	733	70	27	64	86	47	37	18	40	15	18	29	19
SPECIFIED CAUSES	710	57	21	64	84	47	37	17	40	15	18	29	19
I. Zymotic Class	226	5	9	22	42	26	22	11	23	6	—	7	8
II. Diseases of Uncertain Seat	11	—	—	—	—	—	—	—	—	—	1	1	—
III. Tubercular Class	125	—	2	8	10	9	8	2	9	5	11	11	6
IV. Brain and Nervous System	67	4	2	5	4	3	—	—	3	—	—	—	2
V. Organs of Circulation	16	—	—	—	—	—	—	—	2	—	1	1	—
VI. Respiratory Organs	107	13	3	14	12	7	4	3	2	—	1	3	1
VII. Organs of Digestion	53	3	3	11	11	1	—	1	—	—	—	4	1
VIII. Urinary Organs	3	—	—	—	—	—	—	—	—	—	—	1	—
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	3	—	—	—	—	—	—	—	—	1	1	—	—
XI. Skin, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	37	31	2	4	—	—	—	—	—	—	—	—	—
XIV. Atrophy	7	—	—	—	3	—	1	—	—	—	—	—	—
XV. Age	35	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	18	—	—	—	2	1	2	—	1	3	3	1	1
I. Small Pox	38	—	6	3	5	5	4	2	3	—	—	3	3
Measles	8	—	—	1	2	—	4	—	—	—	—	1	—
Scarlatina	46	—	—	1	9	11	2	7	13	3	—	—	—
Diphtheria	4	—	—	—	1	1	—	—	2	—	—	—	—
Hooping Cough	51	3	2	13	17	6	7	—	1	1	—	—	—
Croup	12	—	—	—	4	3	2	1	2	—	—	—	—
Thrush	2	1	—	1	—	—	—	—	—	—	—	—	—
Diarrhœa	10	—	—	2	3	—	2	—	—	—	—	—	—
Dysentery	4	—	—	1	—	—	—	—	—	—	—	—	1
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	1	—	—	—	—	—	—	—	—	—	—	—
Ague	1	—	—	—	—	—	—	1	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	47	—	—	—	1	—	1	—	2	2	—	3	4
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	1	—	1	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	7	—	—	—	—	—	—	—	—	—	1	1	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	3	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	7	—	—	—	—	1	—	—	2	—	1	1	1
Tabes Mesenterica	14	—	—	3	3	—	4	1	2	—	—	1	—
Phthisis	89	—	1	1	4	6	2	1	3	5	10	8	5
Hydrocephalus	15	—	1	4	3	2	2	—	2	—	—	1	—

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1864.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	1	—	—	—	—	—	—	—	—	—	—	—	1
Apoplexy	19	1	1	2	—	—	—	—	1	—	—	—	—
Paralysis	22	—	—	—	—	1	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	4	—	—	—	—	—	—	—	—	—	—	—	1
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	13	2	—	3	4	2	—	—	2	—	—	—	—
Brain Disease	8	1	1	—	—	—	—	—	—	—	—	—	—
V. Pericarditis	1	—	—	—	—	—	—	—	—	—	1	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	15	—	—	—	—	—	—	—	2	—	—	1	—
VI. Laryngitis	2	1	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	72	7	3	13	10	6	3	2	—	—	1	1	—
Pleurisy	1	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	22	5	—	1	1	1	1	1	2	—	—	1	—
Asthma	8	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease	2	—	—	—	1	—	—	—	—	—	—	1	—
VII. Teething	20	—	1	9	9	1	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	14	2	2	2	2	—	—	1	—	—	—	1	—
Peritonitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	1	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	1	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	4	—	—	—	—	—	—	—	—	—	—	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	1
Jaundice	3	1	—	—	—	—	—	—	—	—	—	1	—
Liver Disease	6	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	2	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	1	—	—	—	—	—	—	—	—	—	—	1	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	2	—	—	—	—	—	—	—	—	—	1	—	—
Joint and Bone Disease	1	—	—	—	—	—	—	—	—	1	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	1	1	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	1	—	—	—	—	—	—
Burns and Scalds	4	—	—	—	—	1	—	—	1	—	1	1	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	5	—	—	—	—	—	1	—	—	3	—	—	—
Fracture and Contusion	5	—	—	—	2	—	—	—	—	—	1	—	—
Wounds	2	—	—	—	—	—	—	—	—	—	1	—	1
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	23	13	6	—	2	—	—	1	—	—	—	—	—

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1864.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	788	63	26	47	89	38	36	15	46	25	21	28	21
SPECIFIED CAUSES	765	52	24	44	87	37	36	15	46	24	20	28	21
I. Zymotic Class	229	5	4	21	46	19	24	12	30	8	5	8	7
II. Diseases of Uncertain Seat	31	—	—	—	1	—	—	—	—	2	—	1	—
III. Tubercular Class	129	1	5	7	15	9	4	—	10	8	10	10	8
IV. Brain and Nervous System	50	4	1	1	1	1	2	—	2	1	1	1	2
V. Organs of Circulation	21	—	—	—	—	—	—	—	—	—	—	2	—
VI. Respiratory Organs	111	6	9	8	9	3	6	3	1	1	1	—	1
VII. Organs of Digestion	62	6	—	6	13	2	—	—	1	2	3	3	1
VIII. Urinary Organs	3	—	—	—	—	—	—	—	1	—	—	—	—
IX. Organs of Generation	6	—	—	—	—	—	—	—	—	—	—	2	1
X. Organs of Locomotion	3	—	—	—	—	—	—	—	—	1	—	—	—
XI. Skin, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	36	30	5	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	8	—	—	—	2	1	—	—	—	1	—	—	—
XV. Age	68	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	7	—	—	—	—	2	—	—	1	—	—	1	1
I. Small Pox	40	1	3	6	11	2	1	1	7	3	1	1	1
Measles	13	—	—	1	7	1	3	—	1	—	—	—	—
Scarlatina	40	—	—	3	9	1	10	5	9	3	—	—	—
Diphtheria	10	—	—	—	1	1	2	2	4	—	—	—	—
Hooping Cough	43	2	1	7	14	6	6	2	5	—	—	—	—
Croup	13	1	—	—	2	5	2	2	1	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	7	—	—	3	2	—	—	—	—	—	—	1	—
Dysentery	4	—	—	—	—	1	—	—	—	—	—	—	1
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	1	—	—	—	—	1	—	—	—	—	—	—	—
Typhus	47	—	—	1	—	1	—	—	3	2	3	4	2
Metria	5	—	—	—	—	—	—	—	—	—	—	1	2
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	3	—	—	—	—	—	—	—	—	—	1	1	—
Syphilis	1	—	—	—	—	—	—	—	—	—	—	—	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	3	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	12	—	—	—	1	—	—	—	—	2	—	1	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	4	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	10	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	7	—	—	—	1	—	—	—	1	1	—	2	—
Tabes Mesenterica	17	1	1	2	6	4	1	—	1	—	—	—	—
Phthisis	89	—	1	2	4	2	2	—	7	6	10	8	88
Hydrocephalus	16	—	3	3	4	3	1	—	1	1	—	—	—

CAUSES OF DEATH in PAISLEY, at different Periods of Life, in 1864.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	29	31	21	19	32	32	42	20	38	28	32	7	2	—	—	—
SPECIFIED CAUSES . . .	29	31	21	19	32	30	42	20	38	28	32	7	2	—	—	—
Zymotic Class . . .	7	8	7	4	5	1	4	—	1	3	—	—	—	—	—	—
Uncertain Seat . . .	2	2	4	2	1	3	2	1	5	2	3	—	—	—	—	—
Tubercular Class . . .	11	11	1	2	8	6	1	1	1	—	—	—	—	—	—	—
Brain, etc.	1	2	2	2	1	2	5	3	4	2	8	1	—	—	—	—
Heart, etc.	1	1	—	—	4	3	—	3	5	2	—	—	—	—	—	—
Respiratory Organs . . .	4	2	3	4	9	12	13	5	4	6	1	—	—	—	—	—
Digestive Organs . . .	2	3	2	3	2	2	5	2	2	—	2	—	—	—	—	—
Urinary Organs	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Generative Organs . . .	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Skin	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	1	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	11	5	14	13	17	6	2	—	—	—
Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Small Pox	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Dysentery	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	5	7	5	4	4	—	3	—	1	2	—	—	—	—	—	—
Metria	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—
Dropsy	1	—	1	2	—	—	1	—	1	2	—	—	—	—	—	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—
Cancer	—	2	3	—	1	2	1	—	—	—	1	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Tabes Mesenterica . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	10	11	—	2	7	6	1	1	1	—	—	—	—	—	—	—
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1864.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	2	—	—	—	—	—	—	—	1	—	—	1	—
Apoplexy	10	1	1	—	1	—	1	—	1	—	—	—	1
Paralysis	21	—	—	—	—	—	—	—	—	—	1	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	7	—	—	—	—	—	—	—	—	1	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	5	3	—	1	—	—	1	—	—	—	—	—	—
Brain Disease	4	—	—	—	—	1	—	—	—	—	—	—	1
V. Pericarditis	1	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	20	—	—	—	—	—	—	—	—	—	—	2	—
VI. Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	89	4	9	7	7	3	4	3	1	—	1	—	—
Pleurisy	—	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	16	2	—	1	2	—	2	—	—	1	—	—	1
Asthma	6	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	18	—	—	5	12	1	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	17	5	—	1	1	—	—	—	1	1	2	2	—
Peritonitis	5	—	—	—	—	—	—	—	—	—	—	1	—
Ascites	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	2	—	—	—	—	—	—	—	—	1	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	4	—	—	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	8	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	1	—	—	—	—	1	—	—	—	—	—	—	—
Liver Disease	5	1	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	—	—	—	1	—	—	—	—
Nephria	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	5	—	—	—	—	—	—	—	—	—	—	2	1
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	2	—	—	—	—	—	—	—	—	1	—	—	—
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	5	—	—	—	—	2	—	—	1	—	—	1	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	2	—	—	—	—	—	—	—	—	—	—	—	1
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	23	11	2	3	2	1	—	—	—	1	1	—	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1864.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1929	172	72	163	221	95	81	54	111	42	62	92	80
SPECIFIED CAUSES	1876	144	68	159	217	93	78	54	109	40	62	92	79
I. Zymotic Class	711	20	19	59	99	54	50	35	73	17	27	42	34
II. Diseases of Uncertain Seat	50	—	—	—	1	—	4	1	2	1	—	3	—
III. Tubercular Class	309	6	15	22	30	17	13	9	16	8	20	30	14
IV. Brain and Nervous System	100	7	1	9	8	3	1	2	8	3	1	3	2
V. Organs of Circulation	56	—	—	—	1	—	—	—	—	3	2	1	4
VI. Respiratory Organs	244	20	14	32	38	11	4	4	5	3	4	2	9
VII. Organs of Digestion	109	11	5	28	26	5	2	—	1	3	—	—	2
VIII. Urinary Organs	15	—	—	—	—	—	1	—	—	—	—	1	2
IX. Organs of Generation	8	—	—	—	—	—	—	—	—	—	—	2	3
X. Organs of Locomotion	7	—	—	—	—	—	—	—	—	2	2	—	—
XI. Skin, etc.	4	—	1	2	—	—	—	—	—	—	—	—	—
XII. Malformation	2	2	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	94	77	11	6	—	—	—	—	—	—	—	—	—
XIV. Atrophy	26	—	—	—	13	2	3	2	2	—	—	—	—
XV. Age	83	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	2	—	—	—	—	—	—	1	—	—	—	—	—
XVII. Violent Deaths	56	1	2	1	1	1	—	—	2	—	6	8	9
I. Small Pox	45	2	6	4	7	1	2	2	4	—	2	10	5
Measles	65	—	—	17	28	11	7	—	2	—	—	—	—
Scarlatina	148	—	—	8	16	23	26	23	43	6	2	1	—
Diphtheria	11	—	—	—	2	3	1	1	3	1	—	—	—
Whooping Cough	40	2	2	9	15	3	5	2	2	—	—	—	—
Croup	46	1	1	5	19	7	6	2	4	1	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	37	9	4	9	4	—	—	—	1	1	—	—	1
Dysentery	10	1	1	1	—	—	—	—	—	—	—	—	—
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	3	1	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	276	—	2	4	6	6	3	5	14	8	22	28	26
Metria	6	—	—	—	—	—	—	—	—	—	—	2	2
Rheumatic Fever	3	—	—	—	—	—	—	—	—	—	1	1	—
Erysipelas	13	3	—	1	1	—	—	—	—	—	—	—	—
Syphilis	7	1	3	1	1	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	1	—
Dropsy	21	—	—	—	1	—	4	1	2	—	—	—	—
Abscess	3	—	—	—	—	—	—	—	—	—	—	2	—
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	3	—	—	—	—	—	—	—	—	1	—	—	—
Cancer	20	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	17	1	—	2	3	1	1	—	3	2	1	1	—
Tabes Mesenterica	31	—	2	4	11	5	4	—	—	—	2	—	—
Phthisis	207	1	6	6	6	3	2	4	9	6	17	29	14
Hydrocephalus	54	4	7	10	10	8	6	5	4	—	—	—	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1864.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	2	—	—	—	—	—	—	—	1	—	—	—	—
Apoplexy	20	1	—	—	—	1	—	—	1	—	—	1	—
Paralysis	19	—	—	—	—	—	—	—	—	1	—	1	1
Delirium Tremens	3	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	4	—	—	—	—	—	—	—	—	—	—	1	1
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	2	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	14	4	1	2	5	1	—	—	1	—	—	—	—
Brain Disease	36	2	—	7	3	1	1	2	5	2	1	—	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	3	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease	53	—	—	—	1	—	—	—	—	3	2	1	3
VI. Laryngitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	162	15	14	26	29	9	4	2	2	—	—	—	—
Pleurisy	9	1	—	—	1	—	—	—	—	1	—	—	2
Pneumonia	56	4	—	5	7	2	—	2	3	2	4	2	4
Asthma	8	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease	8	—	—	1	1	—	—	—	—	—	—	—	2
VII. Teething	48	2	—	21	20	4	1	—	—	—	—	—	—
Quinsey	4	—	—	3	—	—	—	—	—	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	20	6	4	2	4	1	1	—	1	—	—	—	—
Peritonitis	5	—	—	—	—	—	—	—	—	2	—	—	1
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	4	—	—	2	1	—	—	—	—	—	—	—	—
Hernia	2	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	2	—	1	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	4	—	—	—	1	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	1	—	—	—
Jaundice	2	1	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	16	2	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	1
VIII. Nephritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	4	—	—	—	—	—	1	—	—	—	—	—	1
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	2	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	6	—	—	—	—	—	—	—	—	—	—	1	1
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	8	—	—	—	—	—	—	—	—	—	—	2	3
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	6	—	—	—	—	—	—	—	—	2	2	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	1	—	—	—	—	—	—	—	—	—
Skin Disease	3	—	1	1	—	—	—	—	—	—	—	—	—
XII. Cyanosis	1	1	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	4	—	—	—	—	—	—	—	—	—	—	—	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	3	1	1	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	7	—	—	—	1	1	—	—	—	—	—	1	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	1	—
Suffocation	3	—	1	—	—	—	—	—	—	—	1	—	—
Drowning	16	—	—	—	—	—	—	—	2	—	4	1	5
Fracture and Contusion	15	—	—	—	—	—	—	—	—	—	—	3	3
Wounds	4	—	—	—	—	—	—	—	—	—	1	1	—
Other Violent Causes	2	—	—	—	—	—	—	—	—	—	—	1	—
Not Specified	53	28	4	4	4	2	3	—	2	2	—	—	1

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1864.—BOTH SEXES. (*Continued.*)

[illegible]

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1864.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1015	83	32	88	116	49	54	31	52	28	38	63	41
SPECIFIED CAUSES	993	70	32	86	114	49	52	31	51	27	38	63	40
I. Zymotic Class	383	7	9	27	51	31	29	20	34	12	16	32	20
II. Diseases of Uncertain Seat	19	—	—	—	—	—	4	—	—	1	—	1	—
III. Tubercular Class	163	3	6	12	24	7	11	4	8	6	9	18	3
IV. Brain and Nervous System	63	5	1	8	5	1	—	1	3	3	1	2	1
V. Organs of Circulation	27	—	—	—	—	—	—	—	—	1	1	—	2
VI. Respiratory Organs	125	9	7	16	15	7	3	4	1	2	3	2	4
VII. Organs of Digestion	56	3	4	16	13	3	2	—	1	2	—	—	2
VIII. Urinary Organs	9	—	—	—	—	—	1	—	—	—	—	—	—
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	5	—	—	—	—	—	—	—	—	—	2	—	—
XI. Skin, etc.	4	—	1	2	—	—	—	—	—	—	—	—	—
XII. Malformation	2	2	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	48	41	3	4	—	—	—	—	—	—	—	—	—
XIV. Atrophy	14	—	—	—	6	—	2	2	2	—	—	—	—
XV. Age	31	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	44	—	1	1	—	—	—	—	2	—	6	8	8
I. Small Pox	26	—	3	3	5	—	—	—	1	—	1	9	4
Measles	35	—	—	9	12	8	4	—	2	—	—	—	—
Scarlatina	92	—	—	5	10	16	16	15	23	5	1	1	—
Diphtheria	1	—	—	—	1	—	—	—	—	—	—	—	—
Hooping Cough	12	—	—	1	6	1	3	1	—	—	—	—	—
Croup	24	—	—	4	9	4	4	1	1	1	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	19	6	2	3	3	—	—	—	—	1	—	—	1
Dysentery	5	—	1	—	—	—	—	—	—	—	—	—	—
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	159	—	1	2	3	2	2	3	7	5	14	22	15
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	4	—	—	—	1	—	—	—	—	—	—	—	—
Syphilis	4	1	2	—	1	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Haemorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	11	—	—	—	—	—	4	—	—	—	—	—	—
Abscess	1	—	—	—	—	—	—	—	—	—	—	1	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	—	—	—	—	1	—	—	—
Cancer	5	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	11	—	—	2	3	—	1	—	1	1	1	1	—
Tabes Mesenterica	17	—	—	1	8	2	4	—	—	—	1	—	—
Phthisis	102	1	3	3	4	1	1	2	5	5	7	17	3
Hydrocephalus	33	2	3	6	9	4	5	2	2	—	—	—	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1864.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Apoplexy	11	—	—	—	—	—	—	—	—	—	—	1	—
Paralysis	10	—	—	—	—	—	—	—	—	1	—	1	—
Delirium Tremens	3	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	2	—	—	—	—	—	—	—	—	—	—	—	1
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	2	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	10	4	1	2	2	—	—	—	1	—	—	—	—
Brain Disease	24	1	—	6	3	1	—	1	2	2	1	—	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	3	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease	24	—	—	—	—	—	—	—	—	1	1	—	1
VI. Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	74	7	7	14	7	7	3	2	—	—	—	—	—
Pleurisy	8	—	—	—	1	—	—	—	—	1	—	—	2
Pneumonia	34	2	—	2	6	—	—	2	1	1	3	2	1
Asthma	4	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	5	—	—	—	1	—	—	—	—	—	—	—	1
VII. Teething	28	—	—	12	12	3	1	—	—	—	—	—	—
Quinsey	3	—	—	2	—	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	10	2	3	1	1	—	1	—	1	—	—	—	—
Peritonitis	3	—	—	—	—	—	—	—	—	2	—	—	1
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	2	—	—	1	—	—	—	—	—	—	—	—	—
Hernia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	1	—	1	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	—	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	8	1	—	—	—	—	—	—	—	—	—	—	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	—	1	—	—	—	—	—	—
Nephria	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	4	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	4	—	—	—	—	—	—	—	—	—	2	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	1	—	—	—	—	—	—	—	—	—
Skin Disease	3	—	1	1	—	—	—	—	—	—	—	—	—
XII. Cyanosis	1	1	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	2	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	—	—	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	4	—	—	—	—	—	—	—	—	—	—	1	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	1	—
Suffocation	2	—	1	—	—	—	—	—	—	—	1	—	—
Drowning	16	—	—	—	—	—	—	—	2	—	4	1	5
Fracture and Contusion	12	—	—	—	—	—	—	—	—	—	—	3	3
Wounds	4	—	—	—	—	—	—	—	—	—	1	1	—
Other Violent Causes	2	—	—	—	—	—	—	—	—	—	—	1	—
Not Specified	22	13	—	2	2	—	2	—	1	1	—	—	1

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1864.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	914	89	40	75	105	46	27	23	59	14	24	29	39
SPECIFIED CAUSES	883	74	36	73	103	44	26	23	58	13	24	29	39
I. Zymotic Class	328	13	10	32	48	23	21	15	39	5	11	10	14
II. Diseases of Uncertain Seat	31	—	—	—	1	—	—	1	2	—	—	2	—
III. Tubercular Class	146	3	9	10	6	10	2	5	8	2	11	12	11
IV. Brain and Nervous System	37	2	—	1	3	2	1	1	5	—	—	1	1
V. Organs of Circulation	29	—	—	—	1	—	—	—	—	2	1	1	2
VI. Respiratory Organs	119	11	7	16	23	4	1	—	4	1	1	—	5
VII. Organs of Digestion	53	8	1	12	13	2	—	—	—	1	—	—	—
VIII. Urinary Organs	6	—	—	—	—	—	—	—	—	—	—	1	2
IX. Organs of Generation	8	—	—	—	—	—	—	—	—	—	—	2	3
X. Organs of Locomotion	2	—	—	—	—	—	—	—	—	2	—	—	—
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	46	36	8	2	—	—	—	—	—	—	—	—	—
XIV. Atrophy	12	—	—	—	7	2	1	—	—	—	—	—	—
XV. Age	52	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	2	—	—	—	—	—	—	1	—	—	—	—	—
XVII. Violent Deaths	12	1	1	—	1	1	—	—	—	—	—	—	1
I. Small Pox	19	2	3	1	2	1	2	2	3	—	1	1	1
Measles	30	—	—	8	16	3	3	—	—	—	—	—	—
Scarlatina	56	—	—	3	6	7	10	8	20	1	1	—	—
Diphtheria	10	—	—	—	1	3	1	1	3	1	—	—	—
Hooping Cough	28	2	2	8	9	2	2	1	2	—	—	—	—
Croup	22	1	1	1	10	3	2	1	3	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	18	3	2	6	1	—	—	—	1	—	—	—	—
Dysentery	5	1	—	1	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	2	1	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	117	—	1	2	3	4	1	2	7	3	8	6	11
Metria	6	—	—	—	—	—	—	—	—	—	—	2	2
Rheumatic Fever	3	—	—	—	—	—	—	—	—	—	1	1	—
Erysipelas	9	3	—	1	—	—	—	—	—	—	—	—	—
Syphilis	3	—	1	1	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	1	—
Dropsy	10	—	—	—	1	—	—	1	2	—	—	—	—
Abscess	2	—	—	—	—	—	—	—	—	—	—	1	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	2	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	15	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	6	1	—	—	—	1	—	—	2	1	—	—	—
Tabes Mesenterica	14	—	2	3	3	3	—	—	—	—	1	—	—
Phthisis	105	—	3	3	2	2	1	2	4	1	10	12	11
Hydrocephalus	21	2	4	4	1	4	1	3	2	—	—	—	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1864.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	1	—	—	—	—	—	—	—	1	—	—	—	—
Apoplexy	9	1	—	—	—	1	—	—	1	—	—	—	—
Paralysis	9	—	—	—	—	—	—	—	—	—	—	—	1
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	2	—	—	—	—	—	—	—	—	—	—	1	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	4	—	—	—	3	1	—	—	—	—	—	—	—
Brain Disease	12	1	—	1	—	—	1	1	3	—	—	—	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	29	—	—	—	1	—	—	—	—	2	1	1	2
VI. Laryngitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	88	8	7	12	22	2	1	—	2	—	—	—	—
Pleurisy	1	1	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	22	2	—	3	1	2	—	—	2	1	1	—	3
Asthma	4	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease	3	—	—	1	—	—	—	—	—	—	—	—	1
VII. Teething	20	2	—	9	8	1	—	—	—	—	—	—	—
Quinsey	1	—	—	1	—	—	—	—	—	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	10	4	1	1	3	1	—	—	—	—	—	—	—
Peritonitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	2	—	—	1	1	—	—	—	—	—	—	—	—
Hernia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	1	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	4	—	—	—	1	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	1	—	—	—
Jaundice	2	1	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	8	1	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	3	—	—	—	—	—	—	—	—	—	—	—	1
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	—	—	—	—	—	—	—	—	—	—	1	1
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	8	—	—	—	—	—	—	—	—	—	—	2	3
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	2	—	—	—	—	—	—	—	—	2	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	2	—	—	—	—	—	—	—	—	—	—	—	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	2	1	1	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	3	—	—	—	1	1	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	1	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	3	—	—	—	—	—	—	—	—	—	—	—	—
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	31	15	4	2	2	2	1	—	1	1	—	—	—

CAUSES of DEATH in LEITH, at different Periods of Life, in 1864.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	928	120	39	70	103	48	27	19	43	14	21	22	20
SPECIFIED CAUSES	913	113	38	69	102	47	26	19	43	13	21	22	20
I. Zymotic Class	244	25	10	20	50	30	19	11	21	1	4	4	5
II. Diseases of Uncertain Seat	41	1	—	1	2	2	—	—	1	2	1	—	—
III. Tubercular Class	104	2	4	13	11	3	3	3	13	1	8	8	6
IV. Brain and Nervous System	88	13	1	3	2	—	—	1	2	2	1	2	1
V. Organs of Circulation	49	—	1	—	—	—	—	—	1	1	—	—	1
VI. Respiratory Organs	156	11	12	20	26	9	3	2	1	1	1	3	2
VII. Organs of Digestion	61	10	4	11	4	—	—	1	—	1	2	2	1
VIII. Urinary Organs	15	—	—	—	—	1	—	—	—	1	—	—	—
IX. Organs of Generation	10	—	—	—	—	—	—	—	—	—	—	—	1
X. Organs of Locomotion	6	—	—	—	—	—	—	—	1	2	—	—	—
XI. Skin, etc.	1	1	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	52	47	5	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	12	—	—	—	7	—	1	—	—	—	—	—	—
XV. Age	33	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	40	2	1	1	—	2	—	1	3	1	4	3	3
I. Small Pox	2	—	—	1	—	—	1	—	—	—	—	—	—
Measles	2	—	—	1	1	—	—	—	—	—	—	—	—
Scarlatina	34	1	1	—	2	7	5	4	11	1	—	—	1
Diphtheria	20	3	—	—	4	2	6	—	4	—	—	1	—
Hooping Cough	63	9	5	12	20	8	4	1	4	—	—	—	—
Croup	27	1	1	3	11	7	2	2	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	23	6	2	1	7	1	—	—	—	—	—	1	—
Dysentery	3	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	6	3	—	1	1	—	—	—	—	—	—	—	1
Influenza	2	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	53	—	—	—	4	5	1	4	2	—	4	2	3
Metria	2	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	3	1	—	—	—	—	—	—	—	—	—	—	—
Syphilis	3	1	1	1	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy	10	—	—	1	1	1	—	—	—	—	1	—	—
Abscess	3	—	—	—	1	—	—	—	1	1	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	5	—	—	—	—	1	—	—	—	—	—	—	—
Cancer	20	—	—	—	—	—	—	—	—	1	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	6	—	—	—	1	—	—	—	4	—	—	—	—
Tabes Mesenterica	6	—	—	1	2	—	—	1	1	—	1	—	—
Phthisis	54	—	—	—	1	1	1	—	1	1	7	8	6
Hydrocephalus	38	2	4	12	7	2	2	2	7	—	—	—	—

CAUSES of DEATH in LEITH, at different Periods of Life, in 1864.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	38	35	35	36	31	28	37	40	40	35	18	7	1	—	—	1
SPECIFIED CAUSES . .	38	35	35	36	30	28	37	40	40	35	18	7	1	—	—	—
Zymotic Class . . .	4	6	11	5	3	4	—	5	2	2	1	1	—	—	—	—
Uncertain Seat . . .	1	2	1	2	4	5	7	3	3	2	1	—	—	—	—	—
Tubercular Class . .	6	9	3	5	1	4	—	1	—	—	—	—	—	—	—	—
Brain, etc.	4	2	4	4	4	3	14	7	10	5	3	—	—	—	—	—
Heart, etc.	4	2	3	6	5	3	7	5	4	4	2	—	—	—	—	—
Respiratory Organs .	6	4	4	5	7	5	2	14	6	11	—	1	—	—	—	—
Digestive Organs . .	2	3	3	2	2	2	3	2	4	2	—	—	—	—	—	—
Urinary Organs . . .	1	1	1	1	1	1	2	1	3	1	—	—	—	—	—	—
Generative Organs . .	3	2	2	1	1	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs .	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malformation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	1	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	1	1	7	8	10	5	1	—	—	—
Sudden Deaths . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths . . .	5	3	1	5	1	—	1	1	1	—	1	—	—	—	—	—
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping Cough . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	—	—	1	—	—	—	—	2	1	—	—	1	—	—	—	—
Dysentery	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	2	4	8	4	2	4	—	3	—	1	—	—	—	—	—	—
Metria	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	—	—	—	—	—	2	2	—	—	2	—	—	—	—	—	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—
Cancer	1	1	1	2	4	2	5	—	2	—	1	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tabes Mesenterica . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	5	9	3	5	1	4	—	1	—	—	—	—	—	—	—	—
Hydrocephalus . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in LEITH, at different Periods of Life, in 1864.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis	2	—	—	—	—	—	—	—	1	—	—	1	—
Apoplexy	25	—	—	—	—	—	—	—	—	—	—	1	—
Paralysis	26	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	2	—	—	—	—	—	—	—	—	—	1	—	—
Tetanus	3	3	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	17	10	1	3	2	—	—	1	—	—	—	—	—
Brain Disease	12	—	—	—	—	—	—	—	1	2	—	—	1
V. Pericarditis	1	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	47	—	1	—	—	—	—	—	1	1	—	—	1
VI. Laryngitis	2	—	—	—	—	—	—	—	—	—	—	—	1
Bronchitis	90	6	8	17	18	4	1	2	—	—	1	—	—
Pleurisy	9	—	—	—	—	—	—	—	—	—	—	2	—
Pneumonia	45	4	4	3	7	5	2	—	1	1	—	1	1
Asthma	7	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	3	1	—	—	1	—	—	—	—	—	—	—	—
VII. Teething	13	—	1	8	4	—	—	—	—	—	—	—	—
Quinsey	2	1	—	1	—	—	—	—	—	—	—	—	—
Gastritis	3	1	—	—	—	—	—	—	—	—	—	—	—
Enteritis	10	6	2	—	—	—	—	1	—	—	—	—	—
Peritonitis	6	—	—	—	—	—	—	—	—	1	—	1	1
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	3	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	1	—	—	1	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	10	2	1	1	—	—	—	—	—	—	1	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	2	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	9	—	—	—	—	—	—	—	—	—	1	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	2	—	—	—	—	1	—	—	—	—	—	—	—
Nephria	3	—	—	—	—	—	—	—	—	1	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	9	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	9	—	—	—	—	—	—	—	—	—	—	—	1
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	1	—	—	—
Joint and Bone Disease	5	—	—	—	—	—	—	—	1	1	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	1	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	1	1	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	3	1	1	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	4	—	—	—	—	2	—	—	1	—	—	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	3	1	—	—	—	—	—	—	—	—	1	1	—
Drowning	11	—	—	—	—	—	—	—	—	1	—	—	2
Fracture and Contusion	16	—	—	—	—	—	—	—	2	—	3	2	1
Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	15	7	1	1	1	1	1	—	—	1	—	—	—

CAUSES of DEATH in LEITH, at different Periods of Life, in 1864.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	467	73	24	30	47	28	13	10	21	11	14	10	12
SPECIFIED CAUSES	459	69	23	30	47	27	12	10	21	10	14	10	12
I. Zymotic Class	120	16	3	9	26	16	10	4	9	—	2	2	2
II. Diseases of Uncertain Seat	15	—	—	1	1	1	—	—	1	1	—	—	—
III. Tubercular Class	59	—	3	8	5	2	1	2	7	1	7	4	4
IV. Brain and Nervous System	42	10	—	1	1	—	—	—	—	2	—	1	1
V. Organs of Circulation	23	—	1	—	—	—	—	—	—	1	—	—	—
VI. Respiratory Organs	77	7	8	6	9	5	1	2	1	—	1	—	2
VII. Organs of Digestion	29	7	3	4	4	—	—	1	—	1	—	—	1
VIII. Urinary Organs	6	—	—	—	—	1	—	—	—	1	—	—	—
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	4	—	—	—	—	—	—	—	1	2	—	—	—
XI. Skin, etc.	1	1	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	30	26	4	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	4	—	—	—	1	—	—	—	—	—	—	—	—
XV. Age	14	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	35	2	1	1	—	2	—	1	2	1	4	3	2
I. Small Pox	1	—	—	—	—	—	1	—	—	—	—	—	—
Measles	2	—	—	1	1	—	—	—	—	—	—	—	—
Scarlatina	19	1	1	—	1	4	2	3	6	—	—	—	—
Diphtheria	10	1	—	—	2	—	5	—	1	—	—	1	—
Hooping Cough	29	5	2	5	9	5	2	—	1	—	—	—	—
Croup	15	1	—	3	7	4	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	11	5	—	—	3	—	—	—	—	—	—	—	—
Dysentery	1	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	2	1	—	—	1	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	27	—	—	—	2	3	—	1	1	—	2	1	2
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	1	1	—	—	—	—	—	—	—	—	—	—	—
Syphilis	1	1	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	3	—	—	1	—	1	—	—	—	—	—	—	—
Abscess	3	—	—	—	1	—	—	—	1	1	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	2	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	5	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	3	—	—	—	—	—	—	—	2	—	—	—	—
Tabes Mesenterica	5	—	—	1	1	—	—	1	1	—	1	—	—
Phthisis	31	—	—	—	—	1	—	—	1	1	6	4	4
Hydrocephalus	20	—	3	7	4	1	1	1	3	—	—	—	—

CAUSES of DEATH in LEITH, at different Periods of Life, in 1864.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Apoplexy	11	—	—	—	—	—	—	—	—	—	—	1	—
Paralysis	10	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	2	2	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	10	8	—	1	1	—	—	—	—	—	—	—	—
Brain Disease	8	—	—	—	—	—	—	—	—	2	—	—	1
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	22	—	1	—	—	—	—	—	—	1	—	—	—
VI. Laryngitis	1	—	—	—	—	—	—	—	—	—	—	—	1
Bronchitis	47	5	8	5	7	1	—	2	—	—	1	—	—
Pleurisy	5	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	20	2	—	1	2	4	1	—	1	—	—	—	1
Asthma	4	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	8	—	1	3	4	—	—	—	—	—	—	—	—
Quinsey	2	1	—	1	—	—	—	—	—	—	—	—	—
Gastritis	1	1	—	—	—	—	—	—	—	—	—	—	—
Enteritis	6	3	1	—	—	—	—	1	—	—	—	—	—
Peritonitis	3	—	—	—	—	—	—	—	—	1	—	—	1
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	1	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	4	2	1	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	1	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	1	—	—	—	—	—	—	—
Nephria	2	—	—	—	—	—	—	—	—	1	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	1	—	—	—
Joint and Bone Disease	3	—	—	—	—	—	—	—	1	1	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	1	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	3	1	1	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	—	—	—	—	2	—	—	—	—	—	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	3	1	—	—	—	—	—	—	—	—	1	1	—
Drowning	10	—	—	—	—	—	—	—	—	1	—	—	1
Fracture and Contusion	14	—	—	—	—	—	—	—	2	—	3	2	1
Wounds	1	—	—	—	—	—	—	1	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	8	4	1	—	—	1	1	—	—	1	—	—	—

[illegible]

CAUSES of DEATH in LEITH, at different Periods of Life, in 1864.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	461	47	15	40	56	20	14	9	22	3	7	12	8
SPECIFIED CAUSES	454	44	15	39	55	20	14	9	22	3	7	12	8
I. Zymotic Class	124	9	7	11	24	14	9	7	12	1	2	2	3
II. Diseases of Uncertain Seat	26	1	—	—	1	1	—	—	—	1	1	—	—
III. Tubercular Class	45	2	1	5	6	1	2	1	6	—	1	4	2
IV. Brain and Nervous System	46	3	1	2	1	—	—	1	2	—	1	1	—
V. Organs of Circulation	26	—	—	—	—	—	—	—	1	—	—	—	1
VI. Respiratory Organs	79	4	4	14	17	4	2	—	—	1	—	3	—
VII. Organs of Digestion	32	3	1	7	—	—	—	—	—	—	2	2	—
VIII. Urinary Organs	9	—	—	—	—	—	—	—	—	—	—	—	—
IX. Organs of Generation	10	—	—	—	—	—	—	—	—	—	—	—	1
X. Organs of Locomotion	2	—	—	—	—	—	—	—	—	—	—	—	—
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	22	21	1	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	8	—	—	—	6	—	1	—	—	—	—	—	—
XV. Age	19	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	5	—	—	—	—	—	—	—	1	—	—	—	1
I. Small Pox	1	—	—	1	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	15	—	—	—	1	3	3	1	5	1	—	—	1
Diphtheria	10	2	—	—	2	2	1	—	3	—	—	—	—
Hooping Cough	34	4	3	7	11	3	2	1	3	—	—	—	—
Croup	12	—	1	—	4	3	2	2	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	12	1	2	1	4	1	—	—	—	—	—	1	—
Dysentery	2	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	4	2	—	1	—	—	—	—	—	—	—	—	1
Influenza	2	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	26	—	—	—	2	2	1	3	1	—	2	1	1
Metria	2	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	2	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	2	—	1	1	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy	7	—	—	—	1	—	—	—	—	—	1	—	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	3	—	—	—	—	1	—	—	—	—	—	—	—
Cancer	15	—	—	—	—	—	—	—	—	1	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	3	—	—	—	1	—	—	—	2	—	—	—	—
Tabes Mesenterica	1	—	—	—	1	—	—	—	—	—	—	—	—
Phthisis	23	—	—	—	1	—	1	—	—	—	—	—	—
Hydrocephalus	18	2	1	5	3	1	1	1	4	—	—	—	—

CAUSES of DEATH in LEITH, at different Periods of Life, in 1864.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	2	—	—	—	—	—	—	—	1	—	—	1	—
Apoplexy	14	—	—	—	—	—	—	—	—	—	—	—	—
Paralysis	16	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	2	—	—	—	—	—	—	—	—	—	1	—	—
Tetanus	1	1	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	7	2	1	2	1	—	—	1	—	—	—	—	—
Brain Disease	4	—	—	—	—	—	—	—	1	—	—	—	—
V. Pericarditis	1	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	25	—	—	—	—	—	—	—	1	—	—	—	1
VI. Laryngitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	43	1	—	12	11	3	1	—	—	—	—	—	—
Pleurisy	4	—	—	—	—	—	—	—	—	—	—	2	—
Pneumonia	25	2	4	2	5	1	1	—	—	1	—	1	—
Asthma	3	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	3	1	—	—	1	—	—	—	—	—	—	—	—
VII. Teething	5	—	—	5	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	2	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	4	3	1	—	—	—	—	—	—	—	—	—	—
Peritonitis	3	—	—	—	—	—	—	—	—	—	—	1	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	2	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	1	—	—	1	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	6	—	—	1	—	—	—	—	—	—	1	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	1	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	6	—	—	—	—	—	—	—	—	—	1	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	7	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	9	—	—	—	—	—	—	—	—	—	—	—	1
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	1	1	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	—	—	—	—	—	—	—	1	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	1	—	—	—	—	—	—	—	—	—	—	—	1
Fracture and Contusion	2	—	—	—	—	—	—	—	—	—	—	—	—
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	7	3	—	1	1	—	—	—	—	—	—	—	—

CAUSES of DEATH in PERTH, at different Periods of Life, in 1864.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	871	79	30	41	75	48	33	15	47	14	29	43	41
SPECIFIED CAUSES	864	77	29	40	75	48	33	15	46	14	29	42	41
I. Zymotic Class	264	10	5	17	30	27	26	11	33	7	20	14	19
II. Diseases of Uncertain Seat	20	—	1	—	—	—	—	—	1	—	1	—	—
III. Tubercular Class	117	1	5	5	7	7	3	2	6	4	4	21	12
IV. Brain and Nervous System	56	3	2	2	1	2	—	—	2	—	—	—	2
V. Organs of Circulation	36	1	—	—	—	—	—	—	1	1	1	—	—
VI. Respiratory Organs	102	10	12	6	20	5	1	1	1	2	—	1	1
VII. Organs of Digestion	59	8	—	7	13	4	1	—	—	—	2	2	1
VIII. Urinary Organs	13	—	—	—	1	—	—	—	—	—	—	—	2
IX. Organs of Generation	7	—	—	—	—	—	—	—	—	—	—	2	1
X. Organs of Locomotion	4	—	—	—	—	—	—	—	—	—	—	—	—
XI. Skin, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	51	44	4	3	—	—	—	—	—	—	—	—	—
XIV. Atrophy	9	—	—	—	—	2	2	—	—	—	—	—	1
XV. Age	97	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	2	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	26	—	—	—	3	1	—	1	2	—	1	2	2
I. Small Pox	27	4	—	—	6	2	2	2	1	1	—	2	5
Measles	1	—	—	—	—	1	—	—	—	—	—	—	—
Scarlatina	65	—	1	4	9	12	12	5	19	1	2	—	—
Diphtheria	10	—	1	1	2	1	1	1	2	—	—	—	—
Hooping Cough	20	1	—	4	7	3	4	—	1	—	—	—	—
Croup	10	—	—	—	3	3	1	1	2	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	33	4	3	8	2	—	—	1	—	1	—	—	—
Dysentery	3	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	—	—	—	—	—	—	—	—	—	—	1	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	1	—	—	—	—	1	—	—	—	—	—	—	—
Typhus	86	—	—	—	1	4	6	1	8	4	18	11	13
Metria	2	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	2	—	—	—	—	—	—	—	—	—	—	—	1
Syphilis	1	1	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	3	—	—	—	—	—	—	—	1	—	—	—	—
Abscess	2	—	1	—	—	—	—	—	—	—	1	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	14	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	11	—	1	2	1	—	—	1	1	—	—	3	1
Tabes Mesenterica	18	1	3	2	2	4	2	—	2	2	—	—	—
Phthisis	78	—	1	—	1	—	—	1	1	2	4	18	11
Hydrocephalus	10	—	—	1	3	3	1	—	2	—	—	—	—

CAUSES of DEATH in PERTH, at different Periods of Life, in 1864.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	2	—	—	—	—	—	—	—	1	—	—	—	—
Apoplexy	15	—	—	—	—	—	—	—	1	—	—	—	—
Paralysis	16	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	3	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	10	3	2	2	1	2	—	—	—	—	—	—	—
Brain Disease	8	—	—	—	—	—	—	—	—	—	—	—	2
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	35	1	—	—	—	—	—	—	1	1	1	—	—
VI. Laryngitis	2	—	—	—	1	—	—	—	—	—	—	—	—
Bronchitis	83	10	12	6	16	4	1	1	1	2	—	—	—
Pleurisy	1	—	—	—	—	—	—	—	—	—	—	1	—
Pneumonia	8	—	—	—	3	1	—	—	—	—	—	—	—
Asthma	6	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	2	—	—	—	—	—	—	—	—	—	—	—	1
VII. Teething	23	—	—	7	13	3	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	5	1	—	—	—	1	—	—	—	—	1	—	1
Peritonitis	5	2	—	—	—	—	—	—	—	—	—	1	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	2	—	—	—	—	—	1	—	—	—	—	—	—
Hernia	4	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	3	2	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	1	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	3	1	—	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	5	1	—	—	—	—	—	—	—	—	—	1	—
Liver Disease	6	—	—	—	—	—	—	—	—	—	1	—	—
Spleen Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	2	—	—	—	—	—	—	—	—	—	—	—	2
Stone	2	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	7	—	—	—	1	—	—	—	—	—	—	—	—
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	—	1	—
Ovarian Dropsy	1	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	5	—	—	—	—	—	—	—	—	—	—	1	1
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	3	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	1	—	—	—	1	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	—	—	—	—	—	—	1	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	8	—	—	—	1	—	—	—	1	—	—	2	—
Fracture and Contusion	7	—	—	—	1	—	—	—	1	—	—	—	2
Wounds	3	—	—	—	—	1	—	—	—	—	—	—	—
Other Violent Causes	3	—	—	—	—	—	—	—	—	—	1	—	—
Not Specified	7	2	1	1	—	—	—	—	1	—	—	1	—

CAUSES of DEATH in PERTH, at different Periods of Life, in 1864.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
ALL CAUSES	414	47	14	21	37	24	18	10	25	5	12	26	23
SPECIFIED CAUSES	410	47	14	20	37	24	18	10	24	5	12	25	23
I. Zymotic Class	130	4	3	9	15	13	13	8	21	3	7	7	11
II. Diseases of Uncertain Seat	3	—	1	—	—	—	—	—	—	—	—	—	—
III. Tubercular Class	57	1	1	4	5	2	2	1	2	—	1	16	6
IV. Brain and Nervous System	32	1	1	1	—	2	—	—	1	—	—	—	1
V. Organs of Circulation	18	1	—	—	—	—	—	—	—	1	1	—	—
VI. Respiratory Organs	52	8	5	2	9	4	1	—	—	1	—	1	1
VII. Organs of Digestion	25	3	—	3	7	1	1	—	—	—	2	—	1
VIII. Urinary Organs	8	—	—	—	—	—	—	—	—	—	—	—	1
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	33	29	3	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	3	—	—	—	—	1	1	—	—	—	—	—	—
XV. Age	32	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	16	—	—	—	1	1	—	1	—	—	1	1	2
I. Small Pox	14	2	—	—	3	—	1	2	1	—	—	1	3
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	38	—	1	1	6	8	6	3	11	1	1	—	—
Diphtheria	4	—	1	1	—	—	—	1	1	—	—	—	—
Hooping Cough	10	1	—	2	3	2	1	—	1	—	—	—	—
Croup	7	—	—	—	2	1	1	1	2	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	13	—	1	5	1	—	—	1	—	—	—	—	—
Dysentery	1	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	—	—	—	—	—	—	—	—	—	—	1	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	39	—	—	—	—	2	4	—	5	2	6	5	7
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	1	—	—	—	—	—	—	—	—	—	—	—	1
Syphilis	1	1	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	1	—	—	—	—	—	—	—	—	—	—	—	—
Abscess	1	—	1	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	8	—	1	2	1	—	—	—	—	—	—	3	—
Tabes Mesenterica	9	1	—	1	1	2	2	—	2	—	—	—	—
Phthisis	36	—	—	—	—	—	—	1	—	—	1	13	6
Hydrocephalus	4	—	—	1	3	—	—	—	—	—	—	—	—

CAUSES of DEATH in PERTH, at different Periods of Life, in 1864.—MALES.

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	10	10	13	13	13	7	12	15	23	18	7	8	3	—	—	—	
SPECIFIED CAUSES . .	10	10	13	13	13	6	12	15	23	18	7	8	3	—	—	—	
Zymotic Class . . .	4	1	3	2	2	—	1	—	2	1	—	—	—	—	—	—	
Uncertain Seat . . .	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	
Tubercular Class . .	1	3	5	3	2	—	2	—	—	—	—	—	—	—	—	—	
Brain, etc.	1	4	1	3	2	2	2	2	5	2	—	1	—	—	—	—	
Heart, etc.	1	1	3	—	—	1	1	5	2	—	—	1	—	—	—	—	
Respiratory Organs .	1	—	—	—	1	2	4	3	5	3	1	—	—	—	—	—	
Digestive Organs . .	—	—	—	1	2	—	1	1	1	—	—	1	—	—	—	—	
Urinary Organs . . .	—	—	—	2	2	—	—	1	2	—	—	—	—	—	—	—	
Generative Organs .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Locomotive Organs .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Malformation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	—	1	6	11	6	5	3	—	—	—	
Sudden Deaths . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Violent Deaths . . .	1	1	1	2	1	—	—	2	—	1	—	—	—	—	—	—	
Small Pox	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Whooping Cough . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhœa	2	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—	
Dysentery	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Influenza	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Infantile Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	2	1	2	1	1	—	1	—	—	—	—	—	—	—	—	—	
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dropsy	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cancer	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scrofula	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tabes Mesenterica . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phthisis	—	3	5	3	2	—	2	—	—	—	—	—	—	—	—	—	
Hydrocephalus . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in PERTH, at different Periods of Life, in 1864.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Apoplexy	9	—	—	—	—	—	—	—	1	—	—	—	—
Paralysis	9	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	3	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	5	1	1	1	—	2	—	—	—	—	—	—	—
Brain Disease	4	—	—	—	—	—	—	—	—	—	—	—	1
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	17	1	—	—	—	—	—	—	—	1	1	—	—
VI. Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	42	8	5	2	8	3	1	—	—	1	—	—	—
Pleurisy	1	—	—	—	—	—	—	—	—	—	—	1	—
Pneumonia	4	—	—	—	1	1	—	—	—	—	—	—	—
Asthma	4	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	1	—	—	—	—	—	—	—	—	—	—	—	1
VII. Teething	11	—	—	3	7	1	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	3	—	—	—	—	—	—	—	—	—	1	—	1
Peritonitis	2	1	—	—	—	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	1	—	—	—	—	—	—
Hernia	2	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	1	1	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	2	1	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	3	—	—	—	—	—	—	—	—	—	1	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	1
Stone	2	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	4	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	—	—	—	—	—	—	1	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	4	—	—	—	—	—	—	—	—	—	—	1	—
Fracture and Contusion	4	—	—	—	1	—	—	—	—	—	—	—	2
Wounds	3	—	—	—	—	1	—	—	—	—	—	—	—
Other Violent Causes	3	—	—	—	—	—	—	—	—	—	1	—	—
Not Specified	4	—	—	1	—	—	—	—	1	—	—	1	—

CAUSES of DEATH in PERTH, at different Periods of Life, in 1864.—MALES. (*Continued.*)

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Apoplexy	—	—	—	1	1	—	—	1	3	1	—	1	—	—	—	—	
Paralysis	—	1	1	—	—	2	1	1	2	1	—	—	—	—	—	—	
Delirium Tremens	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Aneurism	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Heart Disease	1	1	2	—	—	1	1	5	2	—	—	1	—	—	—	—	
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	1	—	—	—	1	2	1	2	4	2	1	—	—	—	—	—	
Pleurisy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Pneumonia	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	
Asthma	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	
Lung Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Enteritis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Peritonitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hernia	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	
Ileus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Jaundice	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
Liver Disease	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephria	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stone	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	—	—	—	1	1	—	—	1	1	—	—	—	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Joint Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	
Fracture and Contusion	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Wounds	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	
Other Violent Causes	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Not Specified	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in PERTH, at different Periods of Life, in 1864.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	457	32	16	20	38	24	15	5	22	9	17	17	18
SPECIFIED CAUSES	454	30	15	20	38	24	15	5	22	9	17	17	18
I. Zymotic Class	134	6	2	8	15	14	13	3	12	4	13	7	8
II. Diseases of Uncertain Seat	17	—	—	—	—	—	—	—	1	—	1	—	—
III. Tubercular Class	60	—	4	1	2	5	1	1	4	4	3	5	6
IV. Brain and Nervous System	24	2	1	1	1	—	—	—	1	—	—	—	1
V. Organs of Circulation	18	—	—	—	—	—	—	—	1	—	—	—	—
VI. Respiratory Organs	50	2	7	4	11	1	—	1	1	1	—	—	—
VII. Organs of Digestion	34	5	—	4	6	3	—	—	—	—	—	2	—
VIII. Urinary Organs	5	—	—	—	1	—	—	—	—	—	—	—	1
IX. Organs of Generation	7	—	—	—	—	—	—	—	—	—	—	2	1
X. Organs of Locomotion	4	—	—	—	—	—	—	—	—	—	—	—	—
XI. Skin, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	18	15	1	2	—	—	—	—	—	—	—	—	—
XIV. Atrophy	6	—	—	—	—	1	1	—	—	—	—	—	1
XV. Age	65	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	10	—	—	—	2	—	—	—	2	—	—	1	—
I. Small Pox	13	2	—	—	3	2	1	—	—	1	—	1	2
Measles	1	—	—	—	—	1	—	—	—	—	—	—	—
Scarlatina	27	—	—	3	3	4	6	2	8	—	1	—	—
Diphtheria	6	—	—	—	2	1	1	—	1	—	—	—	—
Hooping Cough	10	—	—	2	4	1	3	—	—	—	—	—	—
Croup	3	—	—	—	1	2	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	20	4	2	3	1	—	—	—	—	1	—	—	—
Dysentery	2	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	1	—	—	—	—	1	—	—	—	—	—	—	—
Typhus	47	—	—	—	1	2	2	1	3	2	12	6	6
Metria	2	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	1	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	2	—	—	—	—	—	—	—	1	—	—	—	—
Abscess	1	—	—	—	—	—	—	—	—	—	1	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	13	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	3	—	—	—	—	—	—	1	1	—	—	—	1
Tabes Mesenterica	9	—	3	1	1	2	—	—	—	2	—	—	—
Phthisis	42	—	1	—	1	—	—	—	1	2	3	5	5
Hydrocephalus	6	—	—	—	—	3	1	—	2	—	—	—	—

TABLE showing the Distribution of DEATHS according to MONTHS,
or the Influence of SEASON on the MORTALITY.
The Population is estimated to the middle of the year 1864.

			DEATHS in 1864.												
			Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
MEAN TEMPERATURE in 1864			36°·2	33°·5	37°·5	46°·1	50°·0	53°·4	56°·7	54°·4	52°·4	45°·8	40°·9	39°·4	45°·5
	Population 1864.														
SCOTLAND . . .			7682	7305	7620	6465	6028	5976	5453	5620	5067	5320	5664	6216	74,416
INSULAR DISTRICTS .			256	287	295	231	192	241	201	188	201	201	190	237	2,720
MAINLAND DISTRICTS			3568	3469	3671	3244	3014	2913	2604	2677	2453	2527	2655	2924	35,719
TOWN DISTRICTS .			3858	3549	3654	2990	2822	2822	2648	2755	2413	2592	2819	3055	35,977
DIVISIONS.															
1	Northern . . .	131,523	207	206	230	190	163	208	164	178	201	213	175	212	2,347
2	North-Western . .	164,599	285	296	333	321	255	298	211	231	211	213	227	279	3,160
3	North-Eastern . .	372,766	739	797	799	729	608	572	501	521	438	483	500	589	7,276
4	East-Midland . . .	526,375	1201	1223	1203	981	969	1035	972	1026	895	941	1032	990	12,468
5	West-Midland . . .	242,851	556	514	561	483	452	467	431	387	367	354	402	424	5,398
6	South-Western . .	1,049,583	3283	2942	3109	2546	2447	2281	2185	2275	2004	2100	2309	2593	30,074
7	South-Eastern . .	417,327	1006	969	938	836	772	795	675	700	670	749	758	820	9,688
8	Southern . . .	213,677	405	358	447	379	362	320	314	302	281	267	261	309	4,005
COUNTIES.															
I. NORTHERN.															
1	Shetland . . .	31,862	41	44	53	30	32	46	41	34	36	46	32	58	493
2	Orkney . . .	32,700	49	44	53	48	41	44	40	30	40	35	34	45	503
3	Caithness . . .	42,982	69	69	87	70	66	75	54	86	99	108	80	65	928
4	Sutherland . . .	23,979	48	49	37	42	24	43	29	28	26	24	29	44	423
II. NORTH-WESTERN.															
5	Ross and Cromarty .	81,986	146	131	156	151	101	128	88	117	98	92	112	145	1,465
6	Inverness . . .	82,613	139	165	177	170	154	170	123	114	113	121	115	134	1,695
III. NORTH-EASTERN.															
7	Nairn . . .	8,434	21	18	16	9	15	13	19	16	9	12	20	20	188
8	Elgin (or Moray) .	45,414	81	109	110	86	69	66	48	65	44	36	59	61	834
9	Banff . . .	57,535	106	116	106	97	86	83	68	53	71	71	81	77	1,015
10	Aberdeen . . .	226,555	464	492	492	469	379	364	324	339	283	322	287	374	4,589
11	Kincardine . . .	34,828	67	62	75	68	59	46	42	48	31	42	53	57	650
IV. EAST-MIDLAND.															
12	Forfar . . .	211,013	522	539	583	452	413	460	410	438	374	420	458	438	5,507
13	Perth . . .	131,843	310	312	250	239	251	277	246	257	228	208	242	221	3,041
14	Fife . . .	155,420	281	302	304	247	261	247	260	278	258	266	282	294	3,280
15	Kinross . . .	8,442	23	14	18	8	12	12	13	14	8	13	13	9	157
16	Clackmannan . . .	19,657	65	56	48	35	32	39	43	39	27	34	37	28	483
V. WEST-MIDLAND.															
17	Stirling . . .	89,545	187	195	198	166	167	174	159	133	159	127	159	162	1,986
18	Dumbarton . . .	56,516	170	115	125	129	137	124	108	107	81	92	114	121	1,423
19	Argyll . . .	80,551	165	161	202	159	120	127	132	111	99	109	102	115	1,602
20	Bute . . .	16,239	34	43	36	29	28	42	32	36	28	26	27	26	387
VI. SOUTH-WESTERN.															
21	Renfrew . . .	172,257	516	485	508	438	462	430	424	425	387	448	452	505	5,480
22	Ayr . . .	202,015	461	433	498	395	360	354	348	331	294	297	311	383	4,465
23	Lanark . . .	675,311	2306	2024	2103	1713	1625	1497	1413	1519	1323	1355	1546	1705	20,129
VII. SOUTH-EASTERN.															
24	Linlithgow . . .	41,794	85	77	85	86	72	66	60	59	46	83	68	96	883
25	Edinburgh . . .	278,838	782	693	682	588	565	587	499	527	495	530	560	570	7,078
26	Haddington . . .	38,036	53	83	55	61	59	62	52	46	67	63	60	68	729
27	Berwick . . .	36,591	53	72	71	70	43	45	36	36	36	42	41	49	594
28	Peebles . . .	11,459	17	21	21	17	17	20	11	14	20	17	15	15	205
29	Selkirk . . .	10,609	16	23	24	14	16	15	17	18	6	14	14	22	199
VIII. SOUTHERN.															
30	Roxburgh . . .	54,531	89	92	92	82	89	85	85	85	69	78	56	72	974
31	Dumfries . . .	75,176	165	139	178	164	136	119	103	104	104	89	105	112	1,518
32	Kirkcudbright . .	42,293	70	64	92	72	65	58	61	59	53	62	41	69	766
33	Wigtown . . .	41,677	81	63	85	61	72	58	65	54	55	38	59	56	747

APPENDIX.

CAUSES OF DEATH DURING EACH OF THE TEN YEARS
1855 to 1864.

CAUSES of DEATH in SCOTLAND during each of the TEN YEARS 1855-1864.—
BOTH SEXES.

DISEASES.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
ALL CAUSES	62004	58529	61906	63539	61714	68170	62341	67195	71481	74416	651297
SPECIFIED CAUSES	56272	54755	58011	59930	58208	64487	59417	63860	68201	71126	614267
I. Zymotic Class	13582	13779	14046	14132	14640	14478	12406	13978	18888	19090	149019
II. Diseases of Uncertain Seat	2535	2403	2418	2360	2433	2479	2319	2288	2308	2523	24046
III. Tubercular Class	10007	9077	10326	10265	9951	11212	10582	11429	10981	11445	105277
IV. Brain and Nervous System	4607	4501	4789	4800	4770	5206	4823	5086	5216	5116	48914
V. Organs of Circulation	2006	1948	2117	2261	2314	2598	2491	2787	2706	2975	24295
VI. Respiratory Organs	7075	6124	6256	7884	6505	9470	8400	9194	8951	10070	79921
VII. Organs of Digestion	4326	4319	5007	4832	4594	4797	5636	4788	4970	5165	47824
VIII. Urinary Organs	679	590	621	726	720	786	844	904	882	916	7668
IX. Organs of Generation	493	481	472	460	504	495	506	481	563	560	5017
X. Organs of Locomotion	290	257	247	258	270	333	428	404	455	419	3361
XI. Skin, etc.	71	50	54	60	65	63	72	80	108	93	716
XII. Malformation	152	119	154	122	144	149	152	145	164	175	1476
XIII. Premature Debility	2068	2744	2787	2911	2776	2990	2880	2986	2949	3242	28332
XIV. Atrophy	535	461	502	521	466	551	492	576	611	502	5217
XV. Age	5685	5702	6009	6231	5913	6572	5792	6559	6069	6418	60950
XVI. Sudden Deaths	248	197	138	127	89	132	105	118	120	126	1400
XVII. Violent Deaths	1913	2003	2068	1980	2054	2186	2089	2057	2260	2291	20901
I. Small Pox	1309	1306	845	332	682	1495	766	426	1316	1741	10548
Measles	1180	1033	1028	1538	972	1587	971	1404	2212	1102	13027
Scarlatina	2138	3011	2235	2671	3614	2927	1764	1281	3413	3411	26465
Diphtheria	—	—	76	294	415	480	681	997	1745	1740	6428
Whooping Cough	1903	2331	1539	1963	2660	1812	2204	2799	1649	1993	20855
Croup	873	1020	1072	1200	921	1005	890	1396	1870	1416	11665
Thrush	34	27	36	32	32	35	25	36	35	36	328
Diarrhoea	1320	1098	2071	1524	1273	1095	1041	1108	1192	1244	12966
Dysentery	602	392	929	599	469	369	361	293	235	317	4616
Cholera	238	88	170	83	146	46	67	57	144	67	1076
Influenza	701	244	235	365	291	342	232	387	394	243	3397
Purpura	51	36	50	44	31	61	49	51	47	44	461
Ague	—	3	3	5	1	3	6	16	12	17	66
Worms	47	40	35	37	30	28	30	32	35	24	338
Infantile Fever	112	196	76	64	72	61	45	63	85	53	827
Typhus	2419	2363	3087	2790	2436	2344	2579	3021	3441	4804	29284
Metria	169	143	145	152	175	236	203	130	195	254	1802
Rheumatic Fever	57	58	58	70	67	95	104	84	113	101	807
Erysipelas	326	288	204	270	247	334	253	249	335	345	2851
Syphilis	79	81	90	86	90	96	122	126	139	125	1034
Noma	23	20	11	12	12	23	12	21	20	13	167
Hydrophobia	1	1	1	1	1	4	1	1	1	—	12
II. Hæmorrhage	146	172	94	93	91	85	65	85	75	81	987
Dropsy	1220	1005	1088	1045	1027	1052	778	713	696	768	9422
Abscess	88	110	76	80	113	122	126	121	161	149	1146
Ulcer	39	28	37	29	26	35	35	55	58	50	392
Fistula	4	15	7	11	12	15	19	11	15	18	127
Mortification	153	163	150	127	148	148	145	108	127	142	1381
Cancer	871	908	960	963	1004	1014	1165	1152	1162	1300	10499
Gout	14	2	6	12	12	8	16	13	14	15	112
III. Scrofula	441	451	431	452	447	483	699	704	663	657	5428
Tabes Mesenterica	535	519	706	763	610	721	782	796	873	875	7186
Phthisis	7129	6247	7184	7264	7172	8165	7571	8211	7614	8083	74646
Hydrocephalus	1902	1860	2005	1786	1722	1843	1530	1718	1831	1830	18027

CAUSES of DEATH IN SCOTLAND during each of the TEN YEARS 1855-1864.—
BOTH SEXES.

DISEASES.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
IV. Cephalitis . . .	389	363	325	349	321	378	354	319	323	368	3489
Apoplexy . . .	1041	975	1054	1059	1135	1144	1008	1201	1155	1160	10932
Paralysis . . .	1385	1418	1447	1441	1415	1560	1458	1509	1632	1550	14815
Delirium Tremens . .	71	58	86	64	50	88	54	61	63	51	646
Chorea . . .	9	9	5	6	3	9	14	9	9	10	83
Epilepsy . . .	196	166	218	193	187	224	213	230	212	198	2037
Tetanus . . .	62	86	62	49	60	47	46	49	49	36	546
Insanity . . .	58	55	59	46	52	54	91	96	60	46	617
Convulsions . . .	689	733	703	811	753	852	689	697	824	838	7589
Brain Disease . . .	707	638	830	782	794	850	896	915	889	859	8160
V. Pericarditis . . .	84	68	77	67	77	92	72	84	71	68	760
Aneurism . . .	45	66	70	78	75	88	69	89	75	97	752
Heart Disease . . .	1877	1814	1970	2116	2162	2418	2350	2614	2560	2810	22691
VI. Laryngitis . . .	101	114	178	168	156	167	161	170	173	144	1532
Bronchitis . . .	3036	2762	2867	3935	3228	5400	5017	5764	5484	6333	43876
Pleurisy . . .	451	337	319	356	302	324	268	291	252	284	3184
Pneumonia . . .	2094	1970	1890	2355	1900	2416	1974	1932	2212	2268	21011
Asthma . . .	935	610	645	620	566	714	661	698	547	656	6652
Lung Disease . . .	458	331	357	450	353	449	319	339	283	335	3674
VII. Teething . . .	1014	1028	1341	1171	996	1066	1137	1106	1132	1124	11115
Quinsey . . .	57	54	65	62	70	83	87	63	78	72	691
Gastritis . . .	162	164	162	149	146	140	152	165	164	200	1604
Enteritis . . .	857	847	962	963	848	869	947	892	902	953	9040
Peritonitis . . .	263	260	227	248	263	285	298	227	311	331	2713
Ascites . . .	92	109	98	106	104	112	61	64	73	68	887
Ulceration of Intestines	150	175	156	178	167	179	183	175	177	174	1714
Hernia . . .	86	96	86	85	71	90	110	114	86	90	914
Ileus . . .	284	267	287	260	238	268	293	268	268	303	2736
Intussusception . .	42	39	35	43	41	39	33	49	37	40	398
Stricture of Intestines	18	14	20	22	27	18	24	23	22	30	218
Stomach Disease . .	488	464	733	687	774	761	765	682	774	754	6882
Pancreas Disease . .	2	1	1	2	1	4	1	—	—	1	13
Hepatitis . . .	123	149	125	146	139	122	166	153	132	162	1417
Jaundice . . .	171	179	190	164	214	177	185	175	200	217	1872
Liver Disease . . .	507	460	504	524	477	552	572	611	589	620	5416
Spleen Disease . . .	10	13	15	22	18	22	22	21	25	26	194
VIII. Nephritis . . .	33	44	33	44	40	53	58	41	68	73	487
Nephria . . .	138	106	109	143	128	165	165	239	210	220	1623
Ischuria . . .	41	40	45	43	37	35	37	41	61	60	440
Diabetes . . .	60	54	53	60	69	64	84	74	74	82	674
Stone . . .	69	68	65	54	63	83	82	78	61	65	668
Cystitis . . .	36	33	50	59	47	40	54	66	45	50	480
Stricture of Urethra	8	2	4	8	6	3	16	6	17	22	92
Kidney Disease . . .	294	243	262	315	330	363	348	359	346	344	3204
IX. Paramenia . . .	13	14	26	21	21	19	28	29	22	38	231
Ovarian Dropsy . . .	48	37	61	56	56	55	81	69	92	79	634
Childbirth . . .	341	351	304	302	333	328	308	305	376	371	3322
Organs of Generation	91	79	81	81	94	93	89	78	73	69	828
X. Arthritis . . .	21	15	20	9	17	14	20	27	22	32	197
Rheumatism . . .	124	114	111	94	112	150	181	164	182	156	1388
Joint and Bone Disease	145	123	116	155	141	169	227	213	251	231	1776
XI. Carbuncle . . .	20	18	18	16	21	20	20	19	29	24	205
Phlegmon . . .	6	5	8	6	4	8	12	8	16	11	84
Skin Disease . . .	45	27	28	38	40	35	40	53	63	58	427
XII. Cyanosis . . .	27	26	62	37	42	74	56	49	56	59	488
Spina Bifida . . .	27	31	33	33	39	31	32	34	35	29	324
Other Malformations	98	62	59	52	63	44	64	62	73	87	664
XVII. Intemperance . .	57	78	85	88	101	55	78	53	59	77	731
Privation . . .	5	6	8	5	6	6	5	7	4	9	61
Want of Breast Milk	29	26	36	48	47	60	70	62	83	91	552
Neglect . . .	8	4	—	3	5	1	4	3	2	2	32
Cold . . .	30	21	31	24	49	47	34	34	17	41	328
Poison . . .	45	44	52	48	52	50	44	54	43	40	472
Burns and Scalds . .	311	303	288	304	303	356	293	324	329	310	3121
Hanging, etc. . .	42	54	45	44	58	50	49	46	49	29	466
Suffocation . . .	84	76	69	78	88	79	102	101	116	108	901
Drowning . . .	440	520	541	439	421	537	467	436	506	557	4864
Fracture and Contusion	617	730	705	702	722	747	726	769	856	829	7403
Wounds . . .	78	57	87	79	100	86	93	74	80	94	828
Other Violent Causes	167	84	121	118	102	112	124	94	116	104	1142
Not Specified . . .	5732	3774	3895	3609	3506	3683	2924	3335	3280	3290	37028

CAUSES of DEATH in the INSULAR DISTRICTS during each of the TEN YEARS 1855-1864.—
BOTH SEXES.

DISEASES.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
ALL CAUSES . . .	2693	2166	2306	2377	2633	2714	2562	2975	2934	2720	26080
SPECIFIED CAUSES . .	2069	1884	1941	2013	2189	2257	2178	2490	2454	2278	21753
I. Zymotic Class . .	434	323	296	267	400	387	477	486	495	470	4035
II. Diseases of Uncertain Seat . . .	122	90	108	78	116	104	100	100	73	91	982
III. Tubercular Class .	304	257	309	290	321	343	341	364	350	306	3185
IV. Brain and Nervous System . . .	126	117	130	143	113	137	121	156	137	132	1312
V. Organs of Circulation	38	40	52	48	39	49	56	63	45	64	491
VI. Respiratory Organs .	243	144	170	179	199	198	204	222	257	211	2027
VII. Organs of Digestion	131	103	121	126	136	138	139	131	151	147	1323
VIII. Urinary Organs .	31	29	26	29	22	23	20	30	25	23	258
IX. Organs of Generation	28	31	28	30	29	23	23	21	14	30	257
X. Organs of Locomotion	16	16	20	22	20	21	27	29	19	22	212
XI. Skin, etc. . . .	3	2	5	1	2	1	2	2	3	4	25
XII. Malformation . .	1	—	7	3	7	—	1	1	2	1	23
XIII. Premature Debility .	35	103	66	78	64	64	48	47	56	63	624
XIV. Atrophy	9	8	8	8	10	14	10	15	17	21	120
XV. Age	463	510	473	597	597	601	519	723	672	603	5758
XVI. Sudden Deaths .	3	11	9	8	10	7	7	5	6	2	68
XVII. Violent Deaths .	82	100	113	106	104	147	83	95	132	88	1050
I. Small Pox	22	16	23	9	8	29	6	2	15	26	156
Measles	89	88	8	4	63	5	42	125	57	13	494
Scarlatina	14	17	12	24	35	52	71	7	26	26	284
Diphtheria	—	—	2	5	3	16	14	20	39	80	179
Whooping Cough . . .	28	53	42	36	42	82	140	35	50	53	561
Croup	35	31	27	40	46	52	41	68	127	78	545
Thrush	1	—	2	3	—	1	—	3	—	2	12
Diarrhoea	23	11	49	26	35	16	17	37	22	17	253
Dysentery	19	6	24	19	8	11	10	14	6	5	122
Cholera	2	1	2	3	4	1	3	2	1	5	24
Influenza	98	12	30	16	74	38	32	70	42	26	438
Purpura	—	—	1	2	2	4	2	2	1	1	15
Ague	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	1	1	2	2	1	1	1	1	10
Infantile Fever . . .	1	5	2	2	2	2	1	—	3	—	18
Typhus	77	62	58	65	59	59	77	83	90	118	748
Metria	1	2	4	3	6	5	7	4	2	3	37
Rheumatic Fever . . .	7	3	1	2	3	5	2	3	5	7	38
Erysipelas	15	14	7	7	6	5	8	8	5	5	80
Syphilis	2	2	1	—	2	2	2	2	3	4	20
Noma	—	—	—	—	—	—	1	—	—	—	1
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . .	7	11	3	3	1	7	4	2	2	1	41
Dropsy	69	46	56	37	71	49	47	44	36	44	499
Abscess	—	2	2	—	1	1	3	2	2	2	15
Ulcer	—	1	2	1	3	5	2	2	4	2	22
Fistula	—	—	—	—	—	1	—	—	—	—	1
Mortification	6	1	4	2	3	4	3	4	4	2	33
Cancer	39	29	40	35	36	37	38	46	23	40	363
Gout	1	—	1	—	1	—	3	—	2	—	8
III. Scrofula	16	18	16	17	15	21	23	14	20	23	183
Tabes Mesenterica . .	8	7	12	7	11	11	12	10	10	4	92
Phthisis	247	206	260	241	270	285	283	306	294	250	2642
Hydrocephalus	33	26	21	25	25	26	23	34	26	29	268

CAUSES of DEATH in the INSULAR DISTRICTS during each of the TEN YEARS 1855-1864.—
BOTH SEXES.

DISEASES.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
IV. Cephalitis . . .	15	14	9	15	7	8	9	14	8	7	106
Apoplexy . . .	21	24	20	22	18	24	21	19	20	34	223
Paralysis . . .	59	41	61	56	40	60	42	63	64	55	541
Delirium Tremens . .	—	1	1	—	1	—	—	—	2	—	5
Chorea . . .	—	—	1	1	—	2	1	—	1	—	6
Epilepsy . . .	4	3	7	12	5	8	11	7	10	9	76
Tetanus . . .	1	8	4	2	7	8	9	8	4	6	57
Insanity . . .	1	3	2	1	1	3	4	6	1	—	22
Convulsions . . .	14	13	13	14	12	15	10	24	11	9	135
Brain Disease . . .	11	10	12	20	22	9	14	15	16	12	141
V. Pericarditis . . .	2	1	—	1	3	—	2	2	1	—	12
Aneurism . . .	1	—	1	3	—	1	—	1	—	—	7
Heart Disease . . .	35	39	51	44	36	48	54	60	44	64	475
VI. Laryngitis . . .	—	—	4	4	2	3	1	3	2	2	21
Bronchitis . . .	93	43	57	59	87	68	71	78	102	104	762
Pleurisy . . .	27	27	30	29	33	33	37	36	45	27	324
Pneumonia . . .	45	32	43	38	20	36	42	46	50	34	386
Asthma . . .	51	30	32	39	42	43	42	50	51	36	416
Lung Disease . . .	27	12	4	10	15	15	11	9	7	8	118
VII. Teething . . .	8	12	14	10	6	15	11	17	16	18	127
Quinsey . . .	3	4	3	—	2	1	3	5	3	12	36
Gastritis . . .	8	6	4	7	2	2	7	5	4	7	52
Enteritis . . .	22	16	22	20	22	14	16	12	25	16	185
Peritonitis . . .	10	3	4	5	5	9	4	3	7	8	58
Ascites . . .	6	2	3	5	5	11	1	7	3	1	44
Ulceration of Intestines	1	2	1	3	2	6	7	5	3	1	31
Hernia . . .	3	2	3	—	7	3	2	1	1	4	26
Ileus . . .	10	16	17	12	15	15	20	11	11	11	138
Intussusception . . .	3	—	—	6	3	2	3	4	1	1	23
Stricture of Intestines	—	1	2	1	2	—	1	—	1	1	9
Stomach Disease . . .	27	12	20	27	32	38	29	27	39	40	291
Pancreas Disease . . .	—	1	—	—	—	—	—	—	—	—	1
Hepatitis . . .	7	7	4	10	6	2	9	8	5	3	61
Jaundice . . .	6	4	10	5	7	9	11	8	10	6	76
Liver Disease . . .	16	15	14	14	17	11	13	18	21	16	155
Spleen Disease . . .	1	—	—	1	3	—	2	—	1	2	10
VIII. Nephritis . . .	1	1	—	1	3	2	—	1	—	2	11
Nephria . . .	3	2	1	1	2	4	3	11	6	4	37
Ischuria . . .	1	3	1	4	1	2	2	—	3	4	21
Diabetes . . .	1	3	3	4	1	1	1	1	3	3	21
Stone . . .	6	11	7	10	5	4	5	6	5	4	63
Cystitis . . .	4	3	4	2	2	1	3	3	—	1	23
Stricture of Urethra .	1	1	—	—	—	—	—	—	1	—	3
Kidney Disease . . .	14	5	10	7	8	9	6	8	7	5	79
IX. Paramenia . . .	—	1	3	1	3	—	—	1	1	3	13
Ovarian Dropsy . . .	5	3	1	1	—	1	1	1	3	4	20
Childbirth . . .	22	27	23	23	24	20	19	18	10	21	207
Organs of Generation .	1	—	1	5	2	2	3	1	—	2	17
X. Arthritis . . .	—	—	—	—	1	—	1	1	2	—	5
Rheumatism . . .	9	15	18	17	19	20	20	21	13	18	170
Joint and Bone Disease	7	1	2	5	—	1	6	7	4	4	37
XI. Carbuncle . . .	1	2	—	—	1	—	1	—	3	1	9
Phlegmon . . .	—	—	—	—	—	1	—	—	—	—	1
Skin Disease . . .	2	—	5	1	1	—	1	2	—	3	15
XII. Cyanosis . . .	—	—	1	1	—	—	—	1	—	—	3
Spina Bifida . . .	—	—	2	2	5	—	—	—	—	—	9
Other Malformations .	1	—	4	—	2	—	1	—	2	1	11
XVII. Intemperance . .	—	1	—	1	6	—	1	1	2	1	13
Privation . . .	—	—	1	—	1	—	—	—	—	—	2
Want of Breast Milk .	—	—	—	1	—	—	1	—	1	—	3
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	4	4	—	3	4	4	2	3	1	7	32
Poison . . .	1	—	—	—	—	—	1	—	—	—	2
Burns and Scalds . . .	15	18	18	19	15	18	13	12	17	13	158
Hanging, etc. . .	—	2	4	1	1	2	2	1	—	1	14
Suffocation . . .	1	1	2	4	2	1	1	1	1	1	15
Drowning . . .	34	60	69	42	57	98	48	60	92	52	612
Fracture and Contusion	14	8	16	22	16	23	6	14	13	8	140
Wounds . . .	3	4	3	1	1	—	4	1	2	3	22
Other Violent Causes .	10	2	—	12	1	1	4	2	3	2	37
Not specified . . .	624	282	365	364	444	457	384	485	480	442	4327

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS during each of the TEN YEARS
1855-1864.—BOTH SEXES.

DISEASES.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
ALL CAUSES . . .	30893	28825	30390	31564	30959	33358	30814	32694	34722	35719	319938
SPECIFIED CAUSES . . .	28109	26681	27995	29272	28767	31081	28917	30449	32502	33485	297258
I. Zymotic Class . . .	6447	5972	6314	6277	6805	6712	5820	6158	8445	8708	67658
II. Diseases of Uncertain Seat . . .	1411	1311	1313	1352	1335	1359	1295	1205	1227	1276	13084
III. Tubercular Class . . .	4586	4192	4604	4660	4547	5086	4853	5225	4985	5061	47799
IV. Brain and Nervous System . . .	2378	2309	2325	2405	2303	2554	2373	2516	2552	2455	24170
V. Organs of Circulation . . .	1013	975	1058	1179	1187	1252	1267	1431	1369	1447	12178
VI. Respiratory Organs . . .	3256	2664	2746	3389	2987	3706	3402	3741	3605	4018	33461
VII. Organs of Digestion . . .	2231	2220	2477	2453	2353	2193	2591	2409	2499	2571	24212
VIII. Urinary Organs . . .	391	305	331	375	390	428	450	486	487	495	4138
IX. Organs of Generation . . .	271	248	216	243	246	253	263	256	270	284	2550
X. Organs of Locomotion . . .	177	132	133	147	151	165	221	200	225	225	1779
XI. Skin, etc.	39	19	30	37	31	33	37	45	70	43	384
XII. Malformation . . .	87	71	84	60	64	77	77	65	93	93	774
XIII. Premature Debility . . .	937	1225	1134	1275	1267	1351	1215	1261	1317	1367	12349
XIV. Atrophy	220	214	216	214	215	234	211	228	251	198	2201
XV. Age	3472	3612	3811	4054	3792	4198	3686	4132	3900	4011	38668
XVI. Sudden Deaths . . .	125	106	70	58	39	62	49	50	68	74	701
XVII. Violent Deaths . . .	1068	1106	1133	1094	1162	1263	1107	1041	1139	1154	11147
I. Small Pox	552	429	183	130	176	538	268	112	625	808	3841
Measles	305	419	328	473	445	559	370	312	944	400	4546
Scarlatina	1141	1413	1094	1098	1731	1196	1611	618	1216	1640	12108
Diphtheria	—	—	51	193	291	237	371	617	1088	1203	4204
Hooping Cough	890	693	497	601	806	775	625	1038	547	507	7044
Croup	425	497	580	655	492	472	432	587	952	762	5881
Thrush	21	11	16	17	17	21	14	14	19	20	170
Diarrhœa	547	439	802	605	586	481	496	479	537	531	5503
Dysentery	260	163	475	281	243	195	163	140	149	173	2242
Cholera	179	39	92	33	81	23	23	31	55	35	691
Influenza	508	172	190	261	177	227	132	248	209	149	2273
Purpura	31	15	26	24	11	33	27	25	21	22	238
Ague	—	3	1	2	—	1	4	5	2	9	27
Worms	22	28	26	26	17	17	20	17	18	18	203
Infantile Fever	70	107	40	37	33	15	29	42	51	26	473
Typhus	1188	1234	1666	1530	1334	1211	1370	1570	1634	1998	14761
Metria	79	86	78	81	92	115	102	67	115	137	953
Rheumatic Fever	34	39	37	45	43	60	71	53	69	59	510
Erysipelas	162	149	100	153	115	178	124	129	163	176	1449
Syphilis	24	21	26	19	28	24	23	46	37	31	283
Noma	8	9	5	4	8	9	6	7	10	4	70
Hydrophobia	1	1	1	1	1	4	1	1	1	—	11
II. Hæmorrhage	80	97	42	44	46	45	29	52	36	34	513
Dropsy	648	541	567	619	561	537	135	389	351	369	5067
Abscess	50	52	39	39	43	67	57	41	65	63	513
Ulcer	16	9	20	14	17	20	20	21	29	25	191
Fistula	2	9	4	3	3	5	10	5	9	7	57
Mortification	92	92	82	78	75	81	65	60	58	72	754
Cancer	516	510	556	550	569	549	662	612	671	696	5891
Gout	7	1	3	5	3	5	11	12	8	10	70
III. Scrofula	227	243	244	240	229	261	367	379	313	311	2881
Tabes Mesenterica	248	249	293	297	278	289	354	339	393	352	3093
Phthisis	3337	2928	3240	3362	3316	3757	3481	3803	3504	3620	34341
Hydrocephalus	774	772	827	761	721	776	651	704	740	748	7477

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS during each of the TEN YEARS
1855-1864.—BOTH SEXES.

DISEASES.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
IV. Cephalitis . . .	193	200	156	177	157	208	189	151	159	192	1782
Apoplexy . . .	555	517	525	571	570	590	508	650	583	594	5663
Paralysis . . .	789	808	805	820	812	841	806	849	889	845	8264
Delirium Tremens . .	31	29	36	29	22	35	15	30	28	25	280
Chorea . . .	2	3	1	3	3	4	9	5	5	6	41
Epilepsy . . .	112	88	109	100	88	97	115	122	129	86	1046
Tetanus . . .	38	46	39	31	30	26	27	19	26	20	302
Insanity . . .	24	26	29	20	22	21	28	31	23	19	243
Convulsions . . .	288	290	250	292	257	336	276	252	300	300	2841
Brain Disease . . .	346	302	375	362	342	396	400	407	410	368	3708
V. Pericarditis . . .	53	38	47	40	44	55	46	49	36	36	444
Aneurism . . .	20	22	26	32	37	27	15	39	33	41	297
Heart Disease . . .	940	915	985	1107	1106	1170	1206	1343	1295	1370	11437
VI. Laryngitis . . .	57	55	86	73	78	81	75	74	81	78	738
Bronchitis . . .	1374	1157	1230	1675	1399	1954	1883	2187	2172	2388	17419
Pleurisy . . .	260	194	168	200	179	170	139	140	110	161	1721
Pneumonia . . .	899	826	793	969	855	982	856	858	868	949	8855
Asthma . . .	441	234	300	281	255	337	296	333	259	304	3090
Lung Disease . . .	225	148	169	191	171	182	153	149	115	138	1641
VII. Teething . . .	351	358	449	411	359	394	423	388	417	406	3956
Quinsey . . .	32	25	27	39	31	45	54	31	43	29	356
Gastritis . . .	89	98	103	87	83	72	82	95	101	120	930
Enteritis . . .	454	437	481	482	421	440	517	469	443	490	4634
Peritonitis . . .	137	150	130	130	148	139	156	123	156	176	1450
Ascites . . .	47	70	65	71	66	58	35	35	35	32	514
Ulceration of Intestines	94	108	105	108	108	96	109	100	111	100	1039
Hernia . . .	54	60	49	46	37	48	48	64	48	38	492
Ileus . . .	182	164	167	168	150	154	170	135	147	183	1620
Intussusception . . .	27	26	23	28	22	20	15	32	25	25	243
Stricture of Intestines	10	8	8	13	8	9	18	8	17	17	116
Stomach Disease . . .	283	287	413	407	448	432	444	395	436	407	3952
Pancreas Disease . . .	2	—	1	1	1	3	—	—	—	1	9
Hepatitis . . .	73	91	76	89	71	79	99	85	74	100	837
Jaundice . . .	107	108	103	82	126	101	107	101	116	117	1068
Liver Disease . . .	285	222	266	281	262	305	299	330	318	311	2879
Spleen Disease . . .	4	8	11	10	12	13	15	13	12	19	117
VIII. Nephritis . . .	17	30	19	27	28	22	31	20	37	41	272
Nephria . . .	50	43	40	44	49	60	68	101	91	112	658
Ischuria . . .	28	25	27	28	22	24	18	29	41	28	270
Diabetes . . .	42	30	28	40	42	34	49	43	50	40	398
Stone . . .	45	43	45	35	44	47	56	51	44	44	454
Cystitis . . .	20	20	30	36	23	27	31	31	30	30	278
Stricture of Urethra .	4	—	2	3	2	1	4	4	7	7	34
Kidney Disease . . .	185	114	140	162	180	213	193	207	187	193	1774
IX. Paramenia . . .	8	9	12	14	11	13	20	16	17	23	143
Ovarian Dropsy . . .	28	23	33	31	34	31	44	37	45	36	342
Childbirth . . .	186	164	182	148	151	152	146	153	166	188	1591
Organs of Generation .	49	52	39	50	50	57	53	45	42	37	474
X. Arthritis . . .	10	8	12	6	10	5	11	16	7	21	106
Rheumatism . . .	86	58	61	59	64	80	98	79	102	101	788
Joint and Bone Disease	81	66	60	82	80	80	112	105	116	103	885
XI. Carbuncle . . .	10	4	11	6	9	11	9	14	16	10	100
Phlegmon . . .	4	3	8	5	3	5	5	2	12	3	50
Skin Disease . . .	25	12	11	26	19	17	23	29	42	30	234
XII. Cyanosis . . .	18	15	32	16	19	34	36	23	32	37	262
Spina Bifida . . .	19	18	18	19	15	21	18	15	23	14	180
Other Malformations .	50	38	34	25	30	22	23	27	38	47	334
XVII. Intemperance . .	32	38	35	43	44	24	32	22	20	30	320
Privation . . .	2	2	1	3	1	1	—	2	1	1	14
Want of Breast Milk .	16	11	17	12	11	18	14	10	22	19	150
Neglect . . .	2	1	—	1	—	—	—	—	—	—	4
Cold . . .	16	15	21	16	41	36	27	27	14	29	242
Poison . . .	27	19	21	28	24	27	16	22	15	15	214
Burns and Scalds . . .	185	149	165	153	156	177	155	166	176	153	1640
Hanging, etc. . .	27	32	21	26	28	27	24	19	31	12	247
Suffocation . . .	41	43	41	49	40	34	55	40	46	44	433
Drowning . . .	251	267	307	254	246	319	276	232	273	310	2735
Fracture and Contusion	345	437	387	418	403	416	392	409	444	443	4094
Wounds . . .	39	34	51	32	64	57	53	48	37	46	461
Other Violent Causes .	85	58	66	59	44	67	63	44	60	47	593
Not Specified . . .	2784	2144	2395	2292	2192	2277	1897	2245	2220	2234	22680

CAUSES of DEATH in the TOWN DISTRICTS during each of the TEN YEARS 1855-1864.—
BOTH SEXES.

DISEASES.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
ALL CAUSES . . .	28418	27538	29210	29598	28122	32098	28965	31526	33825	35977	305277
SPECIFIED CAUSES . . .	26094	26190	28075	28645	27252	31149	28322	30921	33245	35363	295256
I. Zymotic Class . . .	6701	7484	7436	7588	7435	7379	6109	7334	9948	9912	77326
II. Diseases of Uncertain Seat . . . }	1002	1002	997	930	982	1016	924	983	1008	1156	10000
III. Tubercular Class . . .	5117	4623	5413	5315	5083	5783	5388	5840	5646	6078	54291
IV. Brain and Nervous System . . . }	2103	2075	2334	2252	2354	2515	2329	2414	2527	2529	23432
V. Organs of Circulation . . .	955	933	1007	1034	1088	1297	1168	1293	1292	1461	11531
VI. Respiratory Organs . . .	3576	3316	3340	4316	3369	5566	4794	5231	5089	5841	44438
VII. Organs of Digestion . . .	1964	1996	2409	2253	2105	2241	2306	2248	2320	2447	22289
VIII. Urinary Organs . . .	257	256	264	322	308	335	374	388	370	398	3272
IX. Organs of Generation . . .	194	202	228	187	229	219	220	204	279	246	2208
X. Organs of Locomotion . . .	97	109	94	89	96	147	180	175	211	172	1370
XI. Skin, etc.	29	29	19	22	32	29	33	33	35	46	307
XII. Malformation	64	48	63	59	73	72	74	79	69	76	677
XIII. Premature Debility . . .	1096	1416	1587	1558	1445	1575	1617	1678	1576	1812	15360
XIV. Atrophy	306	239	278	299	241	303	271	333	343	283	2896
XV. Age	1750	1580	1725	1580	1524	1773	1587	1704	1497	1804	16524
XVI. Sudden Deaths	120	80	59	61	40	63	49	63	46	50	631
XVII. Violent Deaths	763	797	822	780	848	836	899	921	989	1049	8704
I. Small Pox	735	861	639	193	498	908	492	312	1006	907	6551
Measles	786	526	692	1061	464	1032	559	967	1211	689	7987
Scarlatina	983	1581	1129	1549	1838	1469	652	656	2171	1745	13773
Diphtheria	—	—	23	93	121	177	196	360	618	457	2045
Hooping Cough	985	1580	1000	1326	1752	955	1439	1726	1052	1433	13248
Croup	413	492	465	505	383	481	417	741	811	576	5284
Thrush	12	16	18	12	15	13	11	19	16	14	146
Diarrhoea	750	648	1220	893	652	598	528	592	633	696	7210
Dysentery	323	223	430	299	218	163	188	139	130	139	2252
Cholera	57	48	76	42	61	22	36	24	58	27	451
Influenza	95	60	65	88	43	77	68	69	53	68	686
Purpura	20	21	23	18	15	24	20	24	25	21	211
Ague	—	—	2	3	1	2	2	11	10	8	39
Worms	25	12	8	10	11	9	9	14	16	5	119
Infantile Fever	41	84	34	25	32	24	15	21	28	27	331
Typhus	1154	1067	1363	1195	1043	1044	1132	1368	1717	2688	13771
Metria	89	55	63	68	77	116	94	59	78	114	812
Rheumatic Fever	16	16	20	23	21	30	31	28	39	35	259
Erysipelas	149	125	97	110	126	151	121	112	167	164	1322
Syphilis	53	58	63	67	60	70	94	78	99	90	732
Noma	15	11	6	8	4	14	5	14	10	9	96
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	59	64	49	46	44	33	26	31	37	46	435
Dropsy	503	418	465	389	395	416	296	310	309	355	3856
Abscess	38	56	35	41	56	54	66	65	94	84	589
Ulcer	23	18	15	14	6	10	13	32	25	23	179
Fistula	2	6	3	8	9	9	9	6	6	11	69
Mortification	55	70	64	47	70	63	47	44	65	68	593
Cancer	316	369	364	378	399	428	465	494	468	564	4245
Gout	6	1	2	7	3	3	2	1	4	5	34
III. Scrofula	198	190	171	195	203	198	309	311	295	293	2363
Tabes Mesenterica	279	263	401	459	321	421	416	447	470	519	3996
Phthisis	3545	3113	3684	3661	3586	4123	3807	4102	3816	4213	37650
Hydrocephalus	1095	1062	1157	1000	973	1041	856	980	1065	1053	10282

CAUSES of DEATH in the TOWN DISTRICTS during each of the TEN YEARS 1855-1864.—
BOTH SEXES.

DISEASES.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
IV. Cephalitis . . .	181	149	160	157	157	162	156	154	156	169	1601
Apoplexy . . .	465	434	509	466	547	530	479	532	552	532	5046
Paralysis . . .	537	569	581	565	563	659	610	597	679	650	6010
Delirium Tremens . .	40	28	49	35	27	53	39	31	33	26	361
Chorea . . .	7	6	3	2	—	3	4	4	3	4	36
Epilepsy . . .	80	75	102	81	94	119	87	101	73	103	915
Tetanus . . .	23	32	19	16	23	13	10	22	19	10	187
Insanity . . .	33	26	28	25	29	30	59	59	36	27	352
Convulsions . . .	387	430	440	505	484	501	403	421	513	529	4613
Brain Disease . . .	350	326	443	400	430	445	482	493	463	479	4311
V. Pericarditis . . .	29	29	30	26	30	37	24	33	34	32	304
Aneurism . . .	24	44	43	43	38	60	54	49	37	56	448
Heart Disease . . .	902	860	934	965	1020	1200	1090	1211	1221	1376	10779
VI. Laryngitis . . .	44	59	88	91	76	83	85	93	90	64	773
Bronchitis . . .	1569	1562	1580	2201	1742	3378	3063	3499	3210	3891	25695
Pleurisy . . .	164	116	121	127	90	121	92	115	97	96	1139
Pneumonia . . .	1150	1112	1054	1348	1025	1398	1076	1028	1294	1285	11770
Asthma . . .	443	296	313	300	269	334	323	315	237	316	3146
Lung Disease . . .	206	171	184	249	167	252	155	181	161	189	1915
VII. Teething . . .	655	658	878	750	631	657	703	701	699	700	7032
Quinsey . . .	22	25	35	23	37	37	30	27	32	31	299
Gastritis . . .	65	60	55	55	61	66	63	65	59	73	622
Enteritis . . .	381	394	459	461	405	415	414	411	434	447	4221
Peritonitis . . .	116	107	93	113	110	137	138	96	148	147	1205
Ascites . . .	39	37	30	30	33	43	25	22	35	35	329
Ulceration of Intestines	55	65	50	67	57	77	67	70	63	73	644
Hernia . . .	29	34	34	39	27	39	60	49	37	48	396
Ileus . . .	92	87	103	80	73	99	103	122	110	109	978
Intussusception . . .	12	13	12	9	16	17	15	13	11	14	132
Stricture of Intestines	8	5	10	8	17	9	5	15	4	12	93
Stomach Disease . . .	178	165	300	253	294	291	292	260	299	307	2639
Pancreas Disease . . .	—	—	—	1	—	1	1	—	—	—	3
Hepatitis . . .	43	51	45	47	62	41	58	60	53	59	519
Jaundice . . .	58	67	77	77	81	67	67	66	74	94	728
Liver Disease . . .	206	223	224	229	198	236	260	263	250	293	2382
Spleen Disease . . .	5	5	4	11	3	9	5	8	12	5	67
VIII. Nephritis . . .	15	13	14	16	9	29	27	20	31	30	204
Nephria . . .	85	61	68	98	77	101	94	127	113	104	928
Ischuria . . .	12	12	17	11	14	9	17	12	17	23	149
Diabetes . . .	17	21	22	16	26	29	34	30	21	39	255
Stone . . .	18	14	13	9	14	12	21	21	12	17	151
Cystitis . . .	12	10	16	21	22	12	20	32	15	19	179
Stricture of Urethra .	3	1	2	5	4	2	12	2	9	15	55
Kidney Disease . . .	95	124	112	146	142	141	149	144	152	146	1351
IX. Paramenia . . .	5	4	11	6	7	6	8	12	4	12	75
Ovarian Dropsy . . .	15	11	27	24	22	23	36	31	44	39	272
Childbirth . . .	133	160	149	131	158	156	143	129	200	165	1524
Organs of Generation .	41	27	41	26	42	34	33	32	31	30	337
X. Arthritis . . .	11	7	8	3	6	9	8	10	13	11	86
Rheumatism . . .	29	41	32	18	29	50	63	64	67	37	430
Joint and Bone Disease	57	61	54	68	61	88	109	101	131	124	854
XI. Carbuncle . . .	9	12	7	10	11	9	10	5	10	13	96
Phlegmon . . .	2	2	—	1	1	2	7	6	4	8	33
Skin Disease . . .	13	15	12	11	20	18	16	22	21	25	178
XII. Cyanosis . . .	9	11	29	20	23	40	20	25	24	22	223
Spina Bifida . . .	8	13	13	12	19	10	14	19	12	15	135
Other Malformations .	47	24	21	27	31	22	40	35	33	39	319
XVII. Intemperance . .	25	39	50	44	51	31	45	30	37	46	398
Privation . . .	3	4	6	2	4	5	5	5	3	8	45
Want of Breast Milk .	13	15	19	35	36	42	55	52	60	72	399
Neglect . . .	6	3	—	2	5	1	4	3	2	2	28
Cold . . .	10	2	10	5	4	7	5	4	2	5	54
Poison . . .	17	25	31	20	28	23	27	32	28	25	256
Burns and Scalds . . .	111	136	105	132	132	161	125	146	136	139	1323
Hanging, etc. . .	15	20	20	17	29	21	23	26	18	16	205
Suffocation . . .	42	32	26	25	46	44	46	60	69	63	453
Drowning . . .	155	193	165	143	118	120	143	144	141	195	1517
Fracture and Contusion	253	285	302	262	303	308	323	346	399	378	3169
Wounds . . .	36	19	33	46	35	29	36	25	41	45	345
Other Violent Causes .	72	24	55	47	57	44	57	48	53	55	512
Not Specified . . .	2324	1348	1135	953	870	949	643	605	580	614	10021

CONSTITUTION OF THE COMPOUND DISTRICTS.

No.	District.	Component Parts (Parishes).
13	Birsay	Part of Harray & Birsay.
14	Deerness	Part of St Andrews.
15	Eday & Pharay	Part of Stronsay & Eday.
22	North Ronaldshay	Part of Cross & Burness.
26	Sanday	Lady, and part of Cross & Burness.
86b	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir, (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews Lhanbryde.
147	Banff	Banff, and part of Gamrie.
152	Enzie	Parts of Bellie and Rathven.
155b	Glenrinnies	Part of Aberlour and Mortlach.
167	Seafeld	Parts of Cullen and Rathven.
222b	Millbren	Parts of Fyvie and Monquhitter.
227a	New Machar	New Machar and part of Udney.
227b	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237b	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon,	Strathdon, and part of Tarland.
272	Arbroath	Arbroath, and part of St Vigeans. [Invergowrie, (3) Part of Liff, &c.
282	Dundee	(1) Part of Dundee, (2) Rem. of Dundee, and part of Liff, Benvie, and
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
331	Balquhidder	Balquhidder, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld & Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld & Dowally.
355a	Fortingall	Parts of Fortingall and Weem.
355b	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait. [Redgorton.
375	Logiealmond	Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and
379	Meigle	Meigle, and part of Coupar-Angus.
386a	Muthill	Muthill, and part of Ardoch. [& Kinloch, and Rattray.
386b	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy
387	Perth	Perth, and parts of Kinnoull, Seone, and Tibbermore.
394b	Strathfillan	Part of Killin.
394c	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
442	Kirkcaldy	Kirkcaldy, and parts of Abbotshall and Kinghorn.
490	Stirling	Stirling, and part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, &c. . . .	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
515	Kilbrandon & Kilchattan	Kilbrandon & Kilchattan, and part of Jura.
526	Lochgilphead	Parts of Glassary and South Knapdale. [Knapdale.
535	Tarbert	Parts of Kilcalmonell & Kilberry, of Saddell & Skipness, and of South
536	Bowmore (or Killarrow)	Part of Killarrow & Kilmeny.
538	Iona	Part of Kilfinichen & Kilvickeon.
542	Kilfinichen & Kilvickeon	Parts of Kilfinichen & Kilvickeon, and of Torosay.
543	Kilmeny	Part of Killarrow & Kilmeny.
545	Kinlochspelve	Part of Torosay.
546	Oa	Part of Kildalton.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian & Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian & Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew, (2 & 3) Rest of Abbey.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, &c. . . .	Parts of Newton-upon-Ayr, and St Quivox.
626b	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan.
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingstone and South Leith.
685	Edinburgh	City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingstone, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton & East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts, (2) Parts of North Leith, St Cuthberts, and South Leith.
787b	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813b	Brydekirk	Parts of Annan, Cummertrees, and Hoddam.
853b	Wanlockhead	Part of Sanquhar.
857b	Bargrennan	Parts of Minnigaff (Kirkeudbright), and of Penninghame (Wigton).
862	Corsockbridge	Parts of Balmacellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.
899	Stranraer	Stranraer, and parts of Inch and Leswalt.

INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages (pages 2 to 23), these being numbered consecutively from 1 to 901.**

Abbey, 559	Auchtertool, 407	Brechin, 275	Collace, 340	Dalziel, 639
Abbey St Bath- ans, 726	Auldearn, 121	Bressay, 1	Collessie, 416	Daviot, 187
Abbotshall, 399	Avoch, 59	Bridgeton, 644	Colmonell, 582	Daviot & Dun- lichty, 95
Abdie, 400	Avondale, 621	Brodict, 553	Colonsay, 539	Deerness, 14
Abercorn, 661	Ayr, 578	Broughton, 758	Colvend, 861	Delting, 2
Aberdalgie, 323	Ayton, 727	Brydekirk, 813b	Comrie, 341	Denny, 476
Aberdeen, 168	Baldernock, 471	Buchanan, 474	Contin, 60	Deskford, 151
Aberdour (Aber- deen), 169	Balfron, 472	Buittle, 859	Cookney, 258	Dingwall, 62
Aberdour (Fife), 401	Ballachulish & Cor- ran of Ardgour, 506	Bunkle and Preston, 728	Corsock-Bridge, 862	Dirleton, 705
Aberfeldy, 324	Ballantrae, 579	Burntisland, 411	Corstorphine, 678	Dollar, 467
Aberfoyle, 325	Ballingry, 408	Burra & Quarff, 1	Cortachy and Clova, 278	Dolphington, 640
Aberlady, 702	Balmacellan, 856	Cabrach, 177	Coull, 182	Dores, 96
Aberlemno, 269	Balmaghie, 857	Cadder, 626	Coupar-Angus, 279	Dornoch (Suth- erland), 47
Aberlour, 145	Balmerino, 409	Cairney, 178	Covington and Thankerton, 634	Dornock (Dum- fries), 819
Abernethy, 326	Balquhiddel, 331	Calderhead, 626	Coylton, 583	Douglas, 641
Abernethy and Kincardine, 124	Banchory-Deve- nick, 251	Callander, 336	Craig, 280	Dowally, 344
Abernyte, 327	Banchory-Ter- nan, 252	Calton, 644	Craigie, 584	Drainie, 130
Abeyne, 170	Banff, 147	Cambuslang, 627	Craignish, 508	Dreghorn, 589
Aharacle, 505	Banff, 147	Cambusnethan, 628	Crail, 417	Dron, 345
Airdrie, 651	Bargrennan, 857b	Cameron, 412	Crailing, 786	Drumblade, 188
Airlie, 270	Barony, 622	Campbeltown, 507	Cramond, 679	Drumelzier, 759
Airth, 469	Barr, 530	Campsie, 475	Cranshaws, 734	Drumoak, 189
Alford, 171	Barra (Inver- ness), 108	Canisbay, 35	Cranston, 680	Dryfesdale, 820
Alloa, 465	Barrhead, 572	Canonbie, 814	Crathie and Braemar, 183	Drymen, 477
Alness, 57	Barry (Forfar), 274	Canongate, 685	Crawford, 635	Duddingston, 684
Alva (Stirling), 470	Barvas, 86a	Caputh, 337	Crawfordjohn, 636	Duffus, 131
Alvah (Banff), 146	Bathgate, 662	Cardross, 494	Creich (Suther- land), 46	Duirinish, 110
Alves, 125	Beath (Fife), 410	Careston, 277	Crichton, 681	Dull, 346
Alvie, 90	Bedrule, 782	Cargill, 338	Criech (Fife), 418	Dumbarton, 496
Alyth, 328	Beith (Ayr), 581	Carlaveroch, 815	Crieff, 342	Dumfries, 821
Ancrum, 780	Belhelvie, 174	Carluke, 629	Crimond, 184	Dun, 281
Anderston, 644	Bellie, 126	Carmichael, 630	Cromarty, 61	Dunbar, 706
Annan, 812	Benbecula, 118	Carmunnock, 631	Cromdale and Inverallan, 93	Dunbarney, 347
Anstruther- Easter, 402	Bendochy, 332	Carmylie, 276	Crossmichael, 863	Dunblane, 348
Anstruther- Wester, 403	Benholm, 253	Carnbee, 413	Croy & Dalcross, 94	Dunbog, 423
Anwoth, 855	Bernera, 111	Carnock, 414	Cruden, 185	Dundee, 282
Appin, 525	Bervie, 254	Carnwath, 632	Cullen, 150	Dundonald, 590
Applecross, 58	Biggar, 623	Carriden, 664	Culross, 343	Dunfermline, 424
Applegarth, 813a	Birnie, 127	Carrington, 675	Culsamond, 186	Dunino, 425
Arbirlot, 271	Birsay, 13	Carsphairn, 860	Culter, 637	Dunipace, 478
Arbroath, 272	Birse, 175	Carstairs, 633	Cults, 419	Dunkeld, 349
Arbuthnott, 250	Blackford, 333	Castleton, 784	Cumbernauld, 495	Dunlop, 591
Ardchattan, 504	Blair-Athol, 334	Cathcart, 560	Cumbraes, 552	Dunnet, 36
Ardclach, 120	Blairgowrie, 335	Cavers, 785	Cumlodden, 509	Dunnichen, 283
Ardersier, 91	Blantyre, 624	Cawdor, 122	Cummertrees, 817	Dunning, 350
Ardnamurchan, 505	Blythswood, 644	Ceres, 415	Cupar, 420	Dunnottar, 255
Ardrossan, 576	Boharm, 128	Channelkirk, 729	Currie, 682	Dunoon & Kil- mun, 510
Arisaig, 505	Boisdale, 118	Chapel-of-Gari- och, 179	Dailly, 585	Dunrossness, 3
Armadales, 662	Boleskine, 92	Chirnside, 730	Dairsie, 421	Dunscore, 822
Arngask, 404	Bolton, 704	Clackmannan, 466	Dalavich, 517	Dunse, 735
Arrochar, 492	Bonar, 46	Clatt, 180	Dalbeattie, 864	Dunsyre, 642
Ashkirk, 781	Bonhill, 493	Cleish, 460	Dalgetty, 422	Durness, 48
Assynt, 44	Borgue, 858	Closeburn, 816	Dalkeith, 683	Duror, 525
Athelstaneford, 703	Bo'ness, 663	Clunie (Perth), 339	Dallas, 129	Durris, 256
Auchbreck, 157	Borthwick, 674	Cluny (Aberd'n), 181	Dalmellington, 586	Durrisdeer, 823
Auchindoir, 172	Bothkennar, 473	Clyde, 644	Dalmeny, 665	Duthil, 132
Auchinleck, 577	Bothwell, 625	Clyne, 45	Dalry (Ayr), 587	Dyce, 190
Auchterarder, 329	Botriphnie, 148	Cockburnspath, 731	Dalry (Kirk- cudbright), 865	Dyke, 133
Auchterderran, 405	Bourtie, 176	Cockpen, 676	Dalrymple, 588	Dysart, 426
Auchtergaven, 330	Bowden, 783	Coigach, 75	Dalserf, 638	Eaglesham, 561
Auchterhouse, 273	Bower, 34	Coldingham, 732	Dalton, 818	Earlsferry, 436
Auchterless, 173	Bowmore, 536	Coldstream, 733		Earlston, 734
Auchtermuchty, 406	Boyndie, 149	Colinton, 677		Eassie & Nevay, 286
	Bracadale, 109	Coll, 551		

* The actual number of Districts in 1864 was 1010—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 10 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place compound names in the order in which they are pronounced.

East Kilbride, 643	Garvald, . 707	Inveresk, . 689	Kilwinning, 599	Ladykirk, . 746
Eastwood, . 562	Garvock, . 260	Inverkeillor, 293	Kincardine 364	Laggan, . 104
Eccles, 737	Gigha, . 537	Inverkeithing, 432	(Perth), . 364	Lairg, . 53
Ecclesmachan, 666	Girthon, . 866	Inverkeithny, 158	Kincardine	Lanark, . 648
Echt, . 191	Girvan, . 594	Inverness, . 98	(Ross), . 71	Langholm, . 839
Eckford, . 787a	Gladsmuir, 708	Inverurie, . 204	Kincardine	Langton, . 747
Eday & Pharay, 15	Glammis, . 289	Iona, . 538	O'Neil, . 209	Larbert, . 485
Edderton, . 63	Glasgow, . 644	Irongray, . 867	Kinclaven, . 365	Largo, . 443
Eddlestone, 760	Glass, . 199	Irvine, . 595	Kinfauns, . 366	Largs, . 602
Eddrachillis, 49	Glassary, . 511	Jedburgh, . 792	Kingarth, . 555	Larkhall, . 638
Edgerston, 787b	Glasserton, 885	Johnstone	King-Edward, 210	Lasswade, . 691
Edinburgh, 685	Glassford, . 645	(Dumfries), 832	Kinghorn, . 439	Latheron, . 38
Edinkillie, . 134	Glenberrie, 261	Johnstone (Ren-	Kinglassie, . 440	Lauder, . 748
Ednam, . 788	Glenbucket, 200	frew), . 559	Kingoldrum, 295	Laurencekirk, 263
Edrom, . 738	Glencairn, . 826	Jura, . 539	Kingsbarns, 441	Leadhills, . 635
Edzell, . 285	Glencoe and	Keig, . 205	Kingussie, &c., 102	Leecroft, . 371
Elgin, . 135	Ballachulish, 525	Keir, . 833	Kinloch, . 372	Legerwood, 749
Elie, . 427	Glencross, . 687	Keith, . 159	Kinlochbervie, 49	Leith, . 692
Ellon, . 192	Glendevon, 358	Keith-hall, 206	Kinloch-Ran-	Leochel-Cush-
Enzie, . 152	Glenelg, . 97	Kells, . 868	noch, . 367	nie, . 214
Errol, . 351	Glengarry, 99	Kelso, . 793	Kinlochspelve, 545	Lerwick, . 5
Erskine, . 563	Glenholm, . 761	Kelton, . 869	Kinloss, . 138	Leslie (Aber-
Eskdalemuir, 824	Glenisla, . 290	Kemback, . 433	Kinnaird, . 368	deen), . 215
Ettrick, . 774	Glenmoriston, 107	Kemnay, . 207	Kinneff and	Leslie (Fife), 444
Evie & Rendall, 16	Glenmuick, Tul-	Kenmore, . 360	Catterline, 262	Lesmahagow, 649
Ewes, . 825	lich, &c. 201	Kennoway, 434	Kinnell, . 296	Leswalt, . 891
Eyemouth, 739	Glenorchy and	Kettins, . 294	Kinnellar, . 211	Lethendy, . 372
Fair Isle, . 3	Inishail, . 512	Kettle, . 435	Kinnethmont, 212	Lethnott and
Fala & Soutra, 686	Glenrinnies, 155b	Kilbarchan, 568	Kinnettles, 297	Navar, . 300
Falkirk, . 479	Glenshee, . 370	Kilberry, . 516	Kinnoull, . 369	Leuchars, . 445
Falkland, . 428	Glenshiel, . 67	Kilbirnie, . 596	Kinross, . 462	Libberton (Lan-
Farnell, . 286	Golspie, . 51	Kilbrandon and	Kintail, . 72	ark), . 650
Farr, . 50	Gordon, . 742	Kilchattan, 515	Kintore, . 213	Liberton (Edin-
Fearn (Forfar), 287	Gourock, . 567	Kilbride, . 553	Kippen, . 484	burgh), . 693
Fearn (Ross), 64	Govan, . 646	Kilbucko, . 763	Kirkbean, . 870	Liff, Benvie, &
Fenwick, . 592	Graitney (or	Kilcalmonell, 516	Kirkcaldy, . 442	Invergowrie, 301
Ferry-Port-on-	Gretna), . 827	Kilchoman, 540	Kirkcolm, . 887	Lilliesleaf, . 795
Craig, . 429	Grange, . 156	Kilchrenan, 517	Kirkconnel, 834	Linlithgow, 668
Fetlar, . 4	Greenlaw, . 743	Kilconquhar, 436	Kirkcowan, 888	Linton, . 796
Fettercairn, 257	Greenock, . 564	Kildalton, . 541	Kirkcudbright, 871	Lintrathen, 302
Fetteresso, . 258	Guthrie, . 291	Kildonan, . 52	Kirkden, . 298	Lismore, . 525
Findo-Gask, 352	Haddington, 709	Kildrummy, 208	Kirkgunzeon, 872	Little Dun-
Fintray (Aber-	Halfmorton, 828	Kilfinan, . 518	Kirkhill, . 103	keld, . 373
deen), . 193	Halkirk, . 37	Kilfinichen and	Kirkhope, . 776	Livingstone, 669
Fintry (Stirling), 480	Hamilton, . 647	Kilvickeon, 542	Kirkinner, . 889	Lochaber, . 99
Firth & Stennes, 17	Harray, . 18	Killeen and	Kirkintilloch, 498	Lochalsh, . 74
Flisk, . 430	Harris, . 111	Kilchenzie, 519	Kirkliston, 667	Lochbroom, 75
Flotta, . 32	Hawick, . 789	Killearn, . 482	Kirkmabreck, 873	Lochcarron, 76
Fodderty, . 65	Heriot, . 688	Killearnan, 68	Kirkmahoe, 835	Lochgilphead, 526
Fogo, . 740	Hobkirk, . 790	Killin, . 361	Kirkmaiden, 890	Lochgailhead, 527
Fordoun, . 259	Hoddam, . 829	Kilmaddock, 362	Kirkmichael	Lochlee, . 303
Fordyce, . 153	Holm & Paplay, 19	Kilmalcorm, 569	(Ayr), . 600	Lochmaben, 840
Forfar, . 288	Holytown, . 625	Kilmalie, . 520	Kirkmichael	Lochranza, 556
Forgan, . 431	Hollywood, . 830	Kilmany (Fife), 437	(Banff), . 160	Lochrutton, 875
Forgandenny, 353	Houston and	Kilmarnock, 597	Kirkmichael	Lochs, . 87
Forglen, . 154	Killellan, . 565	Kilmarnock, 497	(Dumfries), 836	Lochwinnoch, 570
Forgue, . 194	Howmore, . 118	Kilmartin, 521	Kirkmichael	Logie (Fife), 446
Forres, . 137	Hownam, . 791	Kilmaurs, . 598	(Perth), . 370	Logie (Perth), 374
Fort-Augustus	Hoy & Græmsay, 20	Kilmelford, 524	Kirknewton and	Logiealmond, 375
(or Abertarff), 92	Humbie, . 710	Kilmenny (Ar-	East-Calder, 690	Logie-Buchan, 216
Forteviot, . 354	Hume, . 744	gyll), . 543	Kirkoswald, 601	Logie-Cold-
Fortingall, . 355a	Huntly, . 202	Kilmodan, . 522	Kirkpatrick-	stone, . 217
Fortrose, . 80	Hutchesontown, 644	Kilmonivaig, 99	Durham, . 874	Logie-Easter, 77
Foss, . 355b	Hutton (Ber-	Kilmorack, 100	Kirkpatrick-	Logie-Pert, 304
Fossaway and	wick), . 745	Kilmore & Kil-	Fleming, . 837	Logierait, . 376
Tulliebole, 461	Hutton (Dum-	bride, . 523	Kirkpatrick-	Longforgan, 377
Foula, . 12	fries), . 831	Kilmorich, . 527	Juxta, . 838	Longformacus, 750
Foulden, . 741	Inch (Wigtown), 886	Kilmory, . 554	Kirkton (As-	Longside, . 218
Foveran, . 195	Inchinnan, . 566	Kilmuir, . 112	synt), . 44	Lonmay, . 219
Fowlis-Easter, 356	Inchture, . 569	Kilmuir-Easter, 69	Kirkton (Farr), 50	Loth, . 54
Fowlis-Wester, 357	Innerkip, . 357	Kilmun, . 509	Kirktown (Rox-	Loudoun, . 603
Fraserburgh, 196	Innerleithen, 762	Kilninian and	burgh), . 794	Lumphanan, 220
Fyvie, . 197	Innerwick, . 711	Kilmore, . 544	Kirkurd, . 764	Lunan, . 305
Gairloch, . 66	Insch (Aberd'n), 203	Kilninver, . 524	Kirkwall & St Ola 21	Lundie, . 306
Galashiels, . 775	Inverallan, . 93	Kilrenny, . 438	Kirriemuir, 299	Lunnasting, 7
Galston, . 593	Inveraray, . 513	Kilspindie, 363	Knockando, 139	Luss, . 499
Gamrie, . 155	Inverarity, . 292	Kilsyth, . 483	Knockbain, 73	Lyne, . 765
Gargunnoch, 481	Inveravon, . 157	Kiltarlity, 101	Knoydart, . 97	Madderty, . 770
Gartly, . 198	Inverchaolain, 514	Kiltearn, . 70	Ladhope, . 799	Mains, . 833

Makerston, 797	New Monkland, 651	Raasay, . 114	Shapinshay, 28	Tillicoultry, 468
Manor, . 766	New Pitsligo, 227b	Rathen, . 235	Shettleston, 622	Tingwall, . 10
Markinch, . 447	New Spynie, 136	Ratho, . 698	Shieldaig, . 58	Tinwald, . 849
Marnoch, . 161	Newton, . 696	Rathven, . 164	Shotts, . 655	Tobermory, 549
Maryculter, 264	Newtyle, . 314	Ratray, . 389	Skene, . 238	Tomintoul, 160
Maryhill, . 622	Nigg (Kincardine), 266	Rayne, . 236	Skipness, . 531	Tongland, . 881
Marykirk, . 265	Nigg (Ross), 78	Reay, . 40	Skirling, . 769	Tongue, . 56
Marytown, 308	North Berwick, 713	Redgorton, 390	Slains, . 239	Torosay, . 550
Mauchline, 604	North Bute, 557	Renfrew, . 575	Slamannan, 489	Torphichen, 671
Maxton, . 798	North Knapdale, 530	Rerrick, . 879	Sleat, . 115	Torryburn, 458
Maybole, . 605	North Leith, 692	Rescobie, . 317	Smailholm, 805	Torthorwald, 850
Mearns, . 571	Northmavine, 8	Resolis, . 79	Small Isles, 116	Tough, . 244
Megget, . 765	North Morar, 97	Rhynd, . 391	Snizort, . 117	Towie, . 245
Meigle, . 379	North Ronaldshay, 22	Rhynie, . 237	Sorn, . 613	Tradeston, 644
Melrose, . 799	North Uist, 113	Riccarton, . 611	Southdean, 806	Tranent, . 722
Menmuir, . 309	North Yell, 4	Roberton, . 777	Southend, . 532	Traquair, . 771
Merton, . 751	Oa, . 546	Rogart, . 55	South Knapdale, 533	Trinity-Gask, 396
Methlic, . 221	Oathlaw, . 315	Rosehall, . 46	South Leith, 692	Troqueer, . 882
Methven, . 380	Oban, . 523	Rosemarkie, 80	South Ronaldshay & Bur-ray, 29	Tulliallan, . 397
Mid-Calder, 694	Ochiltree, . 609	Roseneath, 502	South Uist, 118	Tullynessle and Forbes, . 246
Middlebie, . 841	Old Ardrossan, 576	Rosskeen, . 81	Speymouth, 143	Tundergarth, 851
Midmar, . 222	Old Cumnock, 610	Rothies, . 141	Spott, . 720	Turriff, . 247
Mid & S. Yell, 6	Old Deer, . 228	Rothiemay, 165	Springburn, 622	Tweedsmuir, 772
Millbrex, . 222b	Oldhamstocks, 714	Rothiemurchus, 132	Sprouston, 807	Twynholm, 883
Milton, . 644	Old, or West, Kilpatrick, 501	Rousay and Egilshay, 24	Stair, . 614	Tynron, . 852
Minnigaff, . 876	Old Luce (or Glenluce), 894	Row, . 503	Stenscholl, 112	Tyree, . 551
Minto, . 800	Old Machar, 168	Roxburgh, 803	Stenton, . 721	Tyrie, . 248
Mochrum, . 892	Old Meldrum, 229	Rutherglen, 654	Stevenston, 615	Udny, . 249
Moffat, . 842	Old Monkland, 652	Ruthven, . 318	Stewarton, 616	Uig, . 89
Moneydie, . 381	Olrig, . 39	Ruthwell, . 846	Stirling, . 490	Unst, . 11
Monifieth, . 310	Ordiquhill, 163	Saddell, . 531	Stitchel, . 808	Uphall, . 672
Monikie, . 311	Ormiston, . 715	St Andrew (Edinburgh), 685	Stobo, . 770	Urquhart (Elgin), 144
Monimail, . 448	Orphir, . 23	St Andrews (Orkney), 25	Stoer, . 44	Urquhart (Inverness), . 107
Monkton and Prestwick, 606	Orwell, . 463	St Andrews-Lhanbryde, 142	Stonehouse, 656	Urquhart and Logie-Wester, 84
Monquhitter, 223	Oxnam, . 802	St Andrews and St Leonards (Fife), 453	Storneykirk, 898	Urr, . 884
Montrose, 312	Oyne, . 230	St Boswells, 804	Stornoway, 88	Urray, . 85
Monymusk, 224	Paisley, . 573	St Cyrus, . 267	Stow, . 699	Walls (Shetland), 12
Monzie (Perth), 382	Panbride, . 316	St Fergus, 166	Stracathro, 320	Walls (Orkney), 32
Monzievaird, 383	Papa-Stour, 12	St George, 685	Strachan, . 268	Walston, . 658
Moonzie (Fife), 449	Papa-Westray, 33	St Giles, . 685	Strachur, . 534	Wamphray, 853a
Mordington, 752	Partick, . 646	St Kilda, . 111	Straiton, . 617	Wandell and Lamington, 659
Morebattle, 801	Parton, . 878	St Madoes, 392	Stralachlan, 534	Wanlockhead, 853b
Morham, . 712	Peebles, . 768	St Martins, 393	Stranraer, . 899	Watten, . 42
Mortlach, . 162	Pencaitland, 716	St Michaels, 668	Strath, . 119	Weem, . 398
Morton, . 843	Penicuik, . 697	St Monance (or Abercrombie), 454	Strathblane, 491	Wemyss, . 459
Morvern, . 528	Penninghame, 895	St Mungo, . 847	Strathdon, 240	West Calder, 701
Moulin, . 384	Penpont, . 845	St Nicholas, 168	Strathfillan, 394b	Westerkirk, 854
Mousewald, 844	Persie, . 386b	St Ninians, 488	Strathmartine, 307	West Kilbride, 620
Moy and Dalarrossie, . 105	Perth, . 387	St Quivox and Newton-upon-Ayr, 612	Strathmiglo, 457	West Linton, 773
Muckairn, . 529	Peterculter, 231	Salen (Argyll), 548	Strathy, . 50	Westray, . 33
Muckhart, . 385	Peterhead, 232	Saline (Fife), 455	Strichen, . 241	Westruther, 756
Muiravonside, 486	Pettinain, . 653	Salton, . 719	Stromness, . 30	Whalsay and Skerries, 7
Muirkirk, . 607	Petty, . 106	Sanday, . 26	Stronsay, . 31	Whitburn, 673
Murroes, . 313	Pitsligo, . 233	Sandness, . 12	Sunart (or Strontian), 505	Whitekirk and Tynninghame, 723
Musselburgh, 689	Pittenweem, 452	Sandsting and Aithsting, 9	Symington (Ayr), . 618	Whiteness and Weisdale, 10
Muthill, . 386	Polmont, . 487	Sandwick, . 27	Symington (Lanark), 657	Whithorn, 900
Nairn, . 123	Polwarth, . 754	Sandwick & Cunningsburgh, 3	Tain, . 82	Whitome, 757
Neilston, . 572	Port-Glasgow, 574	Sanquhar, . 848	Tannadice, 321	Whittinghame, 724
Nenthorn, . 753	Portlethen, 251	Savocho, . 237b	Tarbat, . 83	Wick, . 43
Nesting, . 7	Port of Men-teith, . 388	Scone, . 394a	Tarbert, . 535	Wigtown, . 901
New Abbey, 877	Portmoak, 464	Scoonie, . 456	Tarbolton, 619	Wilton, . 810
Newbattle, . 695	Portnahaven, 547	Scourie, . 49	Tarland, . 242	Wiston and Robertson, . 660
Newburgh, 450	Portobello, 684	Seafeld, . 167	Tarves, . 243	Yarrow, . 779
Newburn, . 451	Portpatrick, 896	Selkirk, . 778	Tealing, . 322	Yester (or Gifford), . 725
New Cumnock, 608	Portree, . 114		Temple, . 700	Yetholm, . 811
New Deer, 225	Prestonkirk, 717		Tenandry, 394c	
New Galloway, 868	Prestonpans, 718		Terregles, . 880	
New, or East, Kilpatrick, 500	Queensferry, 670		Teviothead, 809	
Newhills, . 226	Rafford, . 140		Thurso, . 41	
Newington, 685			Tibbermore, 395	
Newlands, . 767				
New Ardrossan, 576				
New Luce, . 893				
New Machar, 227a				

EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.

